

PosiTile® + Interface

www.interface.com

United States Headquarters

1503 Orchard Hill Road
LaGrange, GA 30240
1.800.336.0225 ext.6511

Canadian Headquarters

233 Lahr Drive
Belleville, ON K8N 5S2
1.800.267.2149 ext.2128

Brazilian Headquarters

Rua Surubim, 577 - Conjuntos
73/74 7º Andar
04571-050 - São Paulo - SP
+ 55 11 2196 0900

Latin American Headquarters

Montes Urales # 415 Piso 6
Col. Lomas de Chapultepec
México City, D.F. 11000
Mexico
+ 52 55 6395 5100

CIM # IFS00671 12/2014



Mission Zero®

our promise to eliminate any
negative impact our company
may have on the environment
by the year 2020.

Tate® | Interface®

The Simple, Smart Solution for Access Floors

We've partnered with Tate to offer our modular carpet as PosiTile—their carpet tile solution for access floors. It's the smart way to go for workspaces that need easy access to underfloor cabling and wiring but want the warmth and beauty of soft flooring. You get all the performance and aesthetic benefits of Interface modular carpet along with the full flexibility of an access floor using the one-to-one fit of PosiTile.

How does it work?

Four ultrasonically welded buttons on the underside of each carpet tile precisely align with four matching holes in Tate's ConCore® panel, making the carpet tile and access panel one unit. This eliminates the need for glue and makes reconfiguration quick and easy. Even service boxes or diffusers move faster and create less waste because there's no need to cut new carpet tiles to fit.

What's in it for you?

- True one-to-one solution with carpet tiles indexed directly to individual panels
- Easy to move above floor electrical outlets and HVAC modules
- Less down time for staff during moves or reconfiguration
- Faster installation and occupancy
- Reduced carpet waste and attic stock
- Environmentally responsible carpet tile and access panels
- Available in 40 Interface carpet tile product/color combinations
- Available with state-of-the-art static control properties





Cubic™ Colorline



183133 SHAPE




183134 GEOMETRY



183135 AREA



183136 ANGLE




183137 BALANCE



183138 HORIZONTAL



183139 DIMENSION



183140 HEIGHT



183141 CONSTRUCTION



183142 MOVEMENT

Specifications



Modular, 24in x 24in
Backing System
Yarn Manufacturer
Yarn System
Color System
Construction
Preservative Protection
Soil/Stain Protection
Pile Thickness
Pile Density
Total Recycled Content
Indoor Air Quality

19EX202200
GlasBac® Tile
Aquafil
100% Recycled Content Type 6 Nylon
100% Solution Dyed
Tufted Textured Loop
Intersept®
Protekt²®
0.093 in., 2.4 mm
6,968
62%
CRI Green Label Plus #GLP0820




NON-DIRECTIONAL

PRODUCT CUBIC. COLOR 183138 HORIZONTAL



Cubic Colours™ Colorline



183145 BLACK

Specifications



Modular, 24in x 24in	19FA902200
Backing System	GlasBac® Tile
Yarn Manufacturer	Aquafil
Yarn System	100% Recycled Content Type 6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.093 in., 2.4 mm
Pile Density	6,968
Total Recycled Content	62%
Indoor Air Quality	CRI Green Label Plus #GLP0820

PRODUCT CUBIC COLOURS - COLOR 183145 BLACK





PRODUCT PLATFORM COLOR 9332 SOAPSTONE

Platform™ Colorline



9325 CHESTNUT



9328 AZTEC




9330 MUSCOVITE



9331 HAZEL



9332 SOAPSTONE



9336 STRATOSPHERE



9339 NUBIAN



9340 BATTLESHIP

Specifications

Modular, 24in x 24in	1467202200
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.126 in., 3.2 mm
Pile Density	4,000
Total Recycled Content	51%
Indoor Air Quality	CRI Green Label Plus #GLP0820



QUARTER TURN



PRODUCT PRIMARY STITCH COLOR 102411 CREWEL/ACCENT

Primary Stitch™ Colorline




102411 CREWEL/ACCENT




102413 MOSS/ACCENT




102415 SATIN/ACCENT



102416 HEM/ACCENT




102417 FRENCH
KNOT/ACCENT



102419 PURL/ACCENT



102420 KNIT/ACCENT



102422 CABLE/ACCENT

Specifications

Modular, 24in x 24in	1462102200
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0,069 in., 1,8 mm
Pile Density	7,304
Total Recycled Content	50%
Indoor Air Quality	CRI Green Label Plus #GLP0820



QUARTER TURN



Sew Straight™ Colorline



102399 CREWEL




102401 MOSS




102403 SATIN



102404 HEM



102405 FRENCH KNOT



102407 PURL



102408 KNIT



102409 CABLE

Specifications

Modular, 24in x 24in	1462002200
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt2®
Pile Thickness	0.069 in., 1.8 mm
Pile Density	7,304
Total Recycled Content	51%
Indoor Air Quality	CRI Green Label Plus #GLP0820






The Standard™ Colorline



176469 SPICE



179077 FLANNEL




183111 SESAME




183112 RAFFIA



183113 VELLUM



183114 MANGROVE



183115 SHALE

Specifications



Modular, 24in x 24in	19Y0802200
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.074 in., 1.9 mm
Pile Density	6,810
Total Recycled Content	52%
Indoor Air Quality	CRI Green Label Plus #GLP0820




NON-DIRECTIONAL

PRODUCT THE STANDARD COLOR 179077 FLANNEL




To Scale™ Colorline




182286 SPECIFICATIONS



182397 DETAILS




183116 CONTOUR




183117 ELEVATIONS




183118 CROSS SECTION



183119 FOUNDATION



183120 BLUEPRINT



183121 LINEAR

Specifications



Modular, 24in x 24in	19EN102200
Backing System	GlasBac® Tile
Yarn Manufacturer	Universal
Yarn System	Post-Consumer Content Type 6,6 Nylon
Color System	100% Solution Dyed
Construction	Tufted Textured Loop
Preservative Protection	Intersept®
Soil/Stain Protection	Protekt ² ®
Pile Thickness	0.100 in., 2.5 mm
Pile Density	6,120
Total Recycled Content	51%
Indoor Air Quality	CRI Green Label Plus #GLP0820



NON-DIRECTIONAL

PRODUCT TO SCALE COLOR 183120 BLUEPRINT

The Ultimate Glue-Free Solution for Carpet Tile and Access Floors

Interface and PosiTile make it easy to add the visual appeal, comfort and acoustical benefits of carpet over your access floor system without the hassle and mess of traditional adhesives. PosiTile simply aligns with the ConCore panel for a secure, one-to-one fit with zero glue. The carpet tile and panel become one unit, making it fast and easy to reconfigure spaces. And with no messy glue involved, changing out a soiled or damaged carpet tile is a snap.

- No waiting for glue to dry
- Easy to install – just snap carpet into panels
- Easy to move above floor electrical outlets and HVAC modules
- Less down time for staff
- Reduced carpet waste and attic stock
- Install in occupied spaces



www.interface.com

Why PosiTile + Interface?



i2® Modular Carpet

Minimize Waste & Save Money. Interface's i2 styles have mergeable dye lots. That means i2 tiles from different dye lots always blend with tiles of the same color, even when individual tiles are selectively replaced years later. This minimizes the need for attic stock and saves money. And i2 styles that install non directionally generate an average of only 1.5% installation waste as compared to 3-4% for typical modular carpet and an average of 14% for traditional roll carpet.



Modular Carpet Tile

Performance and Flexibility. Interface's modular carpet tile sets the industry standard for performance. Tiles are designed to stay on the floor with no upcurl, tapping or rippling. Our square tiles are easier to handle, install and maintain. They install with just 3-4% waste – and as little as 1.5% for i2® non directional styles – compared to an average 14% for traditional roll carpet.



Cool Carpet™

Help Stop Global Warming and Earn a LEED® Innovation Credit. ALL Interface modular carpet sold in North America is third party verified climate neutral Cool Carpet. Cool Carpet zeros out all greenhouse gas (GHG) emissions associated with the entire lifecycle of your carpet. And climate neutral verified Cool Carpet may be eligible for a USGBC or CaGBC LEED Innovation Credit.



Sustainable Choice

Environmental Responsibility. Interface was the industry's first to earn an EPD (Environmental Product Declaration), which evaluates consistent factors based on full lifecycle assessment (LCA). We achieved an EPD based on our Convert™ products and have now expanded our EPDs into multiple categories covering more than 90% of our products.

In addition, all Interface products with GlasBacRE backing meet the Platinum level of the NSF/ANSI 140 Sustainable Assessment for Carpet. GlasBac backed products meet the Gold level. All may contribute toward a USGBC or CaGBC LEED Innovation Credit.



Utilizing Wind Power

Over the years Tate has taken many initiatives to reduce the environmental impact of their manufacturing process from reducing energy usage through automation, utilizing 100% wind power, significantly reducing VOC's from the paint line and implementing a 100% grey water recycling system that saves 4 million gallons annually.



Supporting Sustainability

Tate's quest for continual improvement has recently lead them to ISO 14001:2004, ISO 9001:2008 and OHSAS 18001:2007 certifications and membership in the EPA's Green Power Partnership to support sustainable technologies.

All product specifications reflect averages derived from product sample testing, are subject to normal manufacturing and testing tolerances and inherent pattern variances, and may be changed without notice. For more information about these and other important attributes of the product(s) described herein, including recycled content and product warranty information, please see www.interface.com/disclaimer.



Printed on 50% post consumer waste (PCW) fiber manufactured using wind power.

We have tried our very best to accurately represent product colors. However, due to the nature of printed materials, color of actual products may vary slightly. Please request a sample to see actual product color.