Interface Modular Rigid Core by Interface

Health Product Declaration v2.2

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 28189

CLASSIFICATION: 09 65 19.23 Vinyl Tile Flooring

PRODUCT DESCRIPTION: Interface Modular Rigid Core LVT

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

⊙ 100 ppm

C 1,000 ppm O Per GHS SDS

○ Other

Residuals/Impurities

Considered

C Partially Considered

Not Considered

Explanation(s) provided for Residuals/Impurities?

Yes ○ No

All Substances Above the Threshold Indicated Are:

Characterized

○ Yes Ex/SC ⊙ Yes ○ No

% weight and role provided for all substances.

Screened

○ Yes Ex/SC ⊙ Yes ○ No

All substances screened using Priority Hazard Lists with

results disclosed.

Identified

○ Yes Ex/SC ○ Yes ○ No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

INTERFACE MODULAR RIGID CORE [POLYVINYL CHLORIDE LT-P1 | RES LIMESTONE BM-3dg BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3dg CONTINUOUS FILAMENT GLASS FIBER, NON-RESPIRABLE LT-UNK UNDISCLOSED LT-UNK MAGNESIUM ALUMINUM HYDROXIDE CARBONATE LT-UNK ZINC DIOLEATE LT-P1 | MUL CALCIUM STEARATE LT-UNK DIPROPYLENE GLYCOL DIACRYLATE LT-UNK POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN-1-YL)-OMEGA-((1-OXO-2-PROPEN-1-YL)OXY)- LT-UNK HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS 1,3,5-TRIS(2-HYDROXYETHYL) ISOCYANURATE LT-UNK WATER BM-4 1,6-HEXANEDIOL DIACRYLATE LT-P1 | SKI | MUL | EYE METHYL PHENYLGLYOXALATE LT-UNK TRIPROPYLENE GLYCOL DIACRYLATE LT-P1 | SKI | MUL | EYE | AQU]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

As included in the finished product, none of the material(s) identified with a "Hazard Type" designator have been shown to present any increased risk to human health under normal conditions of use or exposure.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: RFCI FloorScore

LCA: Environmental Product Declaration (EPD) by UL

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1 and Option 2

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** SCREENING DATE: 2022-04-13 PUBLISHED DATE: 2022-04-13 EXPIRY DATE: 2025-04-13



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

INTERFACE MODULAR RIGID CORE

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are included where appropriate according to HPDC best practice.

OTHER PRODUCT NOTES: None

POLYVINYL CHLORIDE ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:13

%: 40.1400 - 53.6000 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Structure component

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

RES AOEC - Asthmagens Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The respiratory hazard is assigned on the assumption that all polyvinyl chloride contains plasticizers that are asthmagens. The polyvinyl chloride used in this product does not contain this material and the HAZARD TYPE assigned is not applicable. The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

LIMESTONE ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:14

%: 18.9100 - 24.3600 RC: PreC NANO: No SUBSTANCE ROLE: Filler GS: BM-3dg

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: None

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:14

SUBSTANCE ROLE: Plasticizer %: 16.8600 - 22.6500 GS: BM-3dg RC: None NANO: No

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

ID: 65997-17-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:15

%: 4.0000 - 8.6000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

UNDISCLOSED ID: Undisclosed

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:15

%: 0.7000 - 2.0000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Filler

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: Substance marked undisclosed for proprietary reasons.

MAGNESIUM ALUMINUM HYDROXIDE CARBONATE

ID: 11097-59-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:16

%: 0.3900 - 0.5200 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

ZINC DIOLEATE ID: 557-07-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:16

%: 0.1600 - 0.2600 GS: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

MUL German FEA - Substances Hazardous to Class 2 - Hazard to Waters

Waters

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

CALCIUM STEARATE ID: 1592-23-0

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:17

%: 0.0400 - 0.1300 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Stabilizer

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS** No warnings found on HPD Priority Hazard Lists None found

DIPROPYLENE GLYCOL DIACRYLATE

SUBSTANCE NOTES: None

ID: 57472-68-1

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:17

%: 0.0300 - 0.2000 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coating

HAZARD TYPE AGENCY AND LIST TITLES WARNINGS

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: None

POLY(OXY-1,2-ETHANEDIYL), ALPHA-(1-OXO-2-PROPEN-1-YL)-OMEGA-((1-OXO-2-PROPEN-1-YL)OXY)-

ID: 26570-48-9

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:18

%: 0.0200 - 0.1500 GS: LT-UNK RC: None NANO: No SUBSTANCE ROLE: Coating

WARNINGS **HAZARD TYPE** AGENCY AND LIST TITLES

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:18

%: 0.0200 - 0.1300 GS: NoGS RC: None NANO: No SUBSTANCE ROLE: Coating

WARNINGS **HAZARD TYPE** AGENCY AND LIST TITLES

No warnings found on HPD Priority Hazard Lists None found

SUBSTANCE NOTES: None

1,3,5-TRIS(2-HYDROXYETHYL) ISOCYANURATE

ID: 839-90-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2022-04-13 18:34:19

SUBSTANCE ROLE: Stabilizer %: 0.0200 - 0.1300 GS: LT-UNK RC: None NANO: No

HAZARD TYPE AGENCY AND LIST TITLES **WARNINGS**

None found No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

%: 0.0000 - 0.1600

GS: BM-4

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

1,6-HEXANEDIOL DIACRYLATE						ID: 13048-33-4
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZAR	D SCRE	ENING DATE:	2022-04-13 18:34:20	
%: 0.0000 - 0.0500	GS: LT-P1	RC: No	ne	NANO: No	SUBSTANCE ROLE	: Coating
HAZARD TYPE	AGENCY AND LIST TITLES		WARN	IINGS		
SKI	MAK		Sensit	izing Substance	e Sh - Danger of skin s	ensitization
MUL	German FEA - Substances Hazardous Waters	to	Class	2 - Hazard to W	/aters	
SKI	EU - GHS (H-Statements) Annex 6 Tab	le 3-1	H315 - Catego		ritation [Skin corrosion	/irritation -
SKI	EU - GHS (H-Statements) Annex 6 Tab	le 3-1		- May cause an zation - Catego	allergic skin reaction [s	Skin
EYE	EU - GHS (H-Statements) Annex 6 Tab	le 3-1			s eye irritation [Serious - Category 2A]	s eye

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

METHYL PHENYLGLYOXALATE				ID: 15206-55-0
HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE:	2022-04-13 18:34:20
%: 0.0000 - 0.0300	GS: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coating
HAZARD TYPE	AGENCY AND LIST TITLES	WAF	RNINGS	
None found			No warning	gs found on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

TRIPROPYLENE GLYCOL DIACRYI	LATE				ID: 42978-66-5
HAZARD SCREENING METHOD: P	Pharos Chemical and Materials Library	HAZARD SCR	EENING DATE:	2022-04-13 18:34:21	
%: 0.0000 - 0.0300	GS: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE	: Coating

SUBSTANCE NOTES: None

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
SKI	MAK	Sensitizing Substance Sh - Danger of skin sensitization
MUL	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H315 - Causes skin irritation [Skin corrosion/irritation - Category 2]
SKI	EU - GHS (H-Statements) Annex 6 Table 3-1	H317 - May cause an allergic skin reaction [Skin sensitization - Category 1]
EYE	EU - GHS (H-Statements) Annex 6 Table 3-1	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H411 - Toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 2]

SUBSTANCE NOTES: The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	RFCI FloorScore		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2021-11- 05	EXPIRY DATE: 2022- 11-04	CERTIFIER OR LAB: SCS Global Services
CERTIFICATION AND COMPLIANCE NOTES: None			
LCA	Environmental Product	: Declaration (EPD) by UI	-
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	Environmental Product ISSUE DATE: 2022-01- 14		CERTIFIER OR LAB: UL Environment



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The Hazard(s) identified above are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

MANUFACTURER INFORMATION

MANUFACTURER: Interface
ADDRESS: Interface

1280 West Peachtree Street NW

Atlanta GA 30309, United States WEBSITE: www.interface.com

CONTACT NAME: Carol Fudge

TITLE: Manager, Market Sustainability

PHONE: **603-560-8941**

EMAIL: carol.fudge@interface.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the

information contained within the list did not result in a clear mapping

to a LT-1 or LTP1 score.)
NoGS No GreenScreen.

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.