

CLASSIFICATION: 09650 Resilient Flooring

PRODUCT DESCRIPTION: Interface Modular LVT on Sound Choice Backing

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- Nested Materials Method
- Basic Method

Threshold level

- 100 ppm
- 1,000 ppm
- Per GHS SDS
- Per OSHA MSDS
- Other

Residuals/Impurities

- Considered
- Partially Considered
- Not Considered

All Substances Above the Threshold Indicated Are:

Characterized Yes Ex/SC Yes No

% weight and role provided for all substances.

Screened Yes Ex/SC Yes No

All substances screened using Priority Hazard Lists with results disclosed.

Identified Yes Ex/SC Yes No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

Threshold Disclosed Per

- Material
- Product

Explanation(s) provided for Residuals/Impurities?
 Yes No

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE

INTERFACE MODULAR LVT ON SOUND CHOICE BACKING [LIMESTONE, CALCIUM CARBONATE LT-UNK POLYVINYL CHLORIDE (PVC) LT-P1 | RES BIS(2-ETHYLHEXYL) TEREPHTHALATE BM-3 FIBERGLASS (PRIMARY CASRN IS 65997-17-3) LT-UNK | CAN METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE LT-UNK SILOXANES AND SILICONES NoGS UNDISCLOSED LT-P1 | END | MUL EPOXIDIZED SOYBEAN OIL (PRIMARY CASRN IS 8013-07-8) LT-P1 POLYETHYLENE LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED NoGS CARBON BLACK LT-1 | CAN UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 1

Contents highest concern GreenScreen Benchmark or List translator Score ... LT-1
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: RFCI FloorScore
LCA: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:
VERIFICATION #:

SCREENING DATE: 2019-05-13

PUBLISHED DATE: 2019-05-13

EXPIRY DATE: 2022-05-13



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

INTERFACE MODULAR LVT ON SOUND CHOICE BACKING

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: Residuals are included where appropriate according to HPDC best practice.

OTHER PRODUCT NOTES: None

LIMESTONE, CALCIUM CARBONATE

ID: 1317-65-3

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-05-13

%: 45.00 - 60.00

GS: LT-UNK

RC: PreC

NANO: No

ROLE: Filler

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: No substance notes included.

POLYVINYL CHLORIDE (PVC)

ID: 9002-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-05-13

%: 25.00 - 35.00

GS: LT-P1

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

RESPIRATORY

AOEC - Asthmagens

Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: The Pharos Chemical and Materials Library assigns a respiratory warning to this material based on the assumption that the material is used in combination with phthalates. This product does not contain phthalates and this warning does not apply.

BIS(2-ETHYLHEXYL) TEREPHTHALATE

ID: 6422-86-2

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library

HAZARD SCREENING DATE: 2019-05-13

%: 9.00 - 18.00

GS: BM-3

RC: None

NANO: No

ROLE: Binder

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: No substance notes included.

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.60 - 0.90	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	EU - GHS (H-Statements)	H351 - Suspected of causing cancer		

SUBSTANCE NOTES: The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

METHYL METHACRYLATE, COPOLYMER WITH BUTYL ACRYLATE

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.40 - 0.60	GS: LT-UNK	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: **No substance notes included.**

SILOXANES AND SILICONES

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.10 - 0.30	GS: NoGS	RC: None	NANO: No	ROLE: Binder
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
	No hazards found			

SUBSTANCE NOTES: **No substance notes included.**

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.10 - 0.30	GS: LT-P1	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters		

SUBSTANCE NOTES: The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-13**%: **0.10 - 0.30**GS: **LT-P1**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **No substance notes included.****POLYETHYLENE**

ID: 9002-88-4

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-13**%: **0.10 - 0.30**GS: **LT-UNK**RC: **None**NANO: **No**ROLE: **Binder**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

No hazards found

SUBSTANCE NOTES: **No substance notes included.****TITANIUM DIOXIDE**

ID: 13463-67-7

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-13**%: **0.10 - 0.30**GS: **LT-1**RC: **None**NANO: **No**ROLE: **Colorant**

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

CANCER

US CDC - Occupational Carcinogens

Occupational Carcinogen

CANCER

CA EPA - Prop 65

Carcinogen - specific to chemical form or exposure route

CANCER

IARC

Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources

ENDOCRINE

TEDX - Potential Endocrine Disruptors

Potential Endocrine Disruptor

CANCER

MAK

Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value

CANCER

MAK

Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels

SUBSTANCE NOTES: The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

HEXANEDIOIC ACID, POLYMER WITH 1,2-ETHANEDIOL AND 1,6-DIISOCYANATO-2,2,4(OR 2,4,4)-TRIMETHYLHEXANE, 2-HYDROXYETHYL ACRYLATE-BLOCKED

ID: 141686-56-8

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**HAZARD SCREENING DATE: **2019-05-13**%: **0.05 - 0.15**GS: **NoGS**RC: **None**NANO: **No**ROLE: **Stabilizer**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
No hazards found		

SUBSTANCE NOTES: No substance notes included.

CARBON BLACK

ID: 1333-86-4

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.05 - 0.15	GS: LT-1	RC: None	NANO: No	ROLE: Colorant
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route		
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources		
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification		

SUBSTANCE NOTES: The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.05 - 0.15	GS: LT-P1	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		

SUBSTANCE NOTES: The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the product poses any increased risk to human health under normal conditions of use or exposure.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2019-05-13		
%: 0.05 - 0.15	GS: LT-UNK	RC: None	NANO: No	ROLE: Stabilizer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
No hazards found				

SUBSTANCE NOTES: No substance notes included.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

RFCI FloorScore

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

https://www.scs-certified.com/products/cert_pdfs/Interface_2019_SCS-FS-04366_s.pdf

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE:

2019-02-01

EXPIRY DATE:

2020-01-31

CERTIFIER OR LAB: **SCS**

Global

LCA

Environmental Product Declaration

CERTIFYING PARTY: **Third Party**

APPLICABLE FACILITIES: **All**

CERTIFICATE URL:

http://interfaceinc.scene7.com/is/content/InterfaceInc/Interface/Americas/eCatalogs/Technical/EPDs-Full/LVT%20-%202017/LVT%20-%20Eng/ec_am-epdinterface-lvt-2017.pdf

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: EXPIRY DATE: CERTIFIER OR

LAB: **UL**

Environment

2017-01-20 2022-01-19

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

The Hazard(s) identified are a product of the presence of the material(s) on one or more chemical or material "hazard" lists selected by the HPD Collaborative. Many of these lists were developed to further entirely different goals than providing exposure-based health information. The identification of the Hazard(s) is not an indication that the presence of the material in the Product poses any increased risk to human health under normal conditions of use or exposure.



MANUFACTURER INFORMATION

MANUFACTURER: **Interface**
 ADDRESS: **Interface**
1503 Orchard Hill Road
Lagrange GA 30241, US
 WEBSITE: <http://interface.com>

CONTACT NAME: **sustainability@interface.com**
 TITLE: **sustainability@interface.com**
 PHONE: **sustainability@interface.com**
 EMAIL: **sustainability@interface.com**

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet
GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity	GLO Global warming	PHY Physical Hazard (reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive toxicity
DEV Developmental toxicity	MUL Multiple hazards	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	OZO Ozone depletion	LAN Land Toxicity
GEN Gene mutation	PBT Persistent Bioaccumulative Toxic	NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-P1 List Translator Possible Benchmark 1
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-1 List Translator Likely Benchmark 1
BM-2 Benchmark 2 (use but search for safer substitutes)	LT-UNK List Translator Benchmark Unknown (insufficient information from List Translator lists to benchmark)
BM-1 Benchmark 1 (avoid - chemical of high concern)	NoGS Unknown (no data on List Translator Lists)
BM-U Benchmark Unspecified (insufficient data to benchmark)	

Recycled Types

PreC Preconsumer (Post-Industrial)
PostC Postconsumer
Both Both Preconsumer and Postconsumer
Unk Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.