

NON-Hazardous Substance, NON-Dangerous Goods

1. MATERIAL AND SUPPLY COMPANY IDENTIFICATION

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING

Recommended use: Carpet floor covering.

Supplier: Interface Aust Pty Limited

ACN: 000 692 026 **Street Address:** 34 Airds Road

Minto, NSW 2566

Australia

Telephone: +61 1800 008 101

Website: www.Interface.com.au

24/7 Emergency telephone number: +61 1800 785 277

2. HAZARDS IDENTIFICATION

Based on available information, this material is not classified as hazardous according to criteria of NOHSC Australia.

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

Poisons Schedule (Aust): Not applicable

3. COMPOSITION INFORMATION

| CHEMICAL | ENTITY CAS NO. | PROPORTION |
|---|---|--|
| Nylon carpet fibre Polyester cloth Ethylene Vinyl Acetate Limestone (CaCO3) Polyvinyl chloride Virgin Polymer Recycled Post Consumer PVC Backing DINP | 25038-54-4 25038-59-9 25822-09-7 1317-65-3 25035-98-7 | 12-20% 2-4% 5% 20-30% 6% 35-45% 3-5% |
| | | |

4. FIRST AID MEASURES

If poisoning occurs, contact a doctor or Poisons Information Centre (Phone Australia 131 126, New Zealand 03 474 7000).

Inhalation: Not applicable.

Skin contact: Not applicable.

Eye contact: Not applicable.

Ingestion: Not applicable.

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING Substance Key: INT00021 Issued: 30th January 2015 Version: 4.0

Page 1 of 5



5. FIRE-FIGHTING MEASURES

Specific hazards: Not readily combustible, but will support combustion of other materials.

Fire fighting further advice: Fire fighters to wear self-contained breathing apparatus and suitable

protective clothing if risk of exposure to vapour or products of combustion.

Hazchem Code: Not applicable

Suitable extinguishing media: Not readily combustible, however, if material is involved in a fire use; water

fog (or if unavailable fine water spray), foam, dry agent (carbon dioxide, dry

chemical powder).

6. ACCIDENTAL RELEASE MEASURES

Pick up large pieces. Sweep up.

Dangerous Goods - Initial Emergency Response Guide No: Not applicable.

7. HANDLING AND STORAGE

Handling: Not applicable

Storage: Store in a clean, dry place.

Do not double stack pallets.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

National occupational exposure limits:

No value assigned for this specific material by the National Occupational Health and Safety Commission (NOHSC Australia).

Biological Limit Values: As per the "National Model Regulations for the Control of Workplace Hazardous Substances [NOHSC: 1005 (1994)]" the ingredients in this material do not have a Biological Limit Allocated.

Engineering measures: Natural ventilation should be adequate under normal use conditions.

Personal protection equipment: During handling and installation wear standard safety equipment - overalls and safety shoes. Always wash hands before smoking, eating, drinking or using the toilet.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form / Colour / Odour: Carpet tile / various colours / relatively odourless.

Solubility: Insoluble in water.

Specific Gravity (20 °C): N Av

Relative Vapour Density (air=1): N App

Vapour Pressure (20 °C): N App

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING Issued: 30th January 2015 Version: 4.0

Substance Key: INT00021

Page 2 of 5



Flash Point: N App

Flammability Limits (%): N App

Autoignition Temperature (°C): N Av

Melting Point/Range (°C): N App

Boiling Point/Range (°C): N App

pH: N App

(Typical values only - consult specification sheet)

N Av = Not available

N App = Not applicable

10. STABILITY AND REACTIVITY

Chemical stability: This material is thermally stable.

Conditions to avoid: Extreme heat.

Incompatible:No information available.

Hazardous decomposition products: No information available.

Hazardous reactions: No information available.

11. TOXICOLOGICAL INFORMATION

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms or effects that may arise if the product is mishandled and overexposure occurs are:

Acute Effects

Inhalation: Not expected to cause respiratory irritation.

Skin contact: Not expected to be a skin irritant.

Eye contact: Not expected to be an eye irritant.

Ingestion: Not a likely source of exposure. May cause physical obstruction if ingested.

Long Term Effects: No information available for product.

Acute toxicity / Chronic toxicity

No LD50 data available for the product.

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING
Issued: 30th January 2015

Version: 4.0

Substance Key: INT00021
Page 3 of 5



12. ECOLOGICAL INFORMATION

Avoid contaminating waterways.

Ecotoxicity: No information available.

Persistence and degradability: No information available.

Mobility: No information available.

13. DISPOSAL CONSIDERATIONS

Best practice is to recover for reuse or reprocessing. Contact Interface for information on how this material can be reprocessed through its ReEntry carpet reprocessing program. For disposal refer to State/Territory Land Waste Management Authority.

14. TRANSPORT INFORMATION

ROAD AND RAIL TRANSPORT

Not classified as Dangerous Goods by the criteria of the Australian Dangerous Goods Code (ADG Code) for transport by Road and Rail.

MARINE TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Maritime Dangerous Goods Code (IMDG Code) for transport by sea.

AIR TRANSPORT

Not classified as Dangerous Goods by the criteria of the International Air Transport Association (IATA) Dangerous Goods Regulations for transport by air.

15. REGULATORY INFORMATION

Poisons Schedule (Aust): Not applicable

All the constituents of this material are listed on the Australian Inventory of Chemical Substances (AICS).

16. OTHER INFORMATION

Literary reference

This Material Safety Data Sheet has been prepared by Chemical Data Services Pty Ltd on behalf of its client.

For further information about this product;

Contact: Technical Manager

Interface Aust Pty Limited,

Telephone: + 612 4677 8801

Email: info@interface.com

Reason(s) For Issue: New Contact Details

Material Safety Data Sheets are updated frequently. Please ensure that you have a current copy.

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING
Issued: 30th January 2015

Version: 4.0

Substance Key: INT00021
Page 4 of 5



This MSDS summarises at the date of issue our best knowledge of the health and safety hazard information of the product, and in particular how to safely handle and use the product in the workplace. Since Interface Australia Pty Ltd cannot anticipate or control the conditions under which the product may be used, each user must, prior to usage, review this MSDS in the context of how the user intends to handle and use the product in the workplace.

If clarification or further information is needed to ensure that an appropriate assessment can be made, the user should contact this company.

Our responsibility for product as sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available upon request.

Product name: NYLON TUFTED CARPET TILE ON GLASBAC®RE BACKING
Issued: 30th January 2015

Version: 4.0

Substance Key: INT00021
Page 5 of 5