

# **Danish Indoor Climate Labelling**

## **Certificate no. 103**



*Danish Indoor Climate Labelling hereby certifies that the product group*

**Carpet tiles**

*manufactured by*

**Interface  
Industrielaan 15  
3925 ZG Scherpenzeel  
The Netherlands**

*has been approved and awarded a labelling licence*

*The declared indoor-relevant time-value has been determined according to the labelling criteria listed in the following documents issued by the Danish Indoor Climate Labelling:*

*Testing and Labelling Criteria for  
Textile floor coverings, 4<sup>th</sup> edition, 2018  
and General Labelling Criteria, 6<sup>th</sup> edition, 2018*

*The certificate is based on tests of  
HN 830*

*The certificate is valid 5 years from:*

**10<sup>th</sup> January 2019**

*and is subject to annual renewal by attestation of the Schedule 1-103 to this certificate according to the procedures of Danish Indoor Climate Labelling.*

*Danish Indoor Climate Labelling may withdraw the rights to use this Certificate in case the company does not meet the requirements.*

*For Danish Indoor Climate Labelling*

*Certification Manager*

*Date*

15.03.2019

# Danish Indoor Climate Labelling

## Certificate no. 103



### Schedule 1-103

*Certificate Holder:*

Interface  
Industrielaan 15  
3925 ZG Scherpenzeel  
The Netherlands

*The certificate was first issued on:*

15<sup>th</sup> March 2019

*Labelling Licence Basis:*

*Danish Indoor Climate Labelling:* Testing and labelling criteria for textile floor coverings, 4<sup>th</sup> edition, 2018. The maximum acceptable time-value for textile floor coverings is determined as 60 days. The certificate applies to products considered to be identical with the tested product regarding indoor climate characteristics as specified by the labelling criteria.

*Product Characteristics:*

The certificate and the declared indoor-relevant time-value comprise exclusively the product group characteristics in relation to odour and irritation of the eyes, nose and upper airways. The declared indoor-relevant time-value is determined on basis of the results of chemical analyses as well as sensory evaluations. Declared time-value:

**30 days**



*Product information Requirements:*

The holder of the certificate is required to present the following product information on demand in order to avoid any adverse effects of the product on the indoor climate in practice: product specifications, a list of trade names covered by the certificate, guidelines for projecting, transport, storage, assembly, limitation of applications, cleaning and maintenance.

*Monitoring and Renewal of Labelling Licence:*

*Danish Indoor Climate Labelling* monitors and exercises control in accordance with its procedures in force at any time. The certificate is valid only in combination with the present schedule stating the dates of first issue, renewal and expiration, and signed by the Certification Manager of *Danish Indoor Climate Labelling*.

The application for renewal of the labelling licence filed by the certificate holder has been considered according to the requirements of the *Danish Indoor Climate Labelling* with a satisfactory result:

Labelling licence date of renewal	-	12.03.2020			
Attestation of latest renewal					
Labelling licence date of expiry	15.03.2020	15.03.2021			

**In the event of any discrepancies in the text arising from translation, the Danish text shall prevail.**