

Level Set™ Collection | **LVT**  
QuickShip™ Delivery Guide

Interface®





Interface has over 500 modular flooring products available for 24-hour dispatch\* in the QuickShip™ programme. This brochure shows the service levels for the Level Set™ LVT collection.

A blue dot ● means up to 1000 m<sup>2</sup> can be ordered for next-day shipment, orange ● signifies 500 m<sup>2</sup> and red ● indicates 200 m<sup>2</sup>.

To order samples and get answers to all your questions, please contact Customer Service at 01274 698503.

You can find all our QuickShip products on our website at [interface.com/qs-emea](http://interface.com/qs-emea).

**\* QuickShip conditions:**

Interface reserves the right to add or remove products to/from the list at any time.

For orders direct from Interface, available only to existing customers that have an account with Interface and have not exceeded their credit limit and have no overdue payments.

24 hr dispatch means that orders placed before 2:00 pm GMT via the phone shall be dispatched from Interface the next normal business day. 24 hr dispatch is however based on best efforts and Interface does not accept any liability arising therefrom.

## Level Set - Natural Woodgrains



A00212 CEDAR



A00210 TEAK



A00204 BEECH



A00203 CHESTNUT



A00208 SAND DUNE



A00207 WASHED WHEAT



A00206 WINTER GREY



A00205 STORM



A00201 BLACK WALNUT



A00213 COASTAL BLACK

## Specifications

Finish:	Ceramor™ - UV Stabilised Ceramic Bead Coating
Product Definition:	High Performance Luxury Vinyl Tile
Backing Type:	Sound Choice™ Acoustic Backing
Total Weight:	6700 g/m <sup>2</sup> ± 5%
Total Thickness:	4.5 mm
Wear Classification:	EN ISO 10874 33 Heavy Commercial / 42 General Light Industrial
Radiant Panel:	(EN ISO 9239-1) Euroclass Bfl-s1 (EN 13501-1)
Castor Chair:	(ISO 4918 / EN425) Pass
Impact Sound Insulation:	16 dB (EN ISO 10140-3)
Box Content:	10 Tiles - 2.5m <sup>2</sup>

## Quick Ship Colours

- Despatch within 24 hours for orders up to 500m<sup>2</sup>\*
- Despatch within 24 hours for orders up to 200m<sup>2</sup>\*



Ashlar Herringbone

LEVEL SET NATURAL WOODGRAINS - CEDAR INSTALLED: ASHLAR  
UR102 - FLAX INSTALLED: NON DIRECTIONAL





## Level Set - Textured Woodgrains



A00406 ANTIQUE LIGHT OAK



A00403 DISTRESSED HICKORY



A00414 ANTIQUE MAPLE




A00404 DISTRESSED BLACK WALNUT



A00407 WHITE WASH



A00405 GREY DUNE



A00413 ANNODIZED ASH



A00411 DARK WALNUT



## Specifications

Finish:	Ceramor™ - UV Stabilised Ceramic Bead Coating
Product Definition:	High Performance Luxury Vinyl Tile
Backing Type:	Sound Choice™ Acoustic Backing
Total Weight:	6700 g/m <sup>2</sup> ± 5%
Total Thickness:	4.5 mm
Wear Classification:	EN ISO 10874 33 Heavy Commercial / 42 General Light Industrial
Radiant Panel:	(EN ISO 9239-1) Euroclass Bfl-s1 (EN 13501-1)
Castor Chair:	(ISO 4918 / EN425) Pass
Impact Sound Insulation:	16 dB (EN ISO 10140-3)
Box Content:	10 Tiles - 2.5m <sup>2</sup>

## Quick Ship Colours

- Despatch within 24 hours for orders up to 1000m<sup>2</sup>\*
- Despatch within 24 hours for orders up to 500m<sup>2</sup>\*\*
- Despatch within 24 hours for orders up to 200m<sup>2</sup>\*\*



Ashlar Herringbone



LEVEL SET TEXTURED WOODGRAINS - ANTIQUE MAPLE  
INSTALLED: ASHLAR



## Level Set - Natural Stones




A00103 COOL  
IMPALA MARBLE



A00101 JET MIST



A00102 MARONE  
DARK MARBLE




A00104 WARM  
IMPALA MARBLE

## Specifications

Finish:	Ceramor™ - UV Stabilised Ceramic Bead Coating
Product Definition:	High Performance Luxury Vinyl Tile
Backing Type:	Sound Choice™ Acoustic Backing
Total Weight:	6700 g/m <sup>2</sup> ± 5%
Total Thickness:	4.5 mm
Wear Classification:	EN ISO 10874 33 Heavy Commercial / 42 General Light Industrial
Radiant Panel:	(EN ISO 9239-1) Euroclass Bfl-s1 (EN 13501-1)
Castor Chair:	(ISO 4918 / EN425) Pass
Impact Sound Insulation:	16 dB (EN ISO 10140-3)
Box Content:	10 Tiles - 2.5m <sup>2</sup>

## Quick Ship Colours

● Despatch within 24 hours for orders up to 200m<sup>2</sup>\*



Monolithic Ashlar Brick Quarter Turn Non Directional



LEVEL SET NATURAL STONES - JET MIST  
INSTALLED: NON DIRECTIONAL





## Level Set - Textured Stones



A00302 COOL  
POLISHED CEMENT



A00303 WARM  
POLISHED CEMENT



A00301 POLISHED  
CEMENT



A00304  
EMPERADOR GRAY



A00305  
EMPERADOR TAUPE




A00307 CHESTNUT  
HORSE HAIR

## Specifications

Finish:	Ceramor™ - UV Stabilised Ceramic Bead Coating
Product Definition:	High Performance Luxury Vinyl Tile
Backing Type:	Sound Choice™ Acoustic Backing
Total Weight:	6700 g/m <sup>2</sup> ± 5%
Total Thickness:	4.5 mm
Wear Classification:	EN ISO 10874 33 Heavy Commercial / 42 General Light Industrial
Radiant Panel:	(EN ISO 9239-1) Euroclass Bfl-s1 (EN 13501-1)
Castor Chair:	(ISO 4918 / EN425) Pass
Impact Sound Insulation:	16 dB (EN ISO 10140-3)
Box Content:	10 Tiles - 2.5m <sup>2</sup>

## Quick Ship Colours

- Despatch within 24 hours for orders up to 1000m<sup>2</sup>\*
- Despatch within 24 hours for orders up to 500m<sup>2</sup>\*\*
- Despatch within 24 hours for orders up to 200m<sup>2</sup>\*\*



Monolithic Ashlar Brick Quarter Turn Non Directional



LEVEL SET TEXTURED STONES - COOL POLISHED CEMENT  
INSTALLED: NON DIRECTIONAL

## Europe, Middle East & Africa

AE	+971 (0)4 8189077
AT	+43 1 8102839
BA	+387 33 522 534
BE	+32 2 475 27 27
BG	+359 2 808 303
BY	+375 17 226 75 14
CH	+41 44 913 68 00
CZ	+42 0 233 087 111
DE	+49 2151 3718 0
DK	+45 33 79 70 55
ES	+34 932 418 750
FR	+33 1 58 10 20 20
HR	+385 14 62 30 63
HU	+36 1 349 6545
IE	+353 1 679 8466
IL	+972 546602102
IT	+39 02 890 93678
KZ	+7 495 234 57 27
NL	+31 33 277 5555
ME	+381 11 414 92 00
MK	+389 2 323 01 89
NO	+47 23 12 01 70
PL	+48 500 151 101
PT	+351 217 122 740
RO	+40 21 317 12 40/42/43/44
RS	+381 11 414 92 00
RU	+7 495 234 57 27
SA	+966 500615423
SE	08-241 230
SK	+421 911 104 073
SI	+386 1 520 0500 +386 8 20 54 007
TR	+90 212 365 5506
UA	+38(044)238 27 67
UK	+44 (0)1274 698503
ZA	+27 11 6083324



**Mission Zero**<sup>®</sup>

our promise to eliminate any negative impact our company may have on the environment by the year 2020.