norament standard by Interface

Health Product Declaration v2.1.1

created via: HPDC Online Builder

CLASSIFICATION: 09650

PRODUCT DESCRIPTION: NORAMENT STANDARD RANGE OF RUBBER FLOOR COVERINGS - A BROAD RANGE OF

DESIGNS AND COLORS AVAILABLE IN TILES AND STAIRTREADS



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

- C Nested Materials Method
- Basic Method

Threshold Disclosed Per

- Material
- Product

Threshold level

- € 100 ppm
- C 1,000 ppm
- Per GHS SDS
- C Per OSHA MSDS C Other
- Not Considered

Considered

Residuals/Impurities

C Partially Considered

Explanation(s) provided for Residuals/Impurities?

Yes O No

All Substances Above the Threshold Indicated Are:

C Yes Ex/SC © Yes C No Characterized

% weight and role provided for all substances.

C Yes Ex/SC • Yes C No Screened

All substances screened using Priority Hazard Lists with results disclosed.

Identified O Yes Ex/SC O Yes O No

One or more substances not disclosed by Name (Specific or Generic) and Identifier and/ or one or more Special Condition did not follow guidance.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

NORAMENT STANDARD [SILICEOUS EARTH NoGS 2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE LT-UNK SILICA, AMORPHOUS LT-P1 CAN STYRENE BUTADIENE RUBBER (SBR) LT-UNK TITANIUM DIOXIDE LT-1 | CAN | END FERRIC OXIDE BM-2 | CAN UNDISCLOSED NoGS UNDISCLOSED BM-1 | RES | AQU | MUL UNDISCLOSED LT-P1 | AQU | SKI | MUL UNDISCLOSED LT-P1 | RES | END UNDISCLOSED LT-P1 | END UNDISCLOSED LT-UNK UNDISCLOSED LT-P1 | SKI | EYE | MAM | END UNDISCLOSED LT-1 | CAN UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK UNDISCLOSED LT-UNK | SKI]

Number of Greenscreen BM-4/BM3 contents ... 0

Contents highest concern GreenScreen Benchmark or List translator Score ... BM-1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

Percentage (%) ranges used as a means of keeping exact formulation proprietary.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: Greenguard Gold Multi-attribute: Blue Angel

Multi-attribute: Environmental Product Declaration

CONSISTENCY WITH OTHER PROGRAMS

No pre-checks completed or disclosed.

Third Party Verified?

C Yes

No

PREPARER: Self-Prepared VERIFIER:

VERIFICATION #:

SCREENING DATE: 2018-11-02 PUBLISHED DATE: 2019-05-21 EXPIRY DATE: 2021-11-02



Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.1, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-1-standard

NORAMENT STANDARD

PRODUCT THRESHOLD: 100 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: There are no known residuals/impurities.

OTHER PRODUCT NOTES: None

SILICEOUS EARTH ID: 1020665-14-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-11-02		
%: 33.00 - 36.00	gs: NoGS	RC: None	nano: No	ROLE: mineral filler	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found			No warnings fou	nd on HPD Priority Hazard Lists	

SUBSTANCE NOTES: According to Regulation (EC) 1272/2008/67/548/EEC no hazard classifications are required.

2-PROPENENITRILE, POLYMER WITH 1,3-BUTADIENE

ID: 9003-18-3

%: 28.00 - 34.00 GS: LT-UNK RC: None NANO: No ROLE: polymer HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-11-02		
HAZARD TYPE AGENCY AND LIST TITLES WARNINGS	%: 28.00 - 34.00	GS: LT-UNK	RC: None	NANO: No	ROLE: polymer	
	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
None found No warnings found on HPD Priority Hazard	None found		No	warnings found o	n HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

SILICA, AMORPHOUS ID: 7631-86-9

HAZARD SCREENING METHOD: PI	naros Chemical and Materials Library	HAZARD SCREEN	IING DATE: 2018- 1	I1-02
%: 7.00 - 10.00	gs: LT-P1	RC: None	NANO: No	ROLE: mineral filler

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	Japan - GHS	Carcinogenicity - Category 1A
CANCER	Australia - GHS	H350i - May cause cancer by inhalation

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

STYRENE BUTADIENE RUBBER (SBR)

ID: 9003-55-8

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREET	NING DATE: 2018-1	1-02
%: 3.00 - 6.00	GS: LT-UNK	RC: None	NANO: No	ROLE: polymer
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found		No	warnings found o	n HPD Priority Hazard Lists
Nana				

SUBSTANCE NOTES: None

TITANIUM DIOXIDE ID: 13463-67-7

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENI	NG DATE: 2018-11	-02
%: 3.00 - 6.00	GS: LT-1	RC: None	nano: No	ROLE: pigment
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
CANCER	US CDC - Occupational Carcinogens	Occupational Carcinogen		
CANCER	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure rol		al form or exposure route
CANCER	IARC	Group 2B - Possibly carcinogenic to humans - inhaled occupational sources		c to humans - inhaled from
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor		
CANCER	MAK	Carcinogen Group 3A - Evidence of carcinogenic effects but not sufficient to establish MAK/BAT value		•
CANCER	MAK	Carcinogen Group 4 - Non-genotoxic carcinogen with low risk under MAK/BAT levels		

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

FERRIC OXIDE ID: 1309-37-1

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2018-11	-02
%: 1.00 - 2.50	GS: BM-2	RC: None	NANO: No	ROLE: pigment

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
CANCER	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

%: 1.00 - 1.80 GS: NoGS RC: None NANO: No ROLE: processing aid HAZARD TYPE AGENCY AND LIST TITLES WARNINGS No warnings found on HPD Priority Hazard	HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-11-02		
	%: 1.00 - 1.80	GS: NoGS	RC: None	nano: No	ROLE: processing aid	
None found	HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
No warnings found of the Difficulty flazard	None found			No warnings for	ound on HPD Priority Hazard Lists	

SUBSTANCE NOTES: None

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos	Chemical and Materials Library	HAZARD SCREE	ENING DATE: 2018-	11-02
%: 0.90 - 1.50	gs: BM-1	RC: None	nano: No	ROLE: processing aid
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
RESPIRATORY	AOEC - Asthmagens	Asthmag	en (Rs) - sensitize	er-induced
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - V	ery toxic to aquat	ic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - V	ery toxic to aquat	ic life with long lasting effects
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 -	Hazard to Waters	S

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos C	hemical and Materials Library	HAZARD SCREENI	NG DATE: 2018-	11-02
%: 0.40 - 0.60	GS: LT-P1	RC: None	nano: No	ROLE: processing aid

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
ACUTE AQUATIC	EU - GHS (H-Statements)	H400 - Very toxic to aquatic life
CHRON AQUATIC	EU - GHS (H-Statements)	H410 - Very toxic to aquatic life with long lasting effects
SKIN SENSITIZE	EU - GHS (H-Statements)	H317 - May cause an allergic skin reaction
MULTIPLE	German FEA - Substances Hazardous to Waters	Class 2 - Hazard to Waters
SKIN SENSITIZE	MAK	Sensitizing Substance Sh - Danger of skin sensitization

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-11-02			
%: 0.20 - 0.50	GS: LT-P1	RC: None	nano: No	ROLE: processing aid	
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS			
RESPIRATORY	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced			
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor			

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2018-11-02			
%: 0.20 - 0.50	GS: LT-P1	RC: None NANO: No ROLE: proces		ROLE: processing aid		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
ENDOCRINE	TEDX - Potential Endocrine Disruptors	Potential	Potential Endocrine Disruptor			

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-11-02		
%: 0.10 - 0.35	GS: LT-UNK	RC: None	NANO: No	ROLE: processing aid

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

UNDISCLOSED

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREENING DATE: 2018-11-02			
%: 0.10 - 0.35	gs: LT-P1	RC: None	nano: No	ROLE: processing aid	
HAZARD TYPE AGE	NCY AND LIST TITLES	WARNINGS			
SKIN IRRITATION EU	- GHS (H-Statements)	H315 - Ca	auses skin irritati	on	
EYE IRRITATION EU	- GHS (H-Statements)	H318 - Ca	auses serious eye	e damage	
ORGAN TOXICANT EU	- GHS (H-Statements)	H372 - Causes damage to organs through prolonged repeated exposure			
ENDOCRINE TE	DX - Potential Endocrine Disruptors	Potential	Endocrine Disrup	otor	
ENDOCRINE TEI	DX - Potential Endocrine Disruptors	Potential	Endocrine Disru	oto	

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING DATE: 2018-11-02			
RC: None NANO: No ROLE: pigmen			
Occupational Carcinogen			
Carcinogen - specific to chemical form or exposure route			
Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources			
Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification			
i ci	inogen ific to chemical for the carcinogenic to ches 3B - Evidence of		

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREEN	HAZARD SCREENING DATE: 2018-11-02			
%: 0.10 - 0.20	gs: LT-UNK	RC: None	NANO: No	ROLE: processing aid		

None found

AGENCY AND LIST TITLES

WARNINGS

No warnings found on HPD Priority Hazard Lists

UNDISCLOSED

SUBSTANCE NOTES: None

HAZARD SCREENING METHOD:	Pharos Chemical and Materials Library	HAZARD SCREEN	NING DATE: 2018-	11-02
%: 0.05 - 0.10	gs: LT-UNK	RC: None	NANO: No	ROLE: processing aid
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS		
None found			No warnings fo	ound on HPD Priority Hazard Lists
SUBSTANCE NOTES: None				

UNDISCLOSED

HAZARD SCREENING METHOD: Pharos Chemical and Materials Library		HAZARD SCREE	HAZARD SCREENING DATE: 2018-11-02			
%: 0.00 - 1.20	gs: LT-UNK	RC: None NANO: No ROLE: procession		ROLE: processing aid		
HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS				
SKIN IRRITATION	EU - GHS (H-Statements)	H315 - Ca	H315 - Causes skin irritation			

SUBSTANCE NOTES: Hazards apply to initial substance; end product is a stable, solid, vulcanized rubber flooring with no evidence of any negative ecological or human health impacts.



Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS

Greenguard Gold

CERTIFYING PARTY: Third Party CERTIFIER OR LAB: UL ISSUE DATE: EXPIRY DATE: APPLICABLE FACILITIES: All 2006-06-23 2018-06-16 Environment

CERTIFICATE URL:

https://spot.ulprospector.com/en/na/BuiltEnvironment/search?

k=nora&st=1&s=BookName%7CA

CERTIFICATION AND COMPLIANCE NOTES: Greenguard Gold is in compliance with California Department of Public Health (CDPH) Standard Method v1.1-2010.

MULTI-ATTRIBUTE

Blue Angel

EXPIRY DATE: 2020-CERTIFYING PARTY: Third Party ISSUE DATE: 2017-CERTIFIER OR LAB: RAL gGMBH APPLICABLE FACILITIES: All 02-07 02-06

CERTIFICATE URL: https://www.blauer-

engel.de/en/products/construction/elastischebodenbelaege/noraplan-913-designvarianten-

stone-sentica-classic

CERTIFICATION AND COMPLIANCE NOTES: Ecolabel (RAL-UZ 120). The Blue Angel (Blauer Engel) is a German certification for products and services that have environmentally friendly aspects. The Blue Angel guarantees that a product or service meets high standards when it comes to its environmental, health and performance characteristics. In the process, products and services are always evaluated across their entire life cycle. Criteria are developed for each individual product group that must be fulfilled by those products and services awarded with the Blue Angel. https://www.blauer-engel.de/en/blue-angel/what-is-behind-it

MULTI-ATTRIBUTE		Environmental Product Declaration		
CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All CERTIFICATE URL:	ISSUE DATE: 2013-	EXPIRY DATE: 2018-	CERTIFIER OR LAB: UL Environment	
https://spot.ulprospector.com/en/na/BuiltEnvironment/Benefits/26065/Environmental- Product-Declaration/search?k=nora&s=BookName A&st=1&so=k_0&sl=47621044		11-11	2	

CERTIFICATION AND COMPLIANCE NOTES: An Environmental Product Declaration (EPD) is a comprehensive, internationallyharmonized report that documents the ways in which a product, throughout its lifecycle, affects the environment. An EPD tells the lifecycle story of a product in a single, written report, focusing on information about a product's environmental impact, such as global warming, ozone depletion, water pollution, ozone creation, and greenhouse gas emissions. This declaration is in accordance with ISO 14025.

http://industries.ul.com/environment/certificationvalidation-marks/environmental-product-declarations



Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or

fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

NORA AC 100

HPD URL: https://www.nora.com/unitedstates/en/products/flooring-accessories-us/nora-ac-100

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

nora AC is a solvent-free, easy-to-use water-based acrylic adhesive that is used during flooring installation.

NORA DRYFIX

HPD URL: http://www.nora.com/us/products/rubberflooring-accessories/nora-adhesives/nora-dryfix/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

nora Dryfix is a quick, easy, environmentally-friendly flooring-installation-tape system. nora dryfix allows business to continue as usual while flooring is being installed, resulting in significant operational savings.

NORA STEPFIX

HPD URL:

http://www.nora.com/us/products/stairtreads/stairaccessories/product/stepfix/

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES:

Used to install norament stairtreads, nora stepfix is odorless, free of solvents, formaldehyde and chlorine additives as well as non-flammable and freeze-thaw stable. The use of nora stepfix eliminates downtime since the stairs can be walked on immediately after installation.



Section 5: General Notes

All ingredients marked "Undisclosed" are being kept confidential to protect any and all related trade secrets.

MANUFACTURER INFORMATION

MANUFACTURER: Interface

ADDRESS: 9 Northeastern Boulevard

Salem NH 03079, USA

WEBSITE: www.nora.com/us

CONTACT NAME: Carol Fudge

TITLE: Marketing Research Specialist, LEED-AP

PHONE: 603-894-1021

EMAIL: carol.d.fudge@nora.com

LT-P1 List Translator Possible Benchmark 1

LT-UNK List Translator Benchmark Unknown (insufficient

information from List Translator lists to benchmark)

NoGS Unknown (no data on List Translator Lists)

LT-1 List Translator Likely Benchmark 1

KEY

OSHA MSDS Occupational Safety and Health Administration Material Safety Data Sheet GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

MAM Mammalian/systemic/organ toxicity

MUL Multiple hazards

NEU Neurotoxicity **OZO** Ozone depletion

PBT Persistent Bioaccumulative Toxic

PHY Physical Hazard (reactive)
REP Reproductive toxicity

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

LAN Land Toxicity

NF Not found on Priority Hazard Lists

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (insuficient data to benchmark)

Recycled Types

PreC Preconsumer (Post-Industrial)

PostC Postconsumer

Both Both Preconsumer and Postconsumer

Unk Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.