Fading Trac



Fading Tracks[™] Collection

The promise of infinite arrangements

Just like a mixing studio that creates tracks by weaving together riffs and notes, instruments and vocals to offer unlimited musical possibilities, Fading Tracks delivers seemingly endless design options which harmonise perfectly with any space.

Fading Tracks is a unique flooring solution in its category. That's because it is a design-driven system which facilitates dispersed transitions, enabling areas of flooring to segue subtly from one pattern to the next. Soft and organic with linear blends, the range features eight base neutral colours with specific coordinated accent colours which complement them precisely. By allowing different products to be fused together rhythmically, the product offering is capable of enhancing a truly broad spectrum of environments.

As a result, Fading Tracks delivers the ability to compose unique floors and create gentle, harmonious transitions that are always aesthetically pleasing, carbon-neutral and will transform any space into a positive space. Now, isn't that music to your ears?









Carpet Tile FT510, FT520 Colour Octave Installed Pattern By Tile Carpet Tile On Line Colour Lime Installed Ashlar









2413-001-000 Harmony



2414-001-000 Harmony



2415-001-000 Harmony



Harmony



2416-002-000

Reverb

2413-002-000

2414-002-000

Reverb

Reverb





2414-004-000

2415-004-000

Tempo

Tempo



2414-003-000 Acoustic



2415-003-000 Acoustic



2416-003-000 Acoustic

2413-005-000

2414-005-000

2415-005-000

Octave

Octave

Octave









2415-006-000 Vocal





Ambient

2413-008-000

Treble





2416-008-000

Treble



2416-007-000 Ambient



2416-004-000 Tempo

2416-005-000 Octave

2416-006-000 Vocal

Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.









A CARPET TILE FT500 SIZE 25CM X 1M COLOUR ACOUSTIC INSTALLED ASHLAR

B CARPET TILE FT510 SIZE 25CM X 1M COLOUR ACOUSTIC INSTALLED ASHLAR

C CARPET TILE FT520 SIZE 25CM X 1M COLOUR ACOUSTIC INSTALLED ASHLAR

D CARPET TILE FT530 SIZE 25CM X 1M COLOUR ACOUSTIC INSTALLED ASHLAR





C CARPET TILE FT530 SIZE 25CM X 1M COLOUR AMBIENT INSTALLED ASHLAR





Α A CARPET TILE FT500 SIZE 25CM X 1M COLOUR HARMONY INSTALLED ASHLAR

в B CARPET TILE FT520 SIZE 25CM X 1M COLOUR HARMONY INSTALLED ASHLAR

C CARPET TILE FT530 SIZE 25CM X 1M COLOUR HARMONY INSTALLED ASHLAR

Design Ideas Below are floor layouts showing how to create the design ideas shared in several of the images featured in this brochure.





A CARPET TILE FT510 SIZE 25CM X 1M COLOUR VOCAL INSTALLED HERRINGBONE

Α

в B CARPET TILE FT520 SIZE 25CM X 1M COLOUR VOCAL INSTALLED HERRINGBONE





Α A CARPET TILE ON LINE SIZE 25CM X 1M COLOUR LIME INSTALLED ASHLAR

в B CARPET TILE FT510 SIZE 25CM X 1M COLOUR OCTAVE INSTALLED PATTERN BY TILE

C CARPET TILE FT520 SIZE 25CM X 1M COLOUR OCTAVE INSTALLED PATTERN BY TILE







D CARPET TILE FT520 SIZE 25CM X 1M COLOUR TREBLE INSTALLED HERRINGBONE

C CARPET TILE FT510 SIZE 25CM X 1M COLOUR TREBLE INSTALLED HERRINGBONE

B CARPET TILE FT500 SIZE 25CM X 1M COLOUR TREBLE INSTALLED HERRINGBONE

A LVT NATURAL STONES SIZE 50CM X 50CM COLOUR COOL IMPALA MARBLE INSTALLED MONOLITHIC



B CARPET TILE FT510 SIZE 25CMX 1M COLOUR REVERB INSTALLED HERRINGBONE

A CARPET TILE FT500 SIZE 25CM X 1M COLOUR REVERB INSTALLED HERRINGBONE





Specifications

Style Code	FT500 - 2413
	FT510 - 2414
	FT520 - 2415
	FT530 - 2416
Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	1/12
Pile Thickness	2.5mm +/- 0.5mm
Total Thickness	5.5mm +/- 0.5mm
Tile Size	25x100cm
Area of Use	Commercial – General Use
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt ^{2®}
Installation Methods	Ashlar, Herringbone





Carbon Neutral Floors™ All of our products are carbon neutral and our programme is verified by an independent third party, Bureau Veritas.











All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information.

www.interface.com

Australia Interface Australia local toll free: 1800 804 361

South East Asia Interface Asia tel: +65 6478 1510

South Korea Interface South Korea tel: +82 2 555 1734

Japan Interface Japan tel: +81 3 5733 5211

India Interface India tel: +91 80 4613 1313

Beijing Interface China tel: +86 10 6590 7810

Hong Kong Interface China tel: +852 2802 0838

Shanghai Interface China tel: +86 21 6340 3868

09/2019 SF0117T0



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life.