Net Effect™ Collection

Interface®

Net Effect™ Collection

First photographed from space in 1968, that image of Earth, the little blue planet, reframed our relationship to our world and to one another forever. Suddenly it was clear that the oceans we all share make us unique in the universe.

Discarded fishing nets have been part of the mix of our 100% recycled content type 6 nylon since 2011 when our partner, Aquafil, began incorporating them into the yarn they sell us. Last year, we saw an opportunity to expand the positive impacts of this design solution. Designed as a tribute, Net Effect honors the ocean not only in its aesthetic references but also in a unique and tangible way through a project called Net-Works.

Net-Works provides a source of income for small fishing villages in the Philippines, while cleaning up their beaches and waters of discarded fishing nets that threaten their livelihood and the very precious double barrier reef off their shore. The collected nets are sold to Aquafil, who, in turn, converts them into yarn for Interface carpet tile – a very bright (blue) idea for a greener future.

Net Effect One is a grouping of three textures in 50 cm squares that, when placed side by side, describes the precise moment when the sea foams into the shore creating organic imagery. Each pattern also has a life of its own as it floods the floor with movement and color. B601™ has a more pronounced texture with shimmering lighter ends on top of deeper tones. B603™ takes a deep dive into a more dense construction and B602™ is the transition between the two.

Net Effect Two includes three products in our new 25 cm x 1 m skinny plank format that captures the fluidity of water even in linear patterns with expanding and contracting rhythms. Discover the nuance of transitions when the three different textures – B701™, B702™ and B703™ – are set side by side in the same color. Or reimagine the complexity of light moving through water by mingling several of the eight colors into one composition. The shared palette was drawn from the deepest parts of the ocean to the sun and salt bleached wood and stones of the shore.

An elegant design solution for the floor and a socially responsible design solution for a fragile economy – that's a very positive Net Effect.

PRODUCT B601 **COLOUR** PACIFIC **PRODUCT** B603 **COLOUR** PACIFIC **INSTALLED** NON DIRECTIONAL
PRODUCT B602 **COLOUR** PACIFIC **INSTALLED** PATTERN BY TILE

www.interface.com

PRODUCT B701 **COLOUR** CASPIAN **INSTALLED** ASHLAR
PRODUCT B702 **COLOUR** CASPIAN **PRODUCT** B703 **COLOUR** CASPIAN **INSTALLED** PATTERN BY TILE

PRODUCT B601 **COLOUR** DRIFTWOOD **PRODUCT** B603 **COLOUR** DRIFTWOOD **INSTALLED** NON DIRECTIONAL
PRODUCT B602 **COLOUR** DRIFTWOOD **INSTALLED** PATTERN BY TILE

www.interface.com

B601™ Colourline

7414-001-000 Black Sea


7414-002-000 North Sea


7414-003-000 Pacific

7414-004-000 Arctic


7414-005-000 Atlantic

7414-006-000 Caspian

7414-007-000 Sand

7414-008-000 Driftwood

PRODUCT B601 **COLOURS** BLACK SEA, NORTH SEA, ARCTIC
PRODUCT B602 **COLOURS** BLACK SEA, NORTH SEA, ARCTIC
PRODUCT B603 **COLOURS** BLACK SEA, NORTH SEA, ARCTIC
INSTALLED PATTERN BY TILE

www.interface.com

B602™ Colourline

7416-001-000 Black Sea

7416-002-000 North Sea


7416-003-000 Pacific

7416-004-000 Arctic


7416-005-000 Atlantic

7416-006-000 Caspian

7416-007-000 Sand

7416-008-000 Driftwood

PRODUCT B601 **COLOUR** NORTH SEA **PRODUCT** B603 **COLOUR** NORTH SEA **INSTALLED** NON DIRECTIONAL
PRODUCT B602 **COLOUR** NORTH SEA **INSTALLED** PATTERN BY TILE

www.interface.com

B603™ Colourline

7418-001-000 Black Sea

7418-002-000 North Sea


7418-003-000 Pacific

7418-004-000 Arctic


7418-005-000 Atlantic

7418-006-000 Caspian

7418-007-000 Sand

7418-008-000 Driftwood

www.interface.com

PRODUCT B601 **COLOURS** PACIFIC, ATLANTIC
PRODUCT B603 **COLOURS** PACIFIC, ATLANTIC
PRODUCT B702 **COLOURS** PACIFIC, ATLANTIC
PRODUCT B602 **COLOURS** PACIFIC, ATLANTIC
PRODUCT B701 **COLOURS** PACIFIC, ATLANTIC
PRODUCT B703 **COLOURS** PACIFIC, ATLANTIC
INSTALLED PATTERN BY TILE

PPRODUCT B701 **COLOURS** BLACK SEA, CASPIAN, DRIFTWOOD
INSTALLED ASHLAR

www.interface.com

B701™ Colourline

7431-001-000 Black Sea



7431-002-000 North Sea

7431-003-000 Pacific

7431-004-000 Arctic

7431-005-000 Atlantic

7431-006-000 Caspian

7431-007-000 Sand



7431-008-000 Driftwood

PRODUCT B702 **COLOUR** NORTH SEA **INSTALLED** ASHLAR
PRODUCT B702 **COLOUR** ATLANTIC **INSTALLED** PATTERN BY TILE

www.interface.com

B702™ Colourline

7432-001-000 Black Sea



7432-002-000 North Sea

7432-003-000 Pacific



7432-004-000 Arctic

7432-005-000 Atlantic

7432-006-000 Caspian

7432-007-000 Sand

7432-008-000 Driftwood

www.interface.com

PRODUCT B703 **COLOUR** SAND **INSTALLED** HERRINGBONE

B703™ Colourline

7434-001-000 Black Sea

7434-002-000 North Sea

7434-003-000 Pacific

7434-004-000 Arctic

7434-005-000 Atlantic

7434-006-000 Caspian

7434-007-000 Sand

7434-008-000 Driftwood

Design Ideas

Use the pattern by tile layout suggestions below to create your own unique floor designs.



PRODUCT B701 **COLOUR** NORTH SEA
PRODUCT B701 **COLOUR** PACIFIC
PRODUCT B701 **COLOUR** ARCTIC



PRODUCT B603 **COLOUR** PACIFIC
PRODUCT B701 **COLOUR** BLACK SEA
PRODUCT B702 **COLOUR** BLACK SEA
PRODUCT B703 **COLOUR** BLACK SEA



- **PRODUCT** B601 **COLOUR** ATLANTIC
- **PRODUCT** B601 **COLOUR** DRIFTWOOD
- **PRODUCT** B603 **COLOUR** PACIFIC
- **PRODUCT** B702 **COLOUR** NORTH SEA
- **PRODUCT** B703 **COLOUR** PACIFIC
- **PRODUCT** B703 **COLOUR** ATLANTIC
- **PRODUCT** B703 **COLOUR** DRIFTWOOD





- **PRODUCT** B701 **COLOUR** BLACK SEA
- **PRODUCT** B702 **COLOUR** PACIFIC
- **PRODUCT** B703 **COLOUR** ATLANTIC



Specifications

B601™

Style Code	7414 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/10
Pile Thickness	5.0mm +/- 0.5mm
Total Thickness	9.0mm +/- 0.5mm
Tile Size	50cm x 50cm
Area of Use	Commercial – General Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Non-directional

Non-directional

B602™

Style Code	7416 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/10
Pile Thickness	4.0mm +/- 0.5mm
Total Thickness	8.5mm +/- 0.5mm
Tile Size	50cm x 50cm
Area of Use	Commercial – General Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Non-directional

Non-directional

B603™

Style Code	7418 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/10
Pile Thickness	3.0mm +/- 0.5mm
Total Thickness	7.0mm +/- 0.5mm
Tile Size	50cm x 50cm
Area of Use	Commercial – Heavy Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Non-directional

Non-directional

Specifications

B701™

Style Code	7431 Pattern 000
Product Definition	Tufted Textured Tip Sheared Loop
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/10
Pile Thickness	3.5mm +/- 0.5mm
Total Thickness	6.5mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone

Ashlar

Herringbone

B702™

Style Code	7432 Pattern 000
Product Definition	Tufted Textured Loop
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	1/10
Pile Thickness	3.0mm +/- 0.5mm
Total Thickness	6.0mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone

Ashlar

Herringbone

B703™

Style Code	7434 Pattern 000
Product Definition	Tufted Cut Pile
Yarn/Fibre	100% Non-virgin Type 6 Nylon
Colour System	100% Solution Dyed
Machine Gauge	5/64
Pile Thickness	1.5mm +/- 0.5mm
Total Thickness	4.5mm +/- 0.5mm
Tile Size	25cm x 100cm
Area of Use	Commercial – Heavy Duty
Lifetime Antimicrobial	Intersept®
Soil/Stain Protection	Protekt2®
Total Recycled Content	GlasBac® 65% to 70% recycled content GlasBac®RE 80% to 85% recycled content
Installation Methods	Ashlar, Herringbone

Ashlar

Herringbone

CRI GREEN LABEL +PLUS Indoor Air Quality Carpet Testing Program carpet-rug.org

GreenLabel SINGAPORE
CERTIFICATION NUMBER 039-002
Environmentally Friendly Carpet

SUSTAINABILITY CERTIFIED NSF™
Gold Certified
NSF/ANSI 140
Sustainable Carpet

GREEN TAG™ CERTIFIED
GOLD PLUS
GreenRate|Level A

green building council australia
MEMBER

ANAB BSI
FM 40957

ANAB BSI
EMS 60261

CoolCarpet™

Intersept®

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content calculation excludes backing. We update our recycled content information and other environmental data regularly to reflect changes and advancements in our technology.
*Cool Carpet is not a standard option in Australia and New Zealand.

www.interface.com

South East Asia
Interface Asia
tel: 65-6478 1510
seaweb@interface.com

Japan
Interface Japan
tel: 81-3-5733 5211
jpnweb@interface.com

South Korea
Interface Korea
tel: 82-2-555 1734
seaweb@interface.com

Beijing Studio
Interface China
tel: 86-10-6590 7810
cnweb@interface.com

Hongkong Studio
Interface China
tel: 852-2802 0838
hkgweb@interface.com

Shanghai Studio
Interface China
tel: 86-21-6340 3868
cnweb@interface.com

Australia
Interface Australia
tel: local toll free 1800 008101
www.interface.com.au

08/2013

Mission Zero:
our promise to eliminate any negative impact our company may have on the environment by the year 2020.