+ Positive space

Featuring thousands of better products. All available to order today!



TM

# WE KNOW YOUR FLOORING'S IMPACT ON GLOBAL WARMING. THAT'S WHY ALL OUR PRODUCTS ARE NOW (ARBON NEUTRAL.

## Interface

## **Carbon Neutral Floors**<sup>™</sup>


#### All our products. Carbon neutral.

Every product featured in this catalogue – whether carpet tile or luxury vinyl tile (LVT) – is carbon neutral.

We achieved this over two decades of work reducing the carbon footprint of our products combined with purchasing verified carbon offsets to make up the difference. All at no extra cost to our customers.

Since 1996, we have reduced the greenhouse gas emissions from our manufacturing by 96 per cent and the average carbon footprint of our carpet tiles by 69 per cent – the lowest in the industry. While we continue to reduce our emissions and work towards our goal of becoming carbon negative by 2040, offering Carbon Neutral Floors represents a key milestone in our journey. Global warming impacts all of us. Choose Carbon Neutral Floors and lower your carbon footprint with one positive step.

+Positive spaces<sup>™</sup> Better products. Happier people. Healthier planet.



## Look Both Ways. Where design forces combine.

Look Both Ways<sup>™</sup> pairs Interface LVT and carpet in one, contemporary collection.


Playful patterns and urban textures blend seamlessly in a series of striking combinations. Concrete and confetti. Heavy and light. Plush and flat.

It's high design without the footprint, as all of our products are carbon neutral. Create +Positive spaces™ and create an impact in more ways than one.

To order your samples, head to interface.com/LookBothWays

Carpet Step This Way<sup>™</sup> Walk About<sup>™</sup> (Warm Ash) (Ebony)

LVT



# Interface®

# +Positive spaces **Better products.** Happier people. Healthier planet.

#### We've always had a positive attitude.

Because creating the best product in the world isn't easy. We challenge ourselves to be better, think differently and develop products that have a positive impact on people's lives, their spaces and our planet.

Which means there's always work to be done, and undone. Rules to be made, and broken. Success and failure. But it's worth it. Because when we succeed we help change the lives of everyone using our products, as well as many who don't.

People crave control of the environments in which they live, work and learn. At Interface, people's needs are our priority. That's why our modular flooring system creates connected, integrated solutions that offer flexibility and functionality with aesthetics to fit any style.

From our wide portfolio of carpet tile and modular resilient flooring our system allows you to create +Positive spaces<sup>™</sup> that will delight of your customers.

#### Contact us:

Interface Southeast Asia, 80 Marine Parade Road, #22-03/05 Parkway Parade, Singapore, 449269

Tel: +65 6478 1510 Enquiry.Asia@interface.com interface.com



Climate change is undeniable. And reversible. Our mission is to prove it. Join the #ClimateTakeBack and help create a climate fit for life

+Positive spaces<sup>™</sup> Better products. Happier people. Healthier planet.

## Interface

# Contents


#### CARPET TILE


Lower your carbon footprint with Interface modular carpet tiles. Design beautiful, more sustainable spaces with a variety of colours, patterns and tile sizes. Browse our product catalogue for flooring inspiration and QuickShip options.












Flow Brights

111


**Global Change** Progression II



**Global Change** Progression III



Wind



075

076

078

086

087

088

Dune





AE313

#### QuickShip os products are dispatched within one week. Get fresh updates and order today at interface.com/quickship

#### Net Effect One Raw 161 182 B603 163 184 Net Effect Two Reclaim B701 Relay 186 165 Net Effect Two B702 166 189 Nimbus Riverside Sidetrack 170 190 Off Line 172 192 On Line Silver Linings Pixel SL910 177 194 Silver Linings SL920 Platform 178 Stadium 197 Marathon 180 Stadium 198 Sprint Pleatwork





Stadium

Trek



204	Swing
· · · · · · · · · · · · · · · · · · ·	
思知期期期	



208	Tessuti





213

Urban Retreat One UR102

#### CARPET TILE continued







127 Connections Moss Human 128 Connections Moss in Stone

Human

Human

Paver

Connections

Human 130 Connections Rue

129

Human 13 Connections Stone Course

Human 132

Connections Sett in Stone +++

136

Human Nature HN810

137 Human Nature HN850

137 Human Nature HN840

> 138 Human Nature HN830



140

Naturally Weathered

Main Line

Monochrome





Near & Far NF401

> Net Effect One B601

> > Net Effect One B602







8 Interface

#### CARPET TILE continued



UR201

217



Visual Code Hard Drive

233

234

Visual Code

Static Lines

Visual Code

Visual Code

Stitch Count

Visual Code

Viva Colores

Works

Works

Works Atom

Works Stream

Plain Stitch

234

235

Stitchery

238

245

246

**Urban Retreat Two** 217 UR202



UR203



**Urban Retreat** 221 Three UR302

**Urban Retreat** 221 Three UR303

224 Verticals



Visual Code Black & White



247 Works Works Unite





WW880



256



257 World Woven



World Woven WW895



262



World Woven Mod Café



#### Luxury Vinyl Tile (LVT)


272

276

279

280

Lower your carbon footprint with Interface modular carpet tiles. Design beautiful, more sustainable spaces with a variety of colours, patterns and tile sizes. Browse our product catalogue for flooring inspiration and QuickShip options.



#### IMPORTANT INFORMATION



Product Features 292 «С i2 👳 😔 🏶 💵

Environmental

Accreditations



Coming Soon



266

**Backing Systems** 



293



To view and download the latest product specifications, high resolution images and order samples please visit interface.com


10 Interface



#### Look Both Ways Step Aside



Alba



9404-001-000

9404-002-000

9404-005-000

Indigo

Ash



9404-004-000 Coal

9404-006-000 Jet

Ebony



Some things work better in pairs. Inspired by composite ground materials, Look Both Ways<sup>™</sup> combines hard and soft flooring with intentional design in one cohesive collection. Playful patterns and urban textures blend seamlessly in a series of striking combinations. Concrete and confetti. Plush and flat. Carpet and LVT.

Look Both Ways tiles can be mixed to create exciting floor designs that embrace the unexpected. Concrete textures are reimagined as plush carpet and mimicked on smooth LVT in simple, solid forms. Patterns marry deco carvings with the lightness and joy of confetti. Mineral based colors are highlighted with subtle metallic flecks and varying infusions of vibrant color.





# Look Both Ways Step in Time



9403-003-000 Ebony



9403-005-000 Indigo

9403-004-000 Coal



9403-006-000 Jet

## Step it Up

9406-009-000 Indigo



9406-010-000 Azure



9406-011-000 Jet



9406-004-000 Citrine

9406-012-000 Jade

Step it Up Sienna Step in Time Ebony


Back to contents Interface 15


Step it Up Coralite Walk of Life Cool Ash

Step in Time Ash




#### Look Both Ways Step this way





9405-003-000 Ebony




9405-005-000 Indigo



Product Construction	Tufted Textured Tip Sheared Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	Tapestry
Pile Thickness	2.4mm
Total Thickness	7.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial – Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar

## Step in Time

Product Construction	Tufted Tex	tured Tip Sh	eared Loop	
Yarn/Fibre	100% Sol	ution Dyed N	lylon	
Machine Gauge	Tapestry			
Pile Thickness	2.1mm			
Total Thickness	6.5mm			
Tile Size	50cm X 50	Ocm		
Area of Use	Commerci	al – Heavy D	Duty	
Total Recycled Content	45-57%			
Installation Methods	Ashlar	Non	Brick	Monolithic
		Directional		
		> ^ < ~		<u> </u>
		<u> </u>		<u> </u>




Product Construction	Tufted Te	extured Loop
Yarn/Fibre	100% So	olution Dyed Nylon
Machine Gauge	12th Gau	ıge
Pile Thickness	2.1mm	
Total Thickness	6.0mm	
Tile Size	50cm X	50cm
Area of Use	Commer	cial - General Duty
Total Recycled Content	45-57%	
Installation Methods	Ashlar	Brick



## Step this way

Product Construction	Tufted Text	tured Tip Sh	eared Loop	
Yarn/Fibre	100% Solu	ution Dyed N	lylon	
Machine Gauge	Tapestry			
Pile Thickness	2.1mm			
Total Thickness	6.5mm			
Tile Size	50cm X 50	Cm		
Area of Use	Commercia	al – Heavy D	Outy	
Total Recycled Content	45-57%			
Installation Methods	Ashlar	Non Directional	Brick	Monolithic
		> ^ < > < > ^ < > ^ > < >		^ ^ ^ ^ ^ ^





#### Look Both Ways. Combine the Unexpected.

Mix pattern and texture for truly unique flooring designs, without the footprint. Our **Look Both Ways**" collection is made with recycled nylon, and like all our products, it's carbon neutral. So, you can create **+Positive spaces**, and make an impact in more ways than one.

1. 2. 12. 2. 19

CARPET PRODUCT STEP IT UP COLOR CORALITE LVT PRODUCT WALK ABOUT COLOR PUMICE

Interface<sup>®</sup>

interface.com/LookBothWays



# Adrift

Akin to staring out into a calm sea, with a serene silence around, Adrift brings comfort and a sense of relaxation with its straight lines and tonal variation. Its visual movement in colour and pattern is a source of intrigue as well as a holistic platform that binds the entire floor together.

Product Construction Yarn/Fibre Machine Gauge Pile Thickness Total Thickness Title Size Area of Use Total Recycled Content Installation Methods Tufted Textured Loop BCF Nylon Type 6.6 - Recycled Nylon 12th Gauge 2.5mm 6.0mm 25cm X 100cm Commercial - Heavy Duty 45-57% Ashlar Herringbone



Back to contents Interface 21

2310-006-000

2310-007-000

2310-008-000 Jetsam

Float

Eddy



# Aerial 🛛

A view of the city from above gives us the unique opportunity to witness connectivity in action; a web of links that both fascinates and assures us. In the Aerial Collection, a simple neutral palette travels new paths when several hues tangle together in each colourway, bringing this inspiration to life.

The construction of AE310<sup>™</sup>, a 50cm X 50cm square tile, recalls the warp and weft of a hand-woven textile. AE312<sup>™</sup> adds strands of color to light up that texture. AE311<sup>™</sup> and AE313<sup>™</sup>, 25cm X 100cm Skinny Planks<sup>™</sup>, bring a more painterly movement to the collection, like brush strokes across the floor with AE313 introducing a subtle wash of colors to the neutral base of AE311.

#### Aerial AE310



7921-001-000 Mist 7921-002-000 Fog



7921-003-000 Taupe

Greige

Smoke




7921-004-000 Chestnut




7921-005-000 7921-006-000 as













AE310 Greige



#### Aerial AE311



7922-001-000 Mist



7922-003-000 Taupe



7922-005-000 Greige



7922-007-000 Smoke



7922-016-000 Mushroom



7922-018-000 Granite



7922-020-000 Biscuit



7922-002-000 Fog



7922-004-000 Chestnut



Iron

Q(S



7922-008-000 Ink



7922-017-000 Loam



7922-019-000 Topaz






#### Aerial AE312



8148-001-000 Mist/Accent



8148-005-000 Greige/Accent



8148-003-000 Taupe/Accent



8148-007-000 Smoke/Accent

8148-006-000

Iron/Accent



8148-004-000 Chestnut/Accent



8148-008-000 Ink/Accent

## AE313



8187-001-000 Mist/Aloe



8187-002-000 Fog/Citrus



8187-003-000 Taupe/Flannel



8187-004-000 Chestnut/Navy



8187-005-000 Greige/Honey



8187-006-000 Iron/Prairie



8187-007-000 Smoke/Apple



8187-008-000 Ink/Olive







#### Aerial

## AE310

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 – 100% Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	2 A C V C V A C A 2 C 2 2 V C A

### AE311

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 25cm X 100cm Area of Use Commercial - General Duty Total Recycled Content 55-70% Ashlar Herringbone Installation Methods



## AE312


Product Construction	Tufted Te	xtured Loop
Yarn/Fibre	BCF Nylo	n Type 6 – 100% Recycled Conten
Machine Gauge	12th Gau	ge
Pile Thickness	2.5mm	
Total Thickness	6.0mm	
Tile Size	50cm X 5	50cm
Area of Use	Commerc	ial - Heavy Duty
Total Recycled Content	55-70%	
Installation Methods	Brick	Quarter Turn
	취취취심	^ > ^ >



## AE313

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 – 100% Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Ashlar Herringbone





# Aerial Flying Colours

Part of our Aerial Collection, Aerial Flying Colours features our widest range of colours to date—from natural, neutral hues to bold, eye-catching shades and everything in between. Creating a multitude of options to work across markets, Aerial Flying Colours breathes new life into our i2<sup>®</sup> product category by expanding its colour spectrum. Each i2 tile varies in colouring and patterning within one style and colourway so that tiles blend together no matter when they are purchased or installed.

Aerial Flying Colours introduces two more styles to the Aerial Planks offering—AE315<sup>™</sup> and AE317<sup>™</sup>. Use AE315<sup>™</sup> to blend a spray of colour to a neutral ground, creating that signature Interface transition tile, or cast a soft hue across the entire floor. Use AE317<sup>™</sup> to make a bold leap with a vibrant, mixed-hue approach to each colourway.

# Aerial Flying Colours AE315



9209-001-000 Mushroom/Grass



9209-002-000 Fog/Citron



9209-003-000 Chesnut/Marigold



9209-004-000 Greige/Persimmon



Loam/Poppy



Iron/Berry



9209-007-000 Ink/Magenta



9209-008-000 Smoke/Iris



9209-009-000 Granite/Azure



9209-010-000 Mist/Aquamarine



9209-011-000 Topaz/Emerald



9209-012-000 Taupe/Leaf



9209-013-000 Biscuit/Eucalyptus





## Aerial Flying Colours AE317





9210-002-000 Citron



9210-003-000 Marigold



Persimmon





Berry



9210-007-000 Magenta



9210-008-000 Iris



9210-009-000 Azure



9210-010-000 Aquamarine




9210-011-000 Emerald



9210-012-000 Leaf



9210-013-000 Eucalyptus



AE317 Emerald



## Asana

Product Construction	Tufted Textured	Loop
Yarn/Fibre	BCF Nylon Type	e 6.6 - Recycled Nylon
Machine Gauge	12th Gauge	
Pile Thickness	3.0mm	
Total Thickness	6.5mm	
Tile Size	50cm X 50cm	
Area of Use	Commercial – H	leavy Duty
Total Recycled Content	45-57%	
Installation Methods	Quarter Turn	Non Directional
	<u>^ &gt; ^ &gt;</u> ^ > ^ >	<u>&gt; &lt; &lt; ×</u> < × < <









1034-004-000 Heron



1034-005-000 1034-006-000 Twist Plow



1034-007-000 Crocodile



1034-008-000 Lotus




1034-009-000 1034-010-000 Eagle Crow



1034-012-000

1034-012-000 Crane



Asana Crocodile


Back to contents Interface 35



## Avenues


Transport infrastructure works in a network - where avenues turn to lanes, and roads into huge highways. Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 2.5mm Total Thickness 5.5mm Tile Size 50cm X 50cm Area of Use Commercial - General Duty Total Recycled Content 45-57% Installation Methods Monolithic 






George

2325-004-000 Central




Orchard







2325-007-000 Petaling





2325-009-000 Tunxi

2325-005-000 Chapel






## **Basic Plus Flor**

Basics Plus FLOR delivers classic styling with cutting edge performance.

Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
Total Thickness	5.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic





Stone







1073-001-000 Granite


1073-004-000 Marble

1073-005-000 Sand











Coal














Iron





# Bike Path

Bike Path delivers a range of eight colours across two Skinny Plank style lines. BP410 is a solid-colour linear product while BP411 features the same base tones complemented with specially chosen singlecolour accents. Colour stripes run in varying degrees between tiles, from sparsely distributed to heavily accented, creating a dynamic effect across the floor.

## BP410

Product Construction Tufted Loop Pile Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 2.0mm Total Thickness 5.5mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Ashlar Herringbone



## BP411

 Product Construction
 Tufted Loop Pile

 Yarn/Fibre
 BCF Nylon Type

 Machine Gauge
 12th Gauge

 Pile Thickness
 2.0mm

 Total Thickness
 5.5mm

 Tile Size
 25cm X 100cm

 Area of Use
 Commercial - He

 Total Recycled Content
 45-57%

 Installation Methods
 Ashar

	BCF Nylo	on Type 6.6 - Recycled Content		
	12th Gauge			
	2.0mm			
	5.5mm			
	25cm X 100cm			
	Commercial - Heavy Duty			
tent	45-57%			
3	Ashlar	Herringbone		



#### Bike Path BP410



#### Oregano

7928-002-000 Toffee




7928-003-000 Mint











QS



BP411





7929-003-000 Mint/Yellow			










Back to contents Interface 41




# Biosphere

Zoom out. Way out, to the very edge of Earth's reach. Look down from that perspective, and what you see, is a fusion of blurred edges. Colours, on this planetary scale, blend and fade beautifully as only nature can. Indigenous transitions of the layers between ocean and land, the gradations of low to highlands and the tonal shifts from mountain ranges towards ever changing skies.

The biosphere supports every aspect of life on Earth. Covering each continent, merging all regions and nations into one. Discerning no man-made edges, continuously working over aeons of time. These subtle washes of tone, colouring the amazing contrasts of land, ocean and sky, inspired our latest collection, Biosphere. Like breathtaking views from the far edges of the earth, its textures merge with subtle layering effects. By adding a beautiful range of colour variation, Biosphere captures nature's most inspiring elements.

#### Biosphere Brushed Hues







2402-003-000 Meadow

Reef

2402-005-000 Prairie




2402-007-000 Azure

2402-002-000

Marsh



2402-004-000 Clay



2402-006-000 Tundra



2402-008-000 Dusk





### <sup>Biosphere</sup> Stippled Hues



2401-001-000 Reef

2401-002-000 Marsh



2401-003-000 Meadow



2401-004-000 Clay



2401-005-000 Prairie



2401-006-000 Tundra



2401-007-000 Azure

2401-008-000 Dusk

## Merged Hues



2400-001-000 Reef



2400-002-000 Marsh



2400-003-000 Meadow



2400-004-000 Clay



2400-005-000 Prairie



2400-006-000 Tundra



2400-007-000 Azure



2400-008-000 Dusk





# Biosphere Brushed Hues

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Recycled Solution Dyed Nylor
Machine Gauge	Tapestry
Pile Thickness	2.5mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar

## Stippled Hues

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylo
Machine Gauge	Tapestry
Pile Thickness	2.5mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar

## Merged Hues

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	Tapestry
Pile Thickness	2.5mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar





## Cartera + Cartera Colores

Cartera's selection of patterns are enthused by the nuances of a Latin American palette. A design haven with endless choices.

Carte	ra

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Brick Quarter Turn

#### Cartera M0031







1704-003-031 Habanero



Maiz

Oaxaca


Siesta

1704-006-031 Palomino





1704-009-031 Ceviche





1704-002-031

1704-004-031

Jicama

Relleno



Pintada


M0034



1704-004-034

Jicama

1704-003-034 Habanero



1704-005-034 1704-006-034 Palomino



Maiz

Oaxaca














1704-012-034 Adobe

















































Siesta

Ceviche






#### Cartera M0056





1704-001-056 Pintada



1704-003-056 Habanero




1704-005-056 Maiz



1704-007-056 Oaxaca



1704-009-056 Ceviche




1704-002-056 Relleno



1704-004-056






Tango

Palomino





Siesta

50 Interface

#### M0062

Pintada

1704-003-062

1704-005-062

1704-007-062

1704-009-062

1704-011-062


Siesta

Ceviche

Oaxaca

Maiz

Habanero



Relleno



1704-004-062 Jicama




1704-006-062 Palomino



1704-008-062 Tango



1704-010-062 Yucca



1704-012-062 Adobe

### M0571



1704-001-571 Pintada



1704-003-571

Habanero


Maiz

Oaxaca

1704-004-571 Jicama

1704-002-571

Relleno



Palomino



1704-007-571



1704-009-571



1704-011-571







Relleno

1704-001-572 Pintada





1704-004-572

Jicama

1704-003-572 Habanero



1704-005-572



Oaxaca

Maiz



1704-006-572

Palomino









1704-011-572

Siesta



1704-010-572

Yucca

Adobe

1704-012-572

1704-010-056

Yucca



1704-010-571

1704-012-571

Adobe

Yucca



Ceviche



Siesta

#### Cartera M0573

# 1704-001-573 Pintada Relleno


1704-003-573 Habanero




1704-005-573 Maiz




1704-007-573 Oaxaca



1704-009-573 Ceviche





Jicama

1704-006-573

1704-008-573

Palomino



1704-004-573



1704-001-575


1704-003-575

Habanero

Pintada

1704-005-575 Maiz






Oaxaca

1704-009-575 Ceviche


Siesta



Adobe




1704-002-575 Relleno




1704-004-575 Jicama




1704-006-575 Palomino



1704-008-575 Tango



1704-010-575 Yucca



1704-012-575


#### M0580



1704-001-580 Pintada

Habanero







1704-005-580 Maiz






1704-009-580 Ceviche



1704-011-580 Siesta







1704-004-580 Jicama




1704-006-580 Palomino



1704-008-580 Tango



1704-010-580 Yucca



1704-012-580 Adobe

## M0582

1704-001-582

1704-003-582

Habanero

Maiz


Pintada








1704-004-582 Jicama




1704-005-582










Yucca

1704-009-582 Ceviche



Siesta



1704-012-582 Adobe











#### Cartera M0584





Pintada



1704-003-584 Habanero



1704-005-584 Maiz







1704-009-584 Ceviche



1704-011-584 Siesta

54 Interface



1704-002-584 Relleno



Jicama

1704-006-584

Palomino

Tango

1704-010-584

1704-012-584

Adobe

Yucca

1704-004-584



1704-005-587 Maiz

1704-001-587

1704-003-587

Habanero

Pintada





1704-007-587

Oaxaca

1704-009-587 Ceviche



1704-011-587 Siesta



1704-002-587 Relleno







1704-006-587 Palomino



1704-008-587 Tango



1704-010-587 Yucca



1704-012-587 Adobe

#### M0588









Habanero

Maiz

Oaxaca

1704-006-588 Palomino






1704-009-588






Siesta








1704-005-589 Maiz

Ceviche

Siesta



1111

M0589

1704-001-589

Pintada



1704-002-589

1704-004-589

1704-006-589


Palomino

Jicama


B titt ma --------· · · · · · · · · · · 128 8 8 8

Relleno





1704-010-589 Yucca




1704-012-589 Adobe











Yucca



1704-012-588 Adobe




















1704-010-588











Cartera	Co	lores

luct Construction	Tufted Textured Loop	
/Fibre	BCF Nylon Type 6.6 - Recycled Content	
hine Gauge	12th Gauge	
Thickness	3.0mm	
Thickness	6.5mm	
Size	50cm X 50cm	
of Use	Commercial - Heavy Duty	
Recycled Content	45-57%	
Ilation Methods	Brick	Quarter Turn
	시시시 시시 시 시시시 시시시	<u> </u>





















Achiote





1090-011-031 Agua



1090-002-031 Puerto







1090-006-031 Langosta



1090-008-031 Margarita



1090-010-031 Cilantro



Entrada

## M0034





1090-001-034 Quesadillas





1090-003-034 Calamar

Fideos



1090-005-034 Rocotillo 1090-006-034 Langosta





1090-007-034 Achiote

1090-008-034 Margarita



1090-010-034 Cilantro



Agua



1090-012-034 Entrada

Cartera Colores M0588 M





1090-012-031













#### Cartera Colores M0056





1090-002-056

1090-004-056

1090-006-056

1090-008-056


1090-010-056

Margarita

Langosta

Fideos

1090-001-056 Quesadillas



1090-003-056 Calamar




1090-005-056 Rocotillo



1090-007-056 Achiote



1090-009-056 Tequila



1090-001-062

Quesadillas

1090-003-062

1090-005-062

1090-007-062

Achiote

Tequila

1090-011-062

Agua

Rocotillo

Calamar

M0062


1090-002-062 Puerto




1090-004-062 Fideos



1090-006-062 Langosta



1090-008-062 Margarita



1090-010-062 Cilantro



#### M0571



1090-001-571 Quesadillas




Calamar

1090-003-571 1090-004-571 Fideos

1090-002-571

Puerto



1090-005-571 Rocotillo








Achiote

1090-009-571 Tequila



1090-011-571 Agua







Puerto

Fideos

1090-001-572 Quesadillas





1090-003-572 Calamar



1090-005-572

Rocotillo

1090-006-572 Langosta



1090-007-572 Achiote





1090-009-572

Tequila

Agua





1090-010-572

Cilantro

1090-012-572 Entrada



58 Interface





Langosta




1090-010-571








#### Cartera Colores M0573







Langosta

Margarita

1090-010-573


1090-003-573 Calamar



1090-005-573 Rocotillo




1090-007-573 Achiote



1090-009-573 Tequila

60 Interface




1090-004-573 Fideos



1090-005-575 Rocotillo







1090-009-575


Tequila

Agua

1090-007-575

Achiote

1090-011-575



M0575


1090-001-575

1090-003-575

Calamar

Quesadillas

1090-002-575 Puerto




1090-004-575 Fideos




1090-006-575 Langosta



1090-008-575 Margarita



1090-010-575 Cilantro



1090-012-575 Entrada

#### M0580



1090-001-580 Quesadillas



1090-004-580 1090-003-580

1090-002-580

Puerto


Fideos

1090-006-580

Langosta



1090-005-580 Rocotillo



1090-008-580 Margarita



Achiote

1090-009-580 Tequila



1090-011-580 Agua



1090-001-582

Quesadillas



1090-002-582 Puerto



1090-003-582 Calamar

















1090-012-582 Entrada



1090-005-582 Rocotillo










Tequila

Agua





1090-009-582



Back to contents Interface 61















1090-010-580

Cilantro



#### Cartera Colores M0584





1090-001-584 Quesadillas



1090-003-584 Calamar



1090-005-584 Rocotillo



1090-007-584 Achiote



1090-009-584 Tequila



62 Interface







1090-004-584

Fideos

1090-006-584 Langosta



1090-010-584

1090-012-584

Entrada

Cilantro

Margarita





1090-011-584 Agua







1090-005-587 Rocotillo

1090-003-587

Calamar





1090-007-587

1090-009-587 Tequila

Agua



1090-011-587



1090-002-587 Puerto



1090-004-587 Fideos



1090-006-587 Langosta



1090-008-587 Margarita




1090-010-587



1090-012-587 Entrada


### M0588







1090-003-588






1090-007-588



1090-009-588 Tequila














Fideos
















M0589

Quesadillas








1090-003-589 Calamar











Achiote

1090-009-589

Tequila

Agua





1090-010-589 Cilantro



1.1.1.1	Desami	Distant state
	(Comment)	Diman (18)
a sub a	T-INTE	CONTRACTOR OF
A REPORT OF	Constantion of the	Comb di vano
a a maint	Carson and	Distanting one
a and the second	Sec.	Dimension of the
-	And the Real Property lies	
entitel (	and beauting	
O A DECK	Para and	Searce of
11111	Concession of the local division of the loca	1000
1090-	012-58	9

Entrada





Cilantro





Shift

Ideas About Floors



**Interface**<sup>®</sup>

From the staccato of a busy hallway to a bold stripe of colour that directs and delights, floors signal something new. When the right foundation is in place, floors are a visual cue.

We named our first edition of POP 'SHIFT', because that's exactly what it does. Bold stripes of colour that guide. Clever placement that positions. When the right floor is in place, a shift makes sense.

Every space makes an impact. POP encourages a shift from one space to another. Positively, and confidently.

Smart floor design signals a change, creates an edge, and subtly steers people in the right direction. POP2 has carpet and LVT floors that spark solutions and inspire you to make the most of any space.



POP delivers better products fast, so you can create positive spaces at speed. Explore fresh design with our newest products. Browse styles, colours, materials, and patterns. See something you like? It can be underfoot before you know it.

Most POP products are available to ship in 10 business days. That's a lot to be positive about.

Find even more at interface.com/POP



Climate change is undeniable. And reversible. Our mission is to prove it Join the #ClimateTakeBack and help create a climate fit for life.

# Colour Me

The extravagance of colour comes across in this line adding a coat of vibrancy to the world of black and white. Available in 16oz and 24oz.

#### Colour Me 16oz

Yarn/Fibre

Tile Size

Area of Use


Product Construction Tufted Textured Tip Sheared Loop BCF Nylon Type 6 - 100% Recycled content Machine Gauge 12th Gauge Pile Thickness 2.5mm Total Thickness 6.5mm 50cm X 50cm Commercial – Heavy Duty Total Recycled Content 55-70% Installation Methods Quarter Turn > ^ > ^

### 24oz

Product Construction	Tufted Textured Tip Sheared Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	12th Gauge
Pile Thickness	4.0mm
Total Thickness	7.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial – Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Quarter Turn

<u>^ > ^</u> > ^ >

#### Colour Me 16oz Storm, Lime









# Composure

Surrounded by distractions we lose our ability to connect and focus. Nature restores our sense of calm and helps us feel more grounded. Inspired by natural rock formations, Composure creates a tranquil, comfortable platform in a choice of 7 natural shades. It has been designed with an organic, non directional flexibility to flow through large areas with ease.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 2.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Non Directional





4169-001-000 Navigate




4169-006-000 Seclusion



4169-007-000

Deliberate



Content




4169-005-0 Reserved



4169-008-000 Isolation





## Cubic & Cubic Colours 🖻


Cubic and Cubic Colours provide a palette of bold primaries, candy coated pastels rich blues and greens. Colour therapy at its best.

## Cubic



## Cubic

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 -100% Recycled content Machine Gauge 12th Gauge Pile Thickness 2.5mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional > ^ < ~ < ~ ^ < ^ > < >



#### **Cubic Colours**



1153-019-000 Violet



1153-021-000 Black



oduct Construction	Tufted Textured Loop
rn/Fibre	BCF Nylon Type 6 -
	100% Recycled content
achine Gauge	12th Gauge
e Thickness	2.5mm
tal Thickness	6.5mm
e Size	50cm X 50cm
ea of Use	Commercial - Heavy Duty
tal Recycled Content	55-70%
stallation Methods	Non Directional



1153-015-000 Red Cubic Colours



CITAL DIA Cubic Colours Black Back to contents Interface 73




## **Detours and Detours Ahead**

Straight and direct, main roads are a dull way forward. Go against the flow, refuse to conform and take a "road less travelled" instead. It always leads to very interesting journeys.


Detours<sup>™</sup> and Detours Ahead<sup>™</sup> send our familiar 50cm squares in all new directions. Relying on a classic neutral palette, both styles explore an alternative route to bringing visual movement for floors. Bold, angular patterns make it appear as though they are moving multi-directionally. Activating every floor design in energetic, surprising ways.

Pattern plays across tonal surfaces via streams of light and shadows in Detours Ahead<sup>®</sup>, with flickers of bright color added to highlight, in Detours . Don't stop at routine. Choose new routes to discover simple ways of creating amazing destinations via this exciting collection.

#### Detours




Slate/Verde Primavera




Onyx/Rojo

7962-007-000

Walnut/Naranja



Steel/Gris Pardo



7962-004-000 Pewter/Verde Primavera





7962-006-000 Topaz/Azul Verdoso


7962-008-000 Tarragon/Amarillo

Sage/Azul Claro






#### Detours Ahead




8284-001-000 Slate Tonal




8284-006-000 Topaz Tonal



8284-004-000 Pewter Tonal



8284-008-000 Tarragon Tonal



#### Detours

Product Construction Yarn/Fibre	Tufted Texture BCF Nylon Ty	ed Loop pe 6.6 - Recycl	ed content
Machine Gauge	12th Gauge	-	
Pile Thickness	2.0mm		
Total Thickness	6.0mm		
Tile Size	50cm X 50cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	45-57%		
Installation Methods	Ashlar	Quarter Turn	Non Directional
		<u>^ &gt; ^ &gt;</u>	$\rightarrow$ $\wedge$ $\checkmark$



A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < >
 A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A > < A >

#### **Detours** Ahead

\*\*\*\*

Product Construction Yarn/Fibre Machine Gauge	Tufted Textur BCF Nylon Ty 12th Gauge	ed Loop /pe 6.6 - Recyc	led content
Pile Thickness	2.0mm		
Total Thickness	6.0mm		
Tile Size	50cm X 50cr	n	
Area of Use	Commercial -	Heavy Duty	
Total Recycled Content	45-57%		
Installation Methods	Ashlar	Quarter Turn	Non Directional
		A > A > A     A > A     A > A     A > A     A > A     A > A     A     A > A     A     A > A     A	>     <
	Brick	Monolithic	





2311-001-000 Dusk



2311-002-000 Shadow



2311-003-000 Storm

2311-004-000 Mist



#### 2311-005-000 Mirage



2311-006-000 Oasis



2311-007-000 Drift



2311-008-00 Dawn

Dune

With a combination of stripes and waves, Dune brings the desert's alluring sand patterns to life in the comforts of the built environment.

 Product Construction
 Tufted Textured Loop

 Yarn/Fibre
 BCF Nylon Type 6.6 - Recycled Content

 Machine Gauge
 12th Gauge

 Pile Thickness
 2.5mm

 Total Thickness
 6.0mm

 Tile Size
 25cm X 100cm

 Area of Use
 Commercial - General Duty

 Total Recycled Content
 45-57%

 Installation Methods
 Ashlar






East Coast Current / Tide

## East Coast

Product Construction	Tufted Loop Pile		
Yarn/Fibre	BCF Nyle	BCF Nylon Type 6.6 - Recycled Content	
Machine Gauge	12th Gau	ıge	
Pile Thickness	2.5mm		
Total Thickness	5.5mm		
Tile Size	25cm X	100xm	
Area of Use	Commer	cial - Heavy Duty	
Total Recycled Content	45-57%		
Installation Methods	Ashlar	Herringbone	
	<u>^</u>		

3.8





2322-001-000 os Current	
2322-002-000 as Creek	
2322-003-000 as Tide	
2322-004-000 Foreshore	
2322-005-000 Waterline	
2322-007-000 GS Eddy	
2322-008-000 Jetty	
2322-009-000 Point	



## Elements II

Elements II is built from the concept of feng shui. From the ripples of fast running water, to the visual waves of an open flame, this collection provides a selection of colour and pattern that embodies the natural elements — Earth, Wind, Water, Wood, Fire and our latest addition to the range, Metal.



#### Elements II

#### Earth

Tufted Textured Loop Product Construction Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Monolithic Installation Methods 




#### Fire

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	5/64th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Quarter Turn



















1168-017-000



1168-022-000




1168-018-000

1168-023-000


Alloys

Gravel





1168-024-000 Terrain



1168-010-000 Geyzer

1168-009-000


1168-014-000

1168-025-000

Cyclone

Sand


Pampa



1168-016-000 Hurricane



1168-021-000 Garnet



1168-026-000 Canyon



1201-001-000

1201-011-000

1201-017-000

1201-022-000

Ore

Alps

Waterfall

Plain



Glacier

1201-012-000

1201-018-000

1201-023-000

Alloys

Gravel


Desert





1201-009-000 Pampa

1201-010-000 Geyzer




Breeze

1201-019-000

Ridge

Terrain








1201-014-000 Sand

1201-016-000 Hurricane



1201-020-000 Plateau

1201-021-000 Garnet



Cyclone



1201-026-000

Ore

#### Elements II

### Metal

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Monolithic













2088-017-000 Alps



2088-022-000 Ore

86 Interface



2088-018-000

2088-023-000

Alloys

Gravel

Breeze



2088-009-000

2088-014-000

2088-020-000


Plateau

Cyclone

Sand

Pampa

2088-019-000 Ridge



2088-024-000 Terrain



2088-010-000

2088-016-000

2088-021-000

2088-026-000

Canyon

Garnet

Hurricane

Geyzer

## Water

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic
	<u>^ ^ ^ ^ </u>







Brook

Breeze





Water Hurricane


1656-009-000 Pampa

1656-010-000 Geyzer









Sand

1656-016-000 Hurricane





1656-020-000 Plateau

1656-021-000 Garnet





1656-005-000

Glacier





1656-017-000 Alps



1656-022-000 Ore





1656-023-000 Alloys

1656-018-000


Gravel

Terrain

1656-024-000

1656-019-000

Ridge







1656-011-000 Waterfall



1656-001-000

Plain

#### Elements II Wind

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic



#### Wood

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic













1665-017-000

1665-018-000

1665-023-000

Alloys




1665-022-000 Ore






Ridge



1665-024-000 Terrain



1665-010-000 Geyzer

1665-009-000

1665-014-000


1665-020-000

Plateau

Cyclone

Sand

Pampa



1665-016-000 Hurricane



1665-021-000 Garnet



1665-026-000 Canyon



1667-001-000

1667-011-000

1667-017-000

1667-022-000

Ore

Alps

Waterfall

Plain



1667-005-000

1667-012-000

1667-018-000


1667-023-000

Alloys

Gravel

Desert

Glacier



Brook

Breeze

1667-019-000

1667-024-000

Terrain


Ridge





1667-009-000 Pampa

1667-010-000 Geyzer







Sand

Cyclone



1667-020-000 Plateau





1667-025-000

1667-026-000 Canyon



# Episodes

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Medium Duty
Total Recycled Content	45-57%
Installation Methods	Non Directional
	<u>&gt; &lt; &lt; &gt;</u> < < < < > < > < > < > < < > < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < < < > < < < < > < < < < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > < < > <



2324-001-000 Scene



2324-005-000 Part

2324-002-000 Act



2324-008-000 Chapter



2324-009-000 Drama

2324-004-000 Passage





## Fading Tracks

Just like a mixing studio that creates tracks by weaving together riffs and notes, instruments and vocals to offer unlimited musical possibilities, Fading Tracks delivers seemingly endless design options which harmonise perfectly with any space.

Fading Tracks is a unique flooring solution in its category. That's because it is a design-driven system which facilitates dispersed transitions, enabling areas of flooring to segue subtly from one pattern to the next. Soft and organic with linear blends, the range features eight base neutral colours with specific coordinated accent colours which complement them precisely. By allowing different products to be fused together rhythmically, the product offering is capable of enhancing a truly broad spectrum of environments.

As a result, Fading Tracks delivers the ability to compose unique floors and create gentle, harmonious transitions that are always aesthetically pleasing, carbon-neutral and will transform any space into a positive space. Now, isn't that music to your ears?

#### Fading Tracks FT500





Reverb



2413-003-000 Acoustic



Octave



2413-007-000 Ambient

2413-002-000



2413-004-000 Tempo



2413-006-000 Vocal



2413-008-000 Treble

#### Fading Tracks FT510



2414-001-000 Harmony

2414-003-000 Acoustic

2414-002-000 Reverb





2414-005-000 Octave




2414-007-000 Ambient













2415-006-000 Vocal



2415-007-000 Ambient







FT500, FT510, FT520, FT530 Acoustic

FT510, FT520 Vocal

94 Interface

#### Fading Tracks FT530



2416-003-000 Acoustic

2416-005-000 Octave

2416-007-000 Ambient

2416-002-000 Reverb



2416-004-000 Tempo



2416-006-000 Vocal



2416-008-000 Treble





#### FT500

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone


#### FT520

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone



#### FT510

Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone




Product Construction	Tufted Textured Loop
Yarn/Fibre	100% Solution Dyed Nylon
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone




# Flashplay

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Medium Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic









2321-004-000 Starburst






2321-009-000 Flash

2321-005-000 Twinkle

2321-007-000 Blaze

2321-008-000 Glitter

98 Interface




## Flow

Motion in sports, whether explosive or controlled, is held together by a single fluid movement from start to end. This journey of motion forms the inspiration of Flow. Its strong continuous linear patterns symbolise the fluidity you may see in the slow yet controlled movements of Tai Chi, a Chinese martial art.

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	45-57%
Installation Methods	Monolithic Ashlar Quarter Turn







2052-004-000 Surf



2052-005-000 Wake 2052-006-000 Stream



2052-003-000

Ice



2052-008-000 Landslide



2052-009-000 Drift 2052-010-000 Breeze



Avalanche

2052-012-000 Motion







## Flow Brights and Stripes

Dynamic linear motion, one flowing movement of travel from start to end point. You see it naturally in the powerful arc path of a gymnast or the play of light created by fireflies on a forest trail. This natural sense of a journey forwards formed the inspiration for Flow<sup>®</sup>.

Flow<sup>™</sup> never remains static. It is moving ahead in exciting, unusual ways. Even the best can become better, forging new paths and directions. Following a natural route, the design patterns of Flow<sup>™</sup> Brights and Stripes are the FIRST to easily adapt to BOTH square or plank formats. This mix of ultimate flexibility via subtle tone and linear shape, adds a spark of inspiration to Flow<sup>™</sup> which simply lights-up customer creativity.





#### Flow Brights Midnight / Ocean



### Flow Brights



2363-001-000 Sunshine Square






2363-002-000 Sunset Square



2363-002-000 Sunset Plank



Flame Square



2363-003-000 Flame Plank



2363-004-000 Midnight Square



2363-004-000 Midnight Plank



2363-005-000 Ocean Square



Ocean Plank




2363-006-000 Seagrass Square



2363-006-000 Seagrass Plank









## Flow Stripes



2364-001-000 Flux Square



Flux Plank



2364-002-000 Wave Square



2364-002-000 Wave Plank



2364-003-000 Ice Square



2364-003-000 Ice Plank



2364-004-000 Surf Square



2364-004-000 Surf Plank



2364-007-000 Sail Square



2364-007-000 Sail Plank




2364-008-000 Landslide Square




2364-008-000 Landslide Plank



Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.0mm Tile Size 50cm X 50cm and 25cm X 100cm Area of Use Commercial - General Duty Total Recycled Content 45-57% Installation Methods 50cm X 50cm: Brick Monolithic Quarter Turn





## Global Change

Shadows on the forest floor. Sun darting behind clouds. Scenic coasts meeting grassy dunes. Our Global Change<sup>™</sup> Collection is inspired by nature's transitions. Using organic patterns and linear textures, this collection draws connections between people and earth, morning and evening and dark and light.

The collection is a sophisticated interpretation of biophilic design, with a range of colours, textures and formats in both small scale and bold, graphic aesthetics. From open areas to enclosed spaces, Global Change can reinforce the purpose of a space – much like a clearing in the woods.

Based on foundational patterns and colours in a series of gradients, Global Change products are designed and intended to be mixed and matched, creating a wide range of sensory and visual experiences. In people-focused interior environments, where diversity and choice are the significant criteria for success for the user, Global Change serves as a foundation for +Positive spaces<sup>®</sup>. As a growing system, designs from Global Change may also be installed with other collections, including our Level Set<sup>®</sup> LVT, for varied texture and style.

#### Global Change

Glazing

## G





9079-002-000 Desert Shadow



9079-003-000 Evening Dusk



Morning Mist



9079-005-0 Fawn




9079-006-000 Eclipse

#### Ground

Daylight

9083-003-000 Evening Dusk





9083-002-000 Desert Shadow



9083-004-000 Morning Mist





9083-006-000 Eclipse



#### Global Change Progression I

9080-001-000 Daylight



9080-002-000 Desert Shadow



9080-003-000 Evening Dusk



9080-004-000 Morning Mist

9080-005-000 Fawn



9080-006-000 Eclipse

### Progression II

### Progression III





9082-002-000 Desert Shadow



9082-003-000 Evening Dusk



9082-004-000 Morning Mist



9082-005-000 Fawn



9082-006-000 Eclipse

9081-001-000 Daylight



9081-002-000 Desert Shadow



9081-003-000 Evening Dusk



9081-004-000 Morning Mist



9081-005-000 Fawn



9081-006-000 Eclipse




#### Global Change Raku









8334-003-000 Evening Dusk



8334-005-000 Fawn

8334-004-000 Morning Mist

-31



8334-006-000 Eclipse

## Shading



8335-001-000 Daylight



8335-002-000 Desert Shadow







8335-004-000 Morning Mist



8335-005-000 Fawn




8335-006-000 Eclipse





Back to contents Interface 113



#### Global Change Glazing

Tufted Textured Loop Product Construction Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Ashlar Herringbone

#### Progression I

Product Construction Tufted Textured Tip Sheared Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge Tapestry Pile Thickness 4.5mm Total Thickness 9.0mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Ashlar Herringhone

#### Progression III

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Ashlar Herrinabone

#### Shading

Product Construction	Tufted Te	extured Tip Sheared Loop
Yarn/Fibre	BCF Nyle	on Type 6.6 - Recycled Content
Machine Gauge	Tapestry	
Pile Thickness	4.0mm	
Total Thickness	8.5mm	
Tile Size	25cm X	100cm
Area of Use	Commer	cial - Heavy Duty
Total Recycled Content	45-57%	
Installation Methods	Ashlar	Herringbone
	<u>^</u> ^	



#### Ground

- Product Construction Yarn/Fibre Machine Gauge Pile Thickness Total Thickness Tile Size Area of Use Total Recycled Content 45-57% Installation Methods
- Tufted Textured Loop BCF Nylon Type 6.6 - Recycled Content 12th Gauge 3.0mm 6.5mm 50cm X 50cm Commercial - Heavy Duty Brick Quarter Turn



### Progression II

Tufted Textured Tip Sheared Loop Product Construction Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge Tapestry Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Herringbone Ashlar



#### Raku


Yarn/Fibre

Tile Size

Area of Use

Product Construction Tufted Textured Tip Sheared Loop BCF Nylon Type 6.6 - Recycled Content Machine Gauge Tapestry Pile Thickness 4.0mm Total Thickness 8.5mm 50cm X 50cm Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Quarter Non Brick Monolithic Ashlar Turn Directional





## Groove & Jazz

#### Groove & Jazz Groove Base



2015-001-000 Cha-Cha-Cha

2015-003-000 Jive

2015-005-000 Charleston



2015-002-000 Tango



2015-004-000 Rumba







2015-007-000 Samba





2015-010-000 Bolero



Groove Base Foxtrot Groove 5 Mambo





#### Groove & Jazz Groove 3 Accents



2015-011-001 Twist



2015-013-001 Swing



2015-015-001 Jitterbug



Watusi

Stroll



Hustle

#### Groove 5 Accents



2015-022-002 Zouk



2015-024-002



Break





Disco



Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
Total Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Quarter Turn

Groove 3 Accents

Product Construction Yarn/Fibre	Tufted Loop Pile BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
Total Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Quarter Turn
	$\begin{array}{c} & & \\ & & \\ & & \\ & & \\ \hline \\ & & \\ & & \\ \hline \\ & & \\ & \\$



Product Construction	Tufted Loop Pile
(arn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
fotal Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
nstallation Methods	Quarter Turn
	$\begin{array}{c} & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & &$

# Salsa


















2015-030-002





2015-023-002

2015-027-002

2015-029-002

Mambo

Funk

Rave



#### Groove & Jazz Jazz Base





2016-004-000

2016-006-000

2016-008-000

Ragtime

Maharaja

Juke

Satchmo

2016-001-000 Bebop

2016-002-000 Big Band




2016-003-000 Lady Day



2016-005-000 Cool



2016-007-000 Blues



First Lady

#### Jazz 3 Accents

2016-013-001

2016-015-001


2016-017-001

2016-019-001 Ella


Jellyroll

Miles

Billie



2016-012-001 Duke



2016-014-001 Louis



Benny



Scott



2016-020-001 Oscar

#### Jazz 5 Accents



2016-023-002


2016-025-002

Davis

Fitzgerald

Holiday





2016-024-002 Armstrong



2016-026-002 Goodman



2016-028-002 Joplin



2016-030-002 Peterson



Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
Total Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Quarter Turn

#### Jazz 3 Accents

Product Construction Tufted Loop Pile BCF Nylon Type 6 - 100% Recycled content Yarn/Fibre 10th Gauge Machine Gauge Pile Thickness 2.5mm Total Thickness 6.0mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Quarter Turn



### Jazz 5 Accents

Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	10th Gauge
Pile Thickness	2.5mm
Total Thickness	6.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Quarter Turn
	> ^ > ^





2016-027-002 Morton



2016-029-002

The local data in the local data




# **+**Positive spaces<sup>™</sup>

Today's challenge is to create environments that enhance the productivity, creativity and wellbeing of all their users. Creating positive spaces can sow the seeds for organisations to thrive and grow into the future.

Create your own positive space with Interface – find out more at interface.com/positivespaces.





## Human Connections

Today, we are both more connected as a society and, ironically, increasingly less connected, shielded from each other and the natural world by our screens, our cars, our homes and the buildings in which we work. But when we walk outside, our pathways reveal the importance of reconnection: the choices we make in our destinations, how we get there and the unexpected gathering places that we happen upon. Invariably we are also drawn to areas of respite where nature is present, nurtured to grow in the environment or simply there by its own persistence.

Human Connections<sup>™</sup> is literally the intersection of the sensory cues that we seek to include in our fast paced lives, supporting the idea that the most positive spaces offer variability and choice. Eight different styles fit together in unique ways to create paths, intersections, collision zones and destinations. Sett in Stone<sup>™</sup>, Kerbstone<sup>™</sup>, Paver<sup>™</sup> and Flagstone<sup>™</sup> are four textures that recall the well-worn streets of the city, while Moss<sup>™</sup> and Moss in Stone<sup>™</sup> attach seamlessly to Sett in Stone to introduce the greenery we crave in a very organic way.

To complete the collection, we have included two highly patterned and colourful styles, Rue<sup>™</sup> and Stone Course<sup>™</sup>, that add a lively graffiti-like impact.

#### Human Connections

#### Flagstone



8338-001-000

Granite







8338-004-000 Onyx





8339-004-000 Onyx

#### Moss









8341-004-000 Onyx/Moss

QS




#### Human Connections Moss in Stone



8340-001-000 Granite Edge







8340-004-000 Onyx Edge

Paver



8337-001-000 Granite






8337-003-000 Flint QS



8337-004-000 Onyx



128 Interface



Human Connections

#### Rue



8344-001-000 Grey



8344-002-000 QS Teal



8344-007-000 Pink

8344-004-000 Yellow



8344-005-000 Orange



8344-006-000 Red



8344-008-000 Purple

Human Connections

### Stone Course



8343-001-000 Grey/Stone QS



8343-005-000 Orange/Stone





QS

8343-006-000 Red/Stone



8343-003-000 Green/Stone




8343-004-000 Yellow/Stone

8343-008-000 Purple/Stonea



#### Sett in Stone



Slate



8342-003-000 Flint



QS

Human Connections Flagstone

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	$> \land < \lor$

< <u>v</u> ^ < ^ > < >

#### Moss

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 3.0mm **Total Thickness** 6.5mm Tile Size 50cm X 50cm Commercial - Heavy Duty Area of Use Total Recycled Content 55-70% Installation Methods Non Directional

#### Paver

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional 

#### Stone Course

Product Construction Tufted Textured Loop BCF Nylon Type 6 - 100% Recycled content Yarn/Fibre Machine Gauge Tapestry Pile Thickness 3.5mm Total Thickness 7.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional > ^ < < v ^ ^ > < > v <

#### Kerbstone

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional

### Moss in Stone

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional 

#### Rue

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 4.0mm Total Thickness 8.0mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Non Directional

> ^ < < ~ ^ > < > < >

< v ^ < ^ > < >



Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	$> \land < \checkmark$

Granite



## Human Nature 🛛


In a world that never sleeps—where information always flows, boundaries blur, transparency reigns and the sound of silence ceases to exist—our instincts prompt us back to nature, with its subtle yet clear cues on how best to live and work. That vital, mysterious link between the nature we observe and this same nature within ourselves is the inspiration behind Interface's Human Nature<sup>™</sup> Collection.

This collection features three different textures in 25cm X 100cm Skinny Planks. HN810, HN850 and HN840 placed in sequence blend seamlessly in an organic movement that shows no hint of tile corners or edges.






#### Human Nature HN810




#### 7617-008-000 Travertine


#### HN850




#### HN840







# Human Nature Collection



# Human Nature

Product Construction Tufted Textured Tip Sheared Loop BCF Nylon Type 6 - 100% Recycled Content Yarn/Fibre Machine Gauge Tapestry Pile Thickness 5.0mm Total Thickness 9.0mm Tile Size 25cm X 100cm Area of Use Commercial – Heavy Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone <u>\_\_\_\_</u> 

#### HN830

Product Construction	Tufted Cut Pile	
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content	
Machine Gauge	5/32th Gauge	
Pile Thickness	7.5mm	
Total Thickness	11.5mm	
Tile Size	25cm X 100cm	
Area of Use	Commercial - General Duty	
Total Recycled Content	55-70%	
nstallation Methods	Ashlar	Herringbone

### HN850

Product Construction Tufted Textured Tip Sheared Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled Content Tapestry Machine Gauge Pile Thickness 4.5mm Total Thickness 8.5mm Tile Size 25cm X 100cm Area of Use Commercial – Heavy Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone



#### HN840

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 – 100% Recycled Content		
Machine Gauge	Tapestry		
Pile Thickness	4.5mm		
Total Thickness	8.5mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial – Heavy Duty		
Total Recycled Content	55-70%		
Installation Methods	Ashlar Herringbone		



## Main Line


Main Line adds a layer of design onto the base colours of Platform, accentuating with subtle stripes of colour.


Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content		
Machine Gauge	12th Gauge		
Pile Thickness	3.0mm		
Total Thickness	6.5mm		
Tile Size	50cm X 50cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	45-57%		
Installation Methods	Brick	Quarter Turn	
	~ ^ ^ ^	<u> </u>	














Stratosphere/Line Denim/Line

Steel/Line

7641-004-000 Nubian/Line



7641-013-000 Bisque/Line



Muscovite/Line

Hazel/Line



7641-017-000 Opal/Line

7641-014-000 Cordovan/Line

7641-005-000 Battleship/Line

7641-016-000 Hemlock/Line



## Monochrome

Monochrome features a holistic selection of 67 colours ranging from neutrals to bolds that work beautifully on their own and with Interface products other. A solid colour product that can be installed monolithically!

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content		
Machine Gauge	12th Gauge		
Pile Thickness	3.0mm		
Total Thickness	7.0mm		
Tile Size	50cm X 50cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	55-70%		
Installation Methods	Quarter Turn	Monolithic	
	<u>^&gt; ^&gt;</u>		




2026-001-000 Umber	2026-002-000 Malt	2026-003-000 Castor	2026-004-000 Cream
2026-005-000 Briar	2026-006-000 Chestnut	2026-007-000 Spun Gold	2026-008-000 Morning Glory
2026-009-000 Persimmon	2026-010-000 Orange	2026-011-000 Wine Berry	2026-012-000 Peach
2026-013-000 Berry	2026-014-000 Very Berry	2026-015-000 Red	2026-016-000 Legacy
2026-017-000 Crocus	2026-018-000 Lilac Haze	2026-019-000 Lilac	2026-020-000 Black




#### Monochrome

Navy

Blue






2026-023-000




2026-025-000 Morning Haze



2026-029-000

Spa



Juniper

2026-032-000 Secret Garden 2026-031-000 Aquamarine

2026-035-000 Mint Julep

2026-039-000

Caraway

Raspberry





2026-037-000 Sandy Cove

2026-033-000

2026-041-000

2026-045-000

2026-049-000 Maple

Brown

Eggplant

Yew



2026-034-000

Asparagus

2026-042-000 Mauve







2026-040-000

Seal

2026-048-000 Linen




2026-050-000 Honey

## Monochrome

2026-051-000	2026-052-000	2026-053-000
Fire Brick	Jungle	Ocean
2026-055-000	2026-056-000	2026-057-000
Grass	Prairie	Artichoke
2026-059-000	2026-060-000	2026-061-000
Smoke	Flannel	Concrete
2026-063-000	2026-064-000	2026-065-000
2026-063-000	2026-064-000	2026-065-000
Flag Blue	Medici Blue	Lime


2026-054-000 Holly

2026-058-000 Felt





2026-067-000 Tobacco



## Narratives

As we connect around the world, we see our personal histories, our stories, get more and more entwined. The Narratives Collection is an elegant rendering of what this might look like — our stories taking shape in complicated layers of lines and patterns, sometimes fine and detailed, and other times broad and dramatic.



7939-001-000 Fennel



7939-002-000 Ginger

7939-003-000 Wasabi



7939-004-000 Chai



7939-005-000 Ginseng



7939-006-000 Sesame



7939-007-000 Darjeeling



7939-008-000 Oolong



# Narratives NS230

Product Construction	Tapestry Tufted Patterned Structured Tip Sheared T		
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content		
Machine Gauge	Tapestry		
Pile Thickness	4.0mm		
Total Thickness	8.5mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	45-57%		
Installation Methods	Ashlar Herringbone		

7938-001-000 Fennel



7938-002-000 Ginger



7938-003-000 Wasabi



7938-004-000 Chai



7938-005-000 Ginseng



7938-006-000 Sesame



7938-007-000 Darjeeling




7938-008-000 Oolong



Narratives NS231

#### Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content 12th Gauge Machine Gauge Pile Thickness 2.5mm Total Thickness 6.0mm Tile Size 25cm X 100cm Area of Use Total Recycled Content 45-57% Installation Methods






Naturally Weathered Burnt Ember / Herringbone

## Naturally Weathered

Naturally Weathered brings that time-worn palette inside with 8 highly variegated neutrals that explore every aspect of the color grey in our appropriately proportioned Skinny Planks of format. So each installation of Naturally Weathered will cover the floor in an entirely unique composition of pattern and color.

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled conte		
Machine Gauge	10th Gauge		
Pile Thickness	2.5mm		
Total Thickness	5.5mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial - General Duty		
Total Recycled Content	55-70%		
Installation Methods	Ashlar Herringbone		



Carl Sales and	-	and the	No.	1	100	Long H	
and the second							
and the second s							



9310-002-000 Woodside

Quicksand



9310-003-000 Greystone



9310-004-000 Burnt Ember



Slate Grey



Rain Storm



9310-007-000 Wrought Iron




9310-008-000 Harbor Grey











NF400 studies shade and hue in striations that run the length of our 25cm X 100cm Skinny Plank. NF401 explores these ideas in greater dimensions with carving, depth, and curvilinear movements. The juxtaposition of the two set side by side awakens the edges, adding a third design element to explore.



7848-003-000 Felt



7848-004-000 Mineral

7848-005-000 Driftwood



7848-006-000 Linen



7848-007-000 Shale





7848-010-000 Walnut



7848-011-000 Wheat



#### Near & Far NF400

Product Construction Tufted Textured Tip Sheared Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 25cm X 100cm Area of Use Commercial - General Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone 



7959-001-000 Mineral



7959-002-000 Felt



7959-003-000 Shale



Linen






7959-006-000 Hemp



7959-007-000 Walnut



7959-008-000 Wheat



#### Near & Far NF401

Tile Size

Tufted Tip Sheared Loop BCF Nylon Type 6 - 100% Recycled content Product Construction Yarn/Fibre Machine Gauge Tapestry Pile Thickness 4.5mm Total Thickness 9.5mm 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 47-80% Installation Methods Ashlar Herringbone







- 36°


NF400, NF401 Hemp



Net Effect Collection Net Effect One 🛛

Net Effect One features non-linear organic forms made from our unique tufting technology. Its patterns are inspired by the natural line where the ocean meets the shore. All three can either be used alone or in combination to create undulating organic movement across the floor. B601 features a pronounced, sculpted over-tuft pattern that subtly fades through the transition product B602 into the deep underlying colours of B603.







QS



Atlantic

Sand

Driftwood






#### Net Effect One B601

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	5.0mm
Total Thickness	9.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	$\mathbf{b} \in \mathbf{C}$





QS


#### Net Effect One B602

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	4.0mm
Total Thickness	8.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	$\rightarrow \land < \checkmark$

7416-005-000 as 7416-006-000 Atlantic Caspian



7416-008-000 Driftwood





7418-003-000 Pacific QS



Atlantic

7418-005-000 QS






7418-004-000 Arctic





QS



## B603

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.0mm
Total Thickness	7.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	2 A C V C V A C 2 V C A

160 Interface



# Net Effect Collection Net Effect Two

Net Effect Two is the plank collection in Net Effect. Although the products in this collection have very different linear textures, they possess common elements that enable for gradual transitions or accentuated contrasts in pile height and pattern scale. B701 features a pronounced cut and loop construction, while B702 showcases a more consistent appearance with textured loops.

#### Net Effect Two B701





7431-002-000 North Sea



Pacific



7431-004-000 Arctic



7431-005-000 Atlantic



7431-006-000 Caspian





7431-008-000 Driftwood



Product Construction	Tufted Tip Sheared Loop			
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled conte			
Machine Gauge	Tapestry			
Pile Thickness	3.5mm			
Total Thickness	6.5mm			
Tile Size	25cm X 100cm			
Area of Use	Commercial - Heavy Duty			
Total Recycled Content	55-70%			
Installation Methods	Ashlar	Herringbone		
	_^_^			



#### Net Effect Two B702



#### 7432-001-000 Black Sea



7432-002-000 North Sea



7432-003-000 Pacific



7432-004-000 Arctic



7432-005-000 Atlantic



Caspian



7432-007-000 Sand



7432-008-000 Driftwood 
 Product Construction
 Tufted Textured Loop

 Yam/Fibre
 BCF Nylon Type 6 - 100% Recycled content

 Machine Gauge
 Tapestry

 Pile Thickness
 3.0mm

 Total Thickness
 6.0mm

 Tile Size
 25cm X 100cm

 Area of Use
 Commercial - Heavy Duty

 Total Recycled Content
 55-70%

 Installation Methods
 Ashlar





Nimbus

We've got our heads in the clouds. We can't seem to concentrate on the conventional approach. We can't seem to just design carpet tile the regular way. This time we made it long and narrow instead of square. We blend colors in an ethereal pattern that appears to have no beginning and no end, no repeat. We create possibilities where none had been considered. Nimbus combines value with all the possibilities that come in the 25cm X 100cm skinny plank. The potential of the new format goes beyond the pattern on the tile itself, to include unique compositions combining 50cm and 50cm X 100cm tiles. Go ahead and try it – the sky's the limit. 

 Product Construction
 Tufted Tip Sheared Loop

 Yarn/Fibre
 BCF Nylon Type 6 - 100% Recycled content

 Machine Gauge
 12th Gauge

 Pile Thickness
 2.8mm

 Total Thickness
 6.4mm

 Title Size
 25cm X 100cm

 Area of Use
 Commercial - Heavy Duty

 Total Recycled Content
 55-70%

 Installation Methods
 Ashlar
 Herringbone



7276-001-000 Barley

7276-002-000 Cedar



7276-003-000 Amber



7276-004-000 Terra Cotta



7276-005-000 Desert



7276-006-000 Tobacco



7276-007-000 Earth



7276-008-000 Hickory



7276-009-000 Sage



166 Interface



#### Nimbus





7276-011-000 Sandstone

7276-012-000 Feldspar



7276-013-000 Slate

7276-014-000 Charcoal



7276-015-000 Graphite



7276-016-000 Flint

7276-017-000 Lichen



7276-018-000 Lapis





## Off Line

On its own Off Line presents a recurrent, banded effect with interesting variations. When paired with the bold solids from On Line, Off Line veers into a new direction by creating transitions between neutrals and brights, hard lines and soft. An installation that blends On Line and Off Line together alters our impression of its scale, toying with the point where colours blend onto each other.

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content		
Machine Gauge	12th Gauge		
Pile Thickness	3.0mm		
Total Thickness	6.5mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	55-70%		
Installation Methods	Ashlar Herringbone		



# 7559-002-000

Mushroom/Biscuit



7559-003-000 Mushroom/Mustard

7559-004-000 Sage/Biscuit

7559-005-000 Sage/Canary



7559-006-000 Pewter/Cloud



7559-007-000 Pewter/Mandarin

7559-008-000 Pepper/Cloud



7559-009-000 Pepper/Lime





## On Line

On Line's simple yet classy linear patterns are inspired by the robust communication links we rely on today. A solid colour product designed for our Skinny Plank format, On Line stretches its linear patterns onto an elongated tile, presenting a wide selection of installation options that promises amazing floor designs.

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 -		
	100% Recycled content		
Machine Gauge	12th Gauge		
Pile Thickness	3.0mm		
Total Thickness	6.5mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	47-80%		
Installation Methods	Ashlar Herringbone		





7335-001-000 Peat



7335-003-000 Topaz





7335-004-000 Biscuit

335-005-000 Ik	7335-006-000 Pewter	
335-007-000 Itone	7335-008-000 Indigo	
335-009-000 agoon	7335-010-000 Ocean	
335-011-000 orest	7335-012-000 Lime	005
335-013-000 apis	7335-014-000 Рорру	
335-015-000 Sanary	7335-016-000 Mandarin	and a
335-017-000 oam	7335-018-000 Coffee	
335-019-000 lepper	7335-020-000 Sage	
335-021-000 Cloud	7335-022-000 Peacock	

7335-024-000 Mustard

7335-023-000

Azure

QS

QS

as

as

#### On Line



Lichen



7335-072-000 Dune



7335-074-000 Sable



7335-077-000 Fog



7335-079-000 Storm



Titanium



7335-083-000 Emerald



7335-085-000 Cobalt

7335-087-000 Marigold



7335-071-000 Pumice



7335-073-000 Smoke



7335-075-000 Espresso



7335-078-000 Granite



7335-080-000 Pigeon



7335-082-000 Grass



7335-084-000 Aquamarine



7335-086-000 Citron



7335-089-000 Rust





7335-091-000 Purple



7335-092-000 Iris



7335-093-000 Magenta



7335-138-000 Persimmon



7335-139-000 Leaf



7335-140-000 Eucalyptus






## Pixel

Product Construction	Tufted Textured Loop				
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content				
Machine Gauge	12th Gauge				
Pile Thickness	2.5mm				
Total Thickness	5.5mm				
Tile Size	50cm X 50cm				
Area of Use	Commercia	al - General [	Duty		
Total Recycled Content	47-80%				
Installation Methods	Brick Monolithic Quarter T		Quarter Turn		
			<u>^&gt; ^&gt;</u>		












2326-003-000 Dot

2326-004-000 Image









2326-009-000 Raster





## Platform

Platform is created with great attention to detail. Fashioned using single stripes of multi-coloured yarn, the neutral base comes alive with a 'pop' of colour.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Methods Brick Quarter Turn









Cornsilk



Bisque


Hazel

1474-009-000

Denim

1474-002-000


1474-004-000 Muscovite



Hemlock


1474-007-000 Opal

1474-008-000 Stratosphere





1474-012-000 Battleship



## Pleatwork

Pleatwork is inspired by pleating, a simple technique that dates back to ancient Egypt. The appearance of fabric doubled upon itself and scrunched-up textiles are artfully illustrated in the textured loops and colour blends of Pleatwork.

 Product Construction
 Tufted Textured Loop

 Yarn/Fibre
 BCF Nylon Type 6.6 - Recycled Content

 Machine Gauge
 12th Gauge

 Pile Thickness
 2.5mm

 Total Thickness
 6.0mm

 Tile Size
 25cm X 100cm

 Area of Use
 Commercial - General Duty

 Total Recycled Content
 45-57%

 Installation Methods
 Ashlar





计目标目的目标目的目标目的目标



2312-001-000 Crease



2312-003-000

Rumple



2312-005-000

Frizz



2312-006-000 Pucker



2312-007-000 Ruffle





## Raw

Raw features the unexpected beauty you find in the 'organic deconstruction' of materials. Made from our Tapestry technology, its intricate patterns emulate the random and varying tones in discoloured concrete walls and floors. This product spans a wave of eight beautiful colourways and is our very first product in Asia to use 100% non-virgin yarn.

Product Construction Yam/Fibre Machine Gauge Pile Thickness Total Thickness Tile Size	Tufted Tip Sheared Loop BCF Nylon Type 6 - 100% Recycled content Tapestry 3.0mm 7.0mm 50cm X 50cm
0	
Pile Thickness	3.0mm
Total Thickness	7.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	47-80%
Installation Methods	Non Directional








as

6855-001-000 Industrial 6855-002-000 Urban





6855-003-000 Loft 6855-004-000 Factory



6855-006-000 Depot



Warehouse

6855-008-000

Brownstone





Raw Depot



## Reclaim

Reclaim draws from the appreciation of beauty in the old and salvaged, playing with layers of texture and hue in each of its eight colourways.

Product Construction	Tufted Tip Sheared Loop	
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled co	ontent
Machine Gauge	Tapestry	
Pile Thickness	3.0mm	
Total Thickness	6.5mm	
Tile Size	25cm X 100cm	
Area of Use	Commercial - Heavy Duty	
Total Recycled Content	55-70%	
Installation Methods	Ashlar Herringbone	



7558-002-000 Faded Denim



7558-003-000 Rustic Teal

7558-004-000 Antique Grey

7558-005-000 Worn Olive



7558-006-000 Cottage Taupe




7558-007-000 Barn Rust



7558-008-000 Aged Brown





# Relay

Product Construction	Tufted Textu	ired Loop
Yarn/Fibre	BCF Nylon 1	ype 6.6 - Recycled Content
Machine Gauge	12th Gauge	
Pile Thickness	3.0mm	
Total Thickness	6.5mm	
Tile Size	50cm X 50	cm
Area of Use	Commercial	- Heavy Duty
Total Recycled Content	47-80%	
Installation Methods	Monolithic	Quarter Turn
	^ ^ ^ ^	



1520-001-000	1520-002-000	1520-003-000
Baton	Runner	Medley



Passage

1520-007-000

1520-010-000

1520-013-000 Speed

Track

Circuit




Anchor









1520-014-000 Field

1520-008-000

Stick









1520-012-000 Exchange







Relay Olympic

1520-016-000 Olympic

1520-017-000 Marathon

1520-018-000 Triathlon



## Riverside

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	12th Gauge
Pile Thickness	2.5mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - General Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone







2327-002-000 Pier





2327-004-000 Beach



2327-005-000 Cape




2327-007-000 Channel



2327-008-000 Bund



2327-009-000 Reef



## Sidetrack


Sidetrack takes the colour combinations of Main Line and introduces them as distinct colour accents.

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	47-80%
Installation Methods	Brick Quarter Turn
	Alaba         Alaba           Jacak         Jaba           Alaba         Jaba           Alaba         Jaba           Jacak         Jaba









7642-001-000 Stratosphere/Track

7642-005-000

Battleship/Track

7642-002-000 Denim/Track

7642-007-000

Hazel/Track

7642-003-000 Steel/Track

7642-004-000 Nubian/Track








7642-012-000 Cornsilk/Track

7642-013-000 Bisque/Track



7642-016-000 Hemlock/Track



7642-017-000 Opal/Track



## Silver Linings

Loaded with possibilities, the Silver Linings Collection is built on the aesthetic concept of bright contrasts against plain grey undertones. SL910 is the quiet-before-the-storm, pure texture. Three accent colours start to flicker through the second texture, SL920.

#### Silver Linings SL910

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 7.0mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone





7831-001-000 Navy



7831-002-000 Black



7831-003-000 Charcoal



7831-004-000 Graphite



Nickel



Grey



7831-007-0 Stone



7831-008-000 Ginko





7831-009-000 Mica



7831-010-000 Beige



7831-01 Taupe



7831-012-000 Walnut





Silver Linings

Product Construction Tufted Textured Loop BCF Nylon Type 6 - 100% Recycled content Yarn/Fibre Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 7.0mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone



7832-001-000 Navy Line



Black Line



Charcoal Line



7832-004-000 Graphite Line



Nickel Line



Grey Line



Stone Line



7832-008-000 Ginko Line





7832-009-000 Mica Line



7832-010-000 Beige Line




7832-011-000 Taupe Line



7832-012-000 Walnut Line



SL920 Grey Line



## Stadium


#### Stadium Marathon















1356-005-000 Dome






















#### Stadium Sprint



1573-004-000

1573-006-000

Tracks

Velodrome

1573-001-000 Dash



1573-003-000 Hurdle



1573-005-000 Pursuit




1573-007-000 Victory

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Commercial - Heavy Duty Area of Use Total Recycled Content 45-57% Installation Methods Brick Quarter Turn



#### Trek







1629-003-000 Waterfall




1629-005-000 Rover



Product Construction Tufted Textured Loop Yarn/Fibre Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm 50cm X 50cm Tile Size Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Quarter Turn Installation Methods Brick






Scramble



Hike















## Step Repeat

Step Repeat offers three coordinating walk off styles designed to make the most of your entryways and other high traffic areas. The larger scale pattern of SR999<sup>™</sup> features innovative, stiff fibers that grab dirt, moisture and debris, trapping it until it can be vacuumed up later. Interiors stay fresher, your carpet lasts longer. and there is less risk of injuries due to slips and falls.

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	12th Gauge
Pile Thickness	3.5mm
Total Thickness	7.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional
	Yam/Fibre Machine Gauge Pile Thickness Total Thickness Tile Size Area of Use Total Recycled Content





## Street Smart

It takes a certain savvy to really read the room, to know when to be bold or when to be reserved. We call it being street smart, which is also the name of our latest collection. The Street Smart Collection is a pairing of two styles that can easily handle the kinds of situations that urban life presents.

Street Smart's eight tonal neutrals lead the way with eight more colourful companions to brighten the possibilities. It's offered in our Skinny Planks<sup>™</sup>, which means it can move across the floor in really interesting ways.

Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6.6 - Recycled Content
Machine Gauge	10th Gauge
Pile Thickness	2.0mm
Total Thickness	5.0mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	45-57%
Installation Methods	Ashlar Herringbone



Passageway



Alley




Sidewalk




8009-007-000 Walkway









Crossroad/Cielo



8009-002-000 Lane



8009-004-000 Crossroad



8009-006-000 Path

8009-008-000 Back Street



8010-003-000 Alley/Rojo



8010-006-000 Path/Verde Primavera



8010-033-000 Passageway/Cielo



8010-035-000 Walkway/Amarillo



# Swing

Product Construction	Tufted Textu	red Loop
Yarn/Fibre	BCF Nylon T	ype 6.6 - Recycled Content
Machine Gauge	12th Gauge	
Pile Thickness	3.0mm	
Total Thickness	6.5mm	
Tile Size	50cm X 500	cm
Area of Use	Commercial	- Heavy Duty
Total Recycled Content	47-80%	
Installation Methods	Monolithic	Quarter Turn
	^ ^ ^ ^	<u>^ &gt; ^ &gt;</u>



1589-001-000 Trapeze	1589-002-000 Pendulum	1589-00 Loop









1589-007-000 1589-008-000 Rope



Motion

Stroke

Revolve









1589-014-000 Spin as







1589-006-000 Sway

1589-009-000 Rhythm







Q(S



**第** 253



1589-017-000 Golf

1589-018-000 Circus





## Teori

Named Teori, a Japanese term that translates to 'hand weaving', this carpet design recreates the intricacies and nuances of hand-woven fabrics with visual loops of colour and texture.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 2.5mm Total Thickness 6.0mm Tile Size 25cm X 100cm Area of Use Commercial - General Duty Total Recycled Content 45-57% Installation Methods Ashlar Herringbone



2313-001-000 Indigo



2313-003-000 Carob

2313-004-000 Lupine

2313-005-000

Walnut




2313-006-000 Fennel



2313-007-000 Acorn

Teori Lupine

2313-008-000 Sumac






Tessuti

Tessuti has "fashion" in its DNA. Italian for "fabric", this classis tile is pared down, understated and chic. Think; the all important base colour in any fashionable outfit.

Product Construction Tufted Cut and Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge 10th Gauge Pile Thickness 2.0mm Total Thickness 5.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 47-80% Installation Methods Monolithic 

208 Interface



#### Urban Retreat Collection



UR501 features the look of wooden boards with a tastefully weathered texture created from its varying pile height profile. A heavy tip shear creates a velour-like touch and feel to the yarns that emerge on top, giving it that fullness.

Product Construction	Tufted Ti	p Sheared Loop
Yarn/Fibre	BCF Nyle	on Type 6 - 100% Recycled content
Machine Gauge	Tapestry	(Colour Point)
Pile Thickness	4.0mm	
Total Thickness	8.0mm	
Tile Size	25cm X	100cm
Area of Use	Commer	cial - Heavy Duty
Total Recycled Content	47-80%	
Installation Methods	Ashlar	Herringbone
	<u>^</u> ^ <u>^</u> ^ <u>^</u> ^	

#### Urban Retreat UR501





7267-003-000 Bark



7267-005-000 Grass



7267-007-000 Flax



7267-009-000 Blue



7267-011-000 Ash



7267-013-000 Orange



7267-015-000 Granite



7267-002-000 Moss



7267-004-000 Straw



7267-006-000 lvy



7267-008-000 Sage



7267-010-000 Navy



7267-012-000 Stone




7267-014-000 Red



7267-016-000 Charcoal







#### Urban Retreat Collection Urban Retreat One

Urban Retreat One headlines this collection's theme, representing the city's blend of natural and manmade. Its three styles provide a smart fusion of colour and form that work together to recreate the beautiful transitions between these two worlds. UR101 recreates where moss gives way to granite and grass to sand, connecting the organic patterns of UR102 and UR103.

#### Urban Retreat One

UR101








Straw/Grass

Bark/Moss

7148-002-000 Charcoal/Lichen







7148-004-000 Granite/Lichen

UR102




QS

7146-006-000

Stone

7146-005-000


Flax





7146-004-000 Granite


as



7146-008-000 QS Ash

QS

UR103



QS

Sage

212 Interface



#### Urban Retreat One

## UR101

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry (Colour Point)
Pile Thickness	3.5mm
Total Thickness	8.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	47-80%
Installation Methods	Non Directional
	$\frac{1}{2}$

## UR102

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry (Colour Point)
Pile Thickness	3.5mm
Total Thickness	8.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional Quarter Turn

## UR103

Tufted Textured Loop
BCF Nylon Type 6 - 100% Recycled content
Tapestry (Colour Point)
3.5mm
8.5mm
50cm X 50cm
Commercial - General Duty
47-80%
Non Directional Quarter Turn




# Urban Retreat Collection Urban Retreat Two

Urban Retreat Two collects the orderly with the organic in its three patterns - the eccentric texture of aged tree bark in UR201, the grid pattern of UR202 and the natural fibre pattern of UR203. Mixing these patterns accentuates their individual characteristics, revealing precisely what is special about each of them.

## Urban Retreat Two





## Urban Retreat Two

# UR201

Product Construction	Tufted Tip Sheared Loop	
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content	
Machine Gauge	Tapestry (Colour Point)	
Pile Thickness	4.0mm	
Total Thickness	8.0mm	
Tile Size	50cm X 50cm	
Area of Use	Commercial - Heavy Duty	
Total Recycled Content	55-70%	
Installation Methods	Ashlar Quarter Turn	



# UR202

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry (Colour Point)
Pile Thickness	3.5mm
Total Thickness	7.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Monolithic Quarter Turn

# UR203

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry (Colour Point)
Pile Thickness	3.5mm
Total Thickness	7.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
nstallation Methods	Quarter Turn
	$\begin{array}{c} \land \land \land \land \\ \hline \land \land \land \land \land \\ \hline \land \land \land \land \land \\ \hline \land \land \land \land$



# Urban Retreat Collection Urban Retreat Three

Urban Retreat Three is a selection of refined textures that amazes with subtlety. The shifting shades of UR301 epitomise the look of natural limestone, while the shimmering linen-like UR302 provides balance with its simple look. UR303 completes this all-rounded collection with its raw, unadorned finish. Urban Retreat Three and Urban Retreat Two share the same eight hues and pair elegantly with Urban Retreat One.

## Urban Retreat Three





## Urban Retreat Collection

# UR301

Product Construction	Tufted Tip Sheared Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry (Colour Point)
Pile Thickness	3.0mm
Total Thickness	8.0mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Non Directional



# UR302

Product Construction	Tufted Textu	red Loop
Yarn/Fibre	BCF Nylon T	ype 6 - 100% Recycled content
Machine Gauge	10th Gauge	
Pile Thickness	2.5mm	
Total Thickness	6.0mm	
Tile Size	50cm X 50c	m
Area of Use	Commercial	- Heavy Duty
Total Recycled Content	47-80%	
Installation Methods	Monolithic	Quarter Turn
		A > A > A > A > A > A >



Product Construction	Tufted Tip Sheared Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	50cm X 50cm
Area of Use	Commercial - General Duty
Total Recycled Content	55-70%
Installation Methods	Monolithic



Verticals

Verticals provides depth, and complexity in every tile. And when that crisscross texture pairs with the herringbone, ashlar or an installation method of your own invention you can take your space to a whole new level. Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.0mm Tile Size 25cm X 100cm Area of Use Commercial - Heavy Duty Total Recycled Content 55-70% Installation Methods Ashlar Herringbone





7308-001-000 Apex



7308-002-000 Rise



7308-003-000 Pitch



7308-004-000 Summit



Pinnacle



7308-006-000 Uplift





7308-008-000 Crest





# Verticals



7308-010-000 Peak



7308-011-000 Lofty



7308-012-000 Altitude



7308-013-000 Zenith



7308-014-000 Principal



7308-015-000 Meridian



7308-016-000 Soar



7308-017-000 Crown



7308-018-000 Vantage



7308-019-000 Extreme



7308-020-000 Vertex



7308-021-000 Promontory



7308-022-000 Sharp



7308-024-000 Precipice



# Visual Code<sup>™</sup> Collection

Our Visual Code carpet collection features ten different patterns inspired by the symbiotic relationship of hi-tech and hi-touch. Marrying images of glitch graphics and technicolour circuitry with simple textures that recall plain woven fabrics and rugs. A perfect match with Interface's Drawn Lines LVT.

To learn more and order samples visit interface.com/visualcode

+Positive spaces<sup>™</sup> Better products. Happier people. Healthier planet.

**Interface**<sup>®</sup>



# Visual Code

Al, VR, robotics and smart everything. Hi-tech tools are sleek, enticing and fast, but they can be a distraction from creative thinking. Engagement with the natural world and real, "hi-touch" things like hand-crafted materials and goods, humanize experience, slow it down and restore imagination and wonder. Visual Code<sup>™</sup> is a collection of ten different patterns inspired by the symbiotic relationship of hi-tech and hi-touch, marrying images of glitch graphics and technicolor circuitry with simple textures that recall plain woven fabrics and rugs. Based on simple textiles in shades of gray, Stitch Count<sup>™</sup>, Stitchery<sup>™</sup> and Plain Stitch<sup>™</sup> set the groundwork for the collection. In contrast, Hard Drive<sup>™</sup> and Static Lines<sup>™</sup> scramble colors, mimicking a monitor "glitch". Bright, bold Circuit Board<sup>™</sup> is at once precisely like wiring and vaguely like an ancient tribal motif. And finally, striking the balance are four black and white textures that recall handwoven rugs from another time and place.

## Visual Code Black & White









## Visual Code Circuit Board



9280-001-000 Orange Circuit



9280-002-000 Yellow Circuit



9280-003-000 Green Circuit



9280-004-000 Teal Circuit



9280-005-000 Blue Circuit



9280-006-000 Purple Circuit



9280-007-000 Magenta Circuit



Red Circuit

# Hard Drive



9277-001-000 Steel HD



Pewter HD



9277-003-000 Lead HD



9277-004-000 Granite HD

# Static Line



9276-001-000 Steel Static



9276-002-000 Pewter Static



9276-003-000 Lead Static



9276-004-000 Granite Static

## Visual Code Plain Stitch





Iron Plain



9278-003-000 Grey Plain



9278-004-000 Graphite Plain



9278-005-000 Flint Plain



9278-006-000 Charcoal Plain



9278-007-000 Slate Plain



9278-008-000 Black Plain

# Stitch Count



9279-002-000

Iron Count



9279-003-000 Grey Count



9279-004-000 Graphite Count



9279-005-000 Flint Count



9279-006-000 Charcoal Count



9279-007-000 Slate Count



9279-008-000 Black Count

# Stitchery



9281-002-000 Iron Stitchery

9281-003-000

Grey Stitchery



9281-004-000 Graphite Stitchery





9281-006-000 **Charcoal Stitchery** 



9281-007-000 Slate Stitchery




9281-008-000 Black Stitchery



Stitchery Slate Count Static Lines Steel Static Circuit Board Orange Circuit

Back to contents Interface 235



## Visual Code

# Black & White

Product Construction	Tufted Textured Loop		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content		
Machine Gauge	Tapestry		
Pile Thickness	3.0mm		
Total Thickness	Darning, Decibel, Overedge 6.5mm		
	Haptic	7.0mm	
Tile Size	25cm X 100cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	55-70%		
Installation Methods	Darning, Decibel & Overedg		
	Ashlar Herringbone	Ashlar	
		<sup>2</sup> - <sup>1</sup> - <sup>1</sup> - <sup>1</sup> - <sup>1</sup>	

<u>\_\_\_\_</u>

# Hard Drive

Plain Stitch

Total Recycled Content 55-70% Installation Methods

Yarn/Fibre

Tile Size

Area of Use

Machine Gauge

Pile Thickness

Total Thickness

Product Construction Tufted Textured Loop

Tapestry

2.0mm

5.5mm

25cm X 100cm Commercial - Heavy Duty

Ashlar Herringbone

Product Construction	Tufted Textured Loop
rarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.5mm
Total Thickness	7.0mm
File Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
nstallation Methods	Ashlar Herringbone

# Circuit Board

Product Construction	Tufted Textured Loop	
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content	
Machine Gauge	Tapestry	
Pile Thickness	3.0mm	
Total Thickness	7.0mm	
Tile Size	25cm X 100cm	
Area of Use	Commercial - Heavy Duty	
Total Recycled Content	55-70%	
Installation Methods	Ashlar Herringbone	

# Static Lines

Product Construction	Tufted Textured Loop
farn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
nstallation Methods	Ashlar Herringbone



# Stitch Count

Product Construction	Tufted Te	xtured Tip Sheared Loop
Yarn/Fibre	BCF Nylo	n Type 6 - 100% Recycled content
Machine Gauge	Tapestry	
Pile Thickness	4.0mm	
Total Thickness	8.7mm	
Tile Size	25cm X 1	100cm
Area of Use	Commerc	cial - Heavy Duty
Total Recycled Content	55-70%	
Installation Methods	Ashlar	Herringbone



BCF Nylon Type 6 - 100% Recycled content

# Stitchery

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Vachine Gauge	Tapestry
Pile Thickness	2.0mm
Total Thickness	5.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
nstallation Methods	Ashlar

Viva Colores Amarillo, Verde Primavera, Gris

Viva Colores Cereza, Escarlata, Naranja

Viva Colores Azul Marino, Cerúleo, Avellana

# Viva Colores 🛛

Viva Colores brings the culture of Latin America to life with its solid-colour designs spanning 57 individual colourways to choose from. Use them alone or in combination to create countless floor designs. Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6.6 - Recycled Content Machine Gauge 12th Gauge Pile Thickness 3.0mm Total Thickness 6.5mm Tile Size 50cm X 50cm Area of Use Commercial - Heavy Duty Total Recycled Content 45-57% Installation Method Quarter Turn



Viva Colores Azul Marino, Azul, Turquesa

Viva Colores Turquesa, Café, Avellana, Gris Pardo

# Viva Colores



1648-028-000	1648-029-000	1648-030-000	1648-031-000	1648-032-000
Azul	Celesta	Morado	Amatista	Violeta
1648-033-000	1648-034-000	1648-035-000	1648-036-000	1648-037-000
Cereza	Caramelo	Escarlata	Burdeos	Canela
1648-038-000	1648-039-000	1648-040-000	1648-041-000	1648-042-000
Color Teja	Rojo	Cobrizo	Mandarina	Armeniaca
1648-043-000	1648-044-000	1648-045-000	1648-046-000	1648-047-000
Naranja	Café	Moreno	Castaño	Avellana
1648-048-000	1648-049-000	1648-050-000	1648-051-000	1648-052-000
Marengo	Gris	Piedra	Pardo	Gris Pardo
1648-053-000 Masila	1648-054-000	1648-055-000	1648-056-000	1648-057-000

Maduro

Carbón

Masilla

Estuco

Gris Perla

**Interface**<sup>®</sup>

# Works series. Work smarter. Great design. Great value.

The Works series has one vision – to work smarter together for every space, giving greater versatility and driving value.

Introducing an exciting sequence of intelligent designs – Works Atom, Works Stream and Works Unite. Perfect for large floor places these products work beautifully together.

To find out more and order samples visit interface.com/works-series – Today!

+Positive spaces<sup>™</sup> Better products. Happier people. Healthier planet.






## Works Series Works Atom

Look very closely. You will see that the true genius of large, human or natural structures, is that they are created from the tiniest elements. Like particles, the random, small patterns of Works Atom create detailed accents to capture attention. A sequence of structurally brilliant designs, each Works Atom tile works smarter to make every spatial idea come to life and inspire in unusual ways.





2391-001-000 Cobalt

Flame



2391-005-000 Russet

lvory



2391-006-000 Navy

# Works Series


Our Works Series<sup>™</sup> has one vision, to work smarter together for every space. An exciting sequence of intelligent designs, they have the power to move people emotionally through a space. Every detail of Works Series works smarter to give greater versatility and drive value at the same time. Smart thinking on colour, texture and pattern makes Works Series work seamlessly with other Interface collections. So the flow of your ideas will never stop expanding and moving forward. Each Works Series tile will prove to be the smart move for our planet's future too. As with every Interface product, they are Carbon Neutral, so they help you lower your carbon footprint with one positive step.



## Works Series Works Stream

When you see bright minds working at their peak, thoughts seem to flow easily. Freed by the sparks of inspiration, greater forces appear to be at work. By inspiring free movement in a space, people will think and feel more connected. Everything flows smoothly when real collaboration is encouraged. Creating directions through flowing patterns, Works Stream is the smarter way to create quiet, comfortable spaces where the smartest thinking and work-streams can come together.





2392-001-000 Graphite

2392-002-000 Inkwell



2392-004-000 Mushroom

2392-005-000 Hazelnut





Indigo



2392-006-000

# Works Unite

Naturally opposing views can create true moments of innovation. Free flowing thoughts, emerging from an ideation session, will blur all lines to really push the envelope. When such individual contributions brilliantly combine, real feelings of group unity develop. Everyone owns the idea. In a similar way, Works Unite innovatively fuses contrasting, linear and organic patterns, seamlessly merging them into a plank format. Texture is grouped with height variation to create smart, layering effects and a sense of moving forward. Works Unite is the intuitive way of creating spaces where opposites attract, beautifully.







## Works Series

# Works Atom

Product Construction	Tufted Te	extured Lo	ор
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled cont		
Machine Gauge	12th Gauge		
Pile Thickness	2.5mm		
Total Thickness	5.5mm		
Tile Size	50cm X 50cm		
Area of Use	Commercial - General Duty		
Total Recycled Content	47-80%		
Installation Method	Ashlar	Brick	Monolithic

# Works Stream

Product Construction	Tufted Textured Loop			
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled conten			
Machine Gauge	12th Gauge			
Pile Thickness	2.5mm			
Total Thickness	5.5mm			
Tile Size	50cm X 50cm			
Area of Use	Commercial - General Duty			
Total Recycled Content	47-80%			
Installation Method	Ashlar	Brick	Monolithic	Quarter Turn
		시시시 지시시 시시시 지시시 지시시		A > A > A     A >

# Works Unite

To

roduct Construction	Tufted Lo	oop Pile
arn/Fibre	BCF Nylo	on Type 6
lachine Gauge	12th Gau	ige
ile Thickness	2.5mm	
otal Thickness	5.5mm	
ile Size	25cm X	100cm
rea of Use	Commerc	cial - General Duty
otal Recycled Content	47-80%	
stallation Methods	Ashlar	Herringbone



Inspired by some of the world's most beloved woollen textiles, the World Woven<sup>™</sup> Collection pays homage to age-old crafts, from Scottish tweed to Saori hand-weaving. The collection comprises six Skinny Planks and three square accent styles, each with eight colours and made with 100% recycled content nylon. All nine styles weave together our current predilections with memories we share of some of the most enduring textiles of the past. They are simple, elegant fabrics that keep us warm and lift our spirits.

Back to contents Interface 251

WW895 Da

Scottish Sett Plaid Charcoal WW860 Charcoal Tweed

**I**R

Man Line

O.

WW895 Fuchsia Weave Collins Cottage Hound Ch

252 Interface

WW880 Natural Loom Scottish Sett Plaid Natural

WW890 Linen Dobby Mod Café Star Charcoal

> WW880 Linen Loom Collins Cottage Hound Linen

WW880 Natural Loom WW895 Autumn Weave



## 254 Interface

# WW880





8112-002-000 Flannel Loom



Charcoal Loom



8112-004-000 Black Loom



8112-005-000 Brown Loom



Natural Loom



Raffia Loom



8112-008-000 Sisal Loom

## WW890



8113-001-000 Linen Dobby



8113-002-000 Flannel Dobby



8113-003-000 Charcoal Dobby



8113-004-000 Black Dobby



8113-005-000 Brown Dobby



8113-006-000 Natural Dobby



8113-007-000 Raffia Dobby



8113-008-000 Sisal Dobby





and the state of the second and the



WW860 Black Tweed WW865 Highland Warp WW895 Highland Weave

# World Woven Collection



8109-002-000 Flannel Tweed



8109-003-000 Charcoal Tweed

8109-004-000 Black Tweed



8109-005-000 Brown Tweed




8109-006-000 Natural Tweed

8109-007-000

Raffia Tweed

8109-008-000 Sisal Tweed

## WW865





8110-002-000 Loch Warp



Highland Warp



Moorland Warp



8110-005-000 Fuchsia Warp



Autumn Warp



Glen Warp



8110-008-000 Dale Warp

# WW895



8114-002-000 Loch Weave



8114-003-000 Highland Weave



8114-004-000 Moorland Weave



8114-005-000 Fuchsia Weave




8114-006-000 Autumn Weave



Glen Weave



8114-008-000 Dale Weave



## WW860

Product Construction	Tufted Loop Pile		
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content		
Machine Gauge	Tapestry		
Pile Thickness	2.5mm		
Total Thickness	6.0mm		
Tile Size	25cm X 100cm		
Area of Use	Commercial - Heavy Duty		
Total Recycled Content	55-70%		
Installation Methods	Ashlar Herringbone		



# WW865

WW880

Product Construction

Yarn/Fibre

Product Construction	Tufted Loop Pile
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	Tapestry
Pile Thickness	2.5mm
Total Thickness	6.0mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Ashlar Herringbone

## WW870

WW890

Product Construction

Total Recycled Content 55-70%

Yarn/Fibre

Tile Size

Area of Use

Machine Gauge

Pile Thickness

Total Thickness

Installation Methods

Product Construction	Tufted Textured Loop
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled content
Machine Gauge	12th Gauge
Pile Thickness	3.0mm
Total Thickness	6.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Ashlar Herringbone

Tufted Patterned Textured Loop Tile

Commercial - Heavy Duty

Ashlar Herringbone

Tapestry

3.5mm

7.5mm 25cm X 100cm

BCF Nylon Type 6 - 100% Recycled content

#### Machine Gauge Pile Thickness 3.0mm 7.5mm Total Thickness Tile Size 25cm X 100cm Area of Use

- Tufted Textured Tip Sheared Loop
- BCF Nylon Type 6 100% Recycled content Tapestry

- - Commercial Heavy Duty
- Total Recycled Content 55-70%
- Installation Methods Ashlar Herringbone



# WW895

Product Construction	Tufted Patterned Textured Loop Tile
Yarn/Fibre	BCF Nylon Type 6 - 100% Recycled of
Machine Gauge	Tapestry
Pile Thickness	3.5mm
Total Thickness	7.5mm
Tile Size	25cm X 100cm
Area of Use	Commercial - Heavy Duty
Total Recycled Content	55-70%
Installation Methods	Ashlar Herringbone

on Type 6 - 100% Recycled content 100cm cial - Heavy Duty Herringbone <u>^^</u>^<u>-</u>^\_^




Collins Cottage

Collins Cottage features the noble houndstooth, characterised by abstract check patterns in dual-colour combinations.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 4.0mm Total Thickness 8.0mm Tile Size 50cm X 50cm Commercial - General Duty Area of Use Total Recycled Content 55-70% Installation Methods Non Directional






Hound Natural

8152-005-000 Hound Brown B152-003-000 Hound Charcoal

> 8152-007-000 Hound Raffia



8152-004-000 Hound Black

8152-008-000 Hound Sisal



Mod Café

Bringing us back through time, the retro Mod Café renews the playful and optimistic patterns from the 1950s.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 4.5mm Total Thickness 8.0mm Tile Size 50cm X 50cm Area of Use Commercial - General Duty Total Recycled Content 55-70% Installation Methods Non Directional





8150-001-000 Star Linen



8150-005-000 Star Brown



8150-002-000 Star Flannel







8150-007-000 Star Raffia

8150-003-000 Star Charcoal



8150-008-000 Star Sisal

8150-004-000 Star Black

8150-00 Stor Sig



# Scottish Sett

Inspired by the traditional tartan, Scottish Sett adds a dash of colour atop muted base tones in criss-crossed horizontal and vertical bands.

Product Construction Tufted Textured Loop Yarn/Fibre BCF Nylon Type 6 - 100% Recycled content Machine Gauge Tapestry Pile Thickness 4.5mm Total Thickness 8.5mm Tile Size 50cm X 50cm Area of Use Commercial - General Duty Total Recycled Content 55-70% Installation Methods Non Directional





8151-001-000 Plaid Linen








8151-006-000

Plaid Natural





8151-004-000 Plaid Black



8151-008-000 Plaid Sisal

8151-007-000 Plaid Raffia




# Mix, match, merge

ChromaFlex, Works Eon, Icebreaker, NY+LON Streets & Brushed Lines 5 new collections from Interface Available April 2020

Find out more at interface.com/mix-match-merge

# Interface<sup>®</sup>





One of the top secrets of our success is what lies beneath

At Interface, we understan the importance of a strong foundation

268 Interface

It's been the basis of our continual improvement upon the traditional benefits of carpet, so it's no surprise that our innovative backing systems are responsible for the enhanced performance and durability of our modular carpet tiles. They're what enable our carpet tile to resist moisture and be moved and updated with ease.

Each of our three main backing systems - GlasBac<sup>®</sup>, GlasBacRE and CushionBacRE<sup>®</sup> - provide a unique benefit, but all offer superior dimensional stability and carry a standard 15 year warranty against excessive surface wear, edge ravel, backing separation, shrinking and stretching.


#### GlasBac<sup>®</sup>

Our GlasBac backing has been in production since 1973 and continues to set the industry standard. Our carpet tiles backed with GlasBac have 47-80% total recycled content (including up to 16% post-consumer recycled content).



#### GlasBacRE

GlasBacRE is our backing system with high post-consumer recycled content. All styles backed with GlasBacRE feature 60-78% total recycled content (including up to 42% post-consumer recycled content).



#### **CushionBacRE**®

CushionBacRE is a high performance backing that delivers superior underfoot comfort. All styles backed with CushionBacRE feature 56-74% total recycled content (including up to 23% post-consumer recycled content).



Back to contents Interface 269

Find out more at interface.com/backings

# **Interface**<sup>®</sup>

# <text>

We've designed our LVT and Carpet to work together seamlessly – with no transition strips. This effortless meeting of hard surfaces, soft textures, endless pattern and colour combinations allows you to create truly unique flooring designs for your **+Positive spaces**. **interface.com** 

## +Positive spaces<sup>™</sup>

Better products. Happier people. Healthier planet.



# **Boundary Metallics**

Boundary Metallics, our exclusive luxury vinyl tile design, presents a new point of view for the floor, inspired by man-made, industrial materials with the patina of nature and time. Infused with warm and cool metallics, light dances across the floor, activating it's typically static surface. Through pigment, organic pattern and texture, these Skinny Planks<sup>™</sup> prove a more forgiving finish to scuffs and marks. Create an integrated floor of open and sheltered areas by installing Boundary Metallics and Interface carpet tiles sideby-side. Our system of hard and soft tiles in Skinny Planks and squares allow you to move from surface to surface without the need for transition strips.

Product Construction	High Performance Luxury Vinyl Plar		
Wear Layer Thickness	0.55mm		
Total Thickness	4.5mm		
Tile Size	25cm X	100cm	
Installation Methods	Ashlar	Herringbone	



A006-01 Daylight



A006-06 Eclipse



A006-08 Evening Dusk E. A.

A006-05 Fawn



A006-07 Desert Shadow



A006-09 Morning Mist



# Drawn Lines<sup>™</sup> Collection

Our Drawn Lines LVT layers filament-fine marks in varying weights and rhythms, creating a prismatic geometry in an array of scales. Softly pooling areas of light and dark with no visible repeats. This product pairs beautifully with Interface's Visual Code carpet tiles.

To learn more and order samples visit interface.com/drawnlines

+Positive spaces<sup>™</sup> Better products. Happier people. Healthier planet.

**Interface**<sup>®</sup>



A009-02 Topaz		A009-03 Bronze
A009-04 Smokey Quartz		A009-05 Amber

A009-06

A009-08

A009-10 Opal

Silver

Aquamarine











A009-09 Diamond





Fractals are repeating patterns at different scales and nature's favorite pattern-making method. Following this, Drawn Lines<sup>™</sup> layers filament-fine marks in varying weights and rhythms, creating a prismatic geometry in an array of scales. Note the detail of the never-ending pattern, a finely linear matrix with softly pooling areas of light and dark and no visible repeats. Drawn Lines is offered in 10 colors—a palette of neutrals and a few accents, sorted from warm to cool with a thread of metallic adding shimmer and depth. Combine Drawn Lines with Interface carpet tiles side by side for an integrated flooring system of hard and soft without the need for transition strips.

Product Construction High Performance Luxury Vinyl Plank Wear Layer Thickness 0.55mm Total Thickness 4.5mm Tile Size 25cm X 100cm Installation Methods Ashlar 




132 . art t r winn Textured Stones Emperador Gray Rue Red Stone Course Red Stone Textured Woodgrains Antique Oak

# Level Set Collection

Hard and soft comes together in perfect unity to create a whole new world of inspired floor designs. Our LVT selections of natural and textured wood-grains and creative stones have been thoughtfully designed - they perfectly integrate, complementing the same natural inspirations seen in our extensive carpet tiles range. No matter how you arrange them, these are designed to mix and flow seamlessly together. In fact, they fit like a glove without the need for transition strips. Interface LVT is constructed from a combination of highly durable, recyclable layers. Scuffs and scratches from everyday wear are minimized by Ceramor<sup>®</sup>, a ceramic bead coating that protects the surface layer of the tile. A high performance backing layer, Sound Choice<sup>™</sup> acts in the same way as our carpet tiles, reducing noise impact levels and delivering outstanding acoustic properties. And all these are backed by the same 15-year product warranty too. Get the best of both worlds by pairing LVT with modular carpet tiles, and say hello to harmonious, gorgeous style.


## Level Set Collection Natural Stones





Cool Impala Marble

A001-02 Marone Dark Marble



Warm Impala Marble







Textured Woodgrains White Wash





# Natural Woodgrains

Level Set Collection



A002-05 Storm

A002-06 Winter Grey

A002-07 Washed Wheat



A002-08 Sand Dune



A002-10 Teak



A002-11 Washed Maple



A002-12 Cedar



A002-14 Bamboo

# **Textured Stones**





A003-02 Cool Polished Cement



A003-08 Light Concrete

Dark Concrete



A003-09 Medium Concrete



A003-11 Distressed Concrete



## Level Set Collection **Textured Woodgrains**



Distressed Black Walnut



A004-05 Grey Dune



A004-06 Antique Light Oak



A004-07 White Wash



A004-15 Antique Oak



A004-17 Silve Dune



Antique Oak Ash



A004-20 Rustic Cashew



A004-21 Rustic Oak



A004-22 Rustic Hickory



A004-26 Sugarpine



## Level Set Collection Natural Stones

Product Construction	High Performance Luxury Vinyl Tile			е
Wear Layer Thickness	0.55mm			
Total Thickness	4.5mm 50cm x 50cm			
Tile Size				
Installation Methods	Quarter Turn	Non Directional	Brick	Monolithic
	<u> </u>	<u>&gt; &lt; &lt; ~</u>	<u> </u>	<u>^ ^ ^ ^ </u>



# Natural Woodgrains

Product Construction High Performance Luxury Vinyl Plank Wear Layer Thickness 0.55mm Total Thickness 4.5mm Tile Size 25cm X 100cm Installation Methods Ashlar Herringbone



# **Textured Stones**

Product Construction	High Performance Luxury Vinyl Tile			ile
Wear Layer Thickness	0.55mm			
Total Thickness	4.5mm			
Tile Size	50cm x 50cm			
Installation Methods	Quarter Turn	Non Directiona	Brick I	Monolithic



# **Textured Woodgrains**

Product Construction	High Performance Luxury Vinyl Plank			
Wear Layer Thickness	0.55mm			
Total Thickness	4.5mm			
Tile Size	25cm X 100cm			
Installation Methods	Ashlar	Herringbone		










# Look Both Ways

Some things work better in pairs. Inspired by composite ground materials, Look Both Ways<sup>™</sup> combines hard and soft flooring with intentional design in one cohesive collection. Playful patterns and urban textures blend seamlessly in a series of striking combinations. Concrete and confetti. Plush and flat. Carpet and LVT.

Look Both Ways tiles can be mixed to create exciting floor designs that embrace the unexpected. Concrete textures are reimagined as plush carpet and mimicked on smooth LVT in simple, solid forms. Patterns marry deco carvings with the lightness and joy of confetti. Mineral based colors are highlighted with subtle metallic flecks and varying infusions of vibrant color.


## Look Both Ways Walk About



Warm Ash



Pumice




Cool Ash




A014-04 Carbon

## Look Both Ways Walk of Life








A012-04 Charcoal

# Walk on By




A015-01 Polychrome

# Walk The Aisle


A013-04 Carbon



A013-01 Warm Ash



Pumice



## Look Both Ways

# Walk About

Product Construction High Performance Luxury Vinyl Tile Wear Layer Thickness 0.55mm Total Thickness 4.5mm Tile Size 50cm x 50cm Installation Methods Quarter Non Ashlar Brick Monolithic Turn Directional



# Walk of Life

Product Construction	High Performance Luxury Vinyl Tile					
Wear Layer Thickness	0					
Total Thickness	4.5mm					
Tile Size	50cm x 50cm					
Installation Methods	Ashlar		Non Directior		Monolithic	
	<u>~ ^ ^ ^</u>	>>>>	> ^ < ~	~ ^ ^ ^	<u>^ ^ ^ ^ </u>	

^ ^ ^ /

# Walk of Life

Product Construction	5				
Wear Layer Thickness	0.55mm				
Total Thickness	4.5mm				
Tile Size	50cm x 50cm				
Installation Methods	Ashlar	Quarter	Non	Brick	Monolithic
		Turn	rn Directional		
		<pre>&gt;</pre>	> ^ < Y < Y ^ <		<u> </u>



# Walk About

Product Construction	High Performance Luxury Vinyl Tile				
Wear Layer Thickness	0.55mm				
Total Thickness	4.5mm				
Tile Size	50cm x 50cm				
Installation Methods	Ashlar	Quarter Turn	Non Directio		Monolithic







Stone Course Orange Stone, Teal Stone, Purple St.

Studio Set Pewter

Every project is an opportunity for fresh ideas. Enter Studio Set. Thirteen hues selected to serve as your go-to source for color in LVT. Studio Set is a spectrum of colors from super-saturated brights to ideal neutrals. Take note of the very subtle woodgrain pattern, but don't get stuck in conventional solutions. These Skinny Planks<sup>™</sup> were meant to inspire you to design with pure color, creating unique compositions or just making a singular bold choice, like a red floor. Combine Studio Set with Interface carpet tiles side-byside for an integrated flooring system of hard and soft tiles in Skinny Planks and squares. Interface modular floors allow you to move from surface to surface without the need for transition strips.

52



Product Construction High Performance Luxury Vinyl Plank

(Breenfile

Studio Set Poppy



# Studio Set



A007-02 Pewter



A007-03 Pepper



A007-04 Espresso



A007-05 Titanium



A007-06 Mushroom



A007-07 Lime







A007-09 Ocean



А007-10 Рорру



A007-11 Mandarin




A007-12 Marigold



A007-13 Slate



Studio Set Pepper, Lime, Marigold, Ocean



Back to contents Interface 291

## **Product Features**

## **Environmental Accreditations**



#### Carbon Neutral Floors<sup>™</sup>

We are the first global manufacturer to declare that all of the flooring products that we sell – carpet tile, luxury vinyl tile (LVT) and nora<sup>®</sup> rubber – are carbon neutral. We achieved this after more than two decades of work reducing the carbon footprint of our products combined with purchasing verified carbon offsets to make up the difference. All at no extra cost to our customers.



#### Intersept®

Intersept<sup>®</sup> – our patented antimicrobial inhibits up to 99% of all microbial growth. It is permanently incorporated into the primary backing of all our carpet and is guaranteed for the life of the product. It helps prevent infection, minimises odour and actively protects against bio-contaminants.

#### i2®

Observing the organic rhythms of a leaf-strewn forest floor inspired us to devise i2, an innovative advancement in modular carpet tile design. i2 products vary in patterning and colouring within one style and colourway, resulting in tiles that blend together no matter when they are purchased or installed. Available in both square and plank formats, many i2 products are designed to be installed in any order and orientation. This means less installation time, nearly 90% less waste than traditional broadloom carpet, and easy reclamation and recycling. As there isn't a need to worry about matching dye lots, less attic stock is required and selective replacement is even more effective.



#### ReEntry™

From concept to creation to the end of its useful life, we feel responsible for each carpet tile we make. ReEntry is Interface's promise to take back our customers' used flooring and create further value with them in the most sustainable way contingent on their location, composition and condition. As of 2018, we have prevented more than 6,100 tonnes of carpet from going to landfills around the globe.



#### TacTiles®

No Glue Installation. Our revolutionary TacTiles installation system eliminates the need for glue, adhering tiles securely together to form a floor that "floats" for greater flexibility, easier replacement and long-term performance. The result? Less mess, less waste and virtually no VOCs, not to mention an environmental footprint that is over 90% lower than that of traditional glue adhesives.

#### LVT



Interface LVT can be installed in all commercial interiors. We do not recommend installation in kitchens, bathrooms, showers, toilets, behind bars, food serving areas or any areas where fork lifts, scissor lifts or similar are used.



#### CRI Green Label Plus

The Carpet and Rug Institute (CRI)'s Green Label Plus program certifies carpet, cushions and adhesives with very low emissions of volatile organic compound (VOC) emissions, which are harmful to human health.



#### NSF/ANSI 140 - Gold Certified

NSF/ANSI 140 Sustainability Assessment for Carpet is a U.S. national standard that measures and certifies the sustainability of commercial carpets based on lifecycle assessment principles. All our carpets made in Thailand are Gold Certified.



SGBC

1111

#### Singapore Green Building Product (SGBP) Certification Scheme – Four ticks

The Singapore Green Building Product (SGBP) labelling scheme is recognised under the Building and Construction Authority's Green Mark scheme to accrue additional points that count towards a project's eventual rating. Interface carpet tiles and LVT have a four tick rating.



00

#### GREENGUARD Gold

Products awarded the GREENGUARD Gold Certification by UL Environment are subject to advanced dynamic environmental chamber testing, along with exposure modelling and analytical measurements, to ensure they do not contain more than stipulated levels of VOCs, formaldehyde, ozone and phthalates. Interface LVT are GREENGUARD Gold certified.

#### FloorScore

FloorScore is an indoor air quality (IAQ) certification standard for hard surface flooring materials, adhesives and underlayments. Jointly developed by SCS Global Services and Resilient Floor Covering Institute (RFCI), FloorScore<sup>®</sup> is recognised by building rating systems including LEED v4, WELL, BREEAM, and CHPS. Interface LVT are FloorScore certified.

All Interface manufacturing facilities in the Asia Pacific region maintain registration to ISO 9001 Quality Management Systems and ISO 14001 Environmental Management Systems.

Production specifications are subject to normal manufacturing tolerances and may be changed without notice. Slight variation in colour among different production lots are normal and should be considered in the overall installation plan. Pile Thickness & Total Thickness quoted is to within a +/-0.5mm manufacturing tolerance. Products covered by manufacturer's written warranty only. All other warranties, including without limitation any implied warranties of merchantability or fitness for particular purpose, are hereby disclaimed. Contact your representative for written warranty information. Recycled content calculations are based on historical averages by total weight of the product for backings. Yarn/Fibre recycled content information and other environmental data regularly to reflect changes and advancements in our technology.

Request a copy of +Positive spaces The Magazine or visit blog.interface.com to view design showcases

from around the world.







Informatica office, India



NUS School of Design and Environment 4, Singapore







Monterrey Institute of Technology, Mexico

Daimler and Mercedes-Benz office, Indonesia

Japan

K . N.




Holiday Inn Express Newcastle, Australia



Reckitt Benckiser office, Indonesia







# OuickShip In time. In budget. Whatever your space.

**QuickShip from Interface, over 125 popular designs.** All dispatched within 1 week. Flexibility, whatever your budget or deadline.

Look out for the os icon throughout this catalogue. You can also browse QS products, and order samples online. Visit interface.com/quickship TODAY

# **Interface**<sup>®</sup>