

An overhead view of a person with brown hair, wearing a white long-sleeved shirt, dark trousers, and dark sneakers, sitting on a modern wooden chair. They are holding and reading a magazine. The floor is covered in large, square carpet tiles with a complex, organic pattern in shades of grey and beige. In the bottom right corner, a small stack of three books or magazines is visible, with the top one showing a large white letter 'A' on a dark cover.

Interface®

Fit Out Collection

A collection of design-led carpet tile, LVT and nora® rubber to suit your space and budget – all available from stock.

A design-led offering

15
YEAR
WARRANTY



At Interface, we understand that creative design should not be compromised on quick turnaround projects. We have carefully selected carpet tile, LVT and nora® rubber products from our portfolio at a range of competitive price points, readily available in stock - so that you can easily bring your design vision to life.

All products in the Interface portfolio carry a **15 year warranty**.



And what's more – **all our products are carbon neutral**.

 **Carbon Neutral Floors™**
Learn more about our third-party
verified Carbon Neutral Floors.
www.interface.com/carbonneutral

10

Carpet Tile

- 10 On Line
- 12 Off Line
- 14 Touch of Timber
- 16 Equilibrium
- 18 Ice Breaker
- 20 Composure
- 24 Composure Edge
- 26 Contemplation
- 28 Straightforward II
- 30 Transformation
- 32 Works Flow
- 34 Works Fluid & Freestyle
- 36 Works Balance
- 38 Elevation III
- 40 Heuga 727
- 44 Yuton 104, 105 & 106
- 46 Unity
- 48 Employ Loop
- 50 Employ Lines
- 52 Employ Dimensions

54

LVT

- 54 Level Set® Collection - Woodgrains
- 58 Level Set® Collection - Stones
- 60 Drawn Lines
- 62 Native Fabric
- 64 Studio Set
- 66 Look Both Ways™

68

nora® rubber

- 68 noraplan® sentica
- 70 noraplan® signa
- 72 noraplan® stone
- 74 noraplan® uni
- 76 norament® grano
- 78 norament® arago

80

Look below the surface

- 80 Backing options
- 81 TacTiles®

82

Specifications

- 82 Carpet Tile
- 86 LVT
- 88 nora® rubber

90

Sustainability

Your support eco-system

At Interface, we support our customers to achieve their project goals. Our eco-support system helps you deliver on priorities whether these relate to anything from sustainability or design, right through to installation and technical assistance.

Wherever you are in the UK or Ireland, our teams are on hand to help. Contact your local Account Manager direct, or get in touch with our helpful Customer Experience team.

T: +44 (0) 800 313 4465 E: ukcustomerservices@interface.com

Interface®



Sustainability

- All our products are carbon neutral
- 100% environmental transparency
- ReEntry® scheme (tile take back)
- 26 years of sustainable innovation

Concept Design

- Unique design support
- Product and application advice
- Inspiration and guidance
- Planning and estimation offer

Product

- Variety of backings available
- Sample support
- Carpet tile, LVT and rubber solutions
- Functionality and design versatility

Site Services

- Technical support
- On site installation guidance
- Training
- Aftercare and maintenance

Wellbeing

- Improved indoor air quality
- Superior acoustics
- Biophilic design
- RIBA/RIAI accredited CPDs



Concept Design Service

No two projects are alike - every space has its own challenges that must be addressed to create a truly beautiful, inspiring design.

The role of our Concept Design team is to support you in finding beautiful flooring solutions within budget. Everything we offer is bespoke to the project, which can include creating custom colours, products or mood boards. We can get involved in just a single phase of the process, or offer design support from start to finish.*

interface.com/conceptdesign


*Service is available on projects over 300m²



Concept Design Service

Our Concept Design team can tailor visuals to suit your needs. We can create visuals to show how products can be combined to produce unique interiors. Spaces can be designed by tile in line with your project needs.

interface.com/conceptdesign





On Line

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:		QUICKSHIP 24 HOUR DISPATCH
1000m ²	200m ²	



On Line - Cloud, Pewter, Pepper



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



7335007 PEWTER



7335009 PEPPER



7335010 LIME

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



7335002 MUSHROOM



7335006 CLOUD



Off Line

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH



Off Line - Pepper/Lime



Off Line - Pepper/Lime

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



7559005 - PEWTER/ CLOUD



7559008 PEPPER/LIME



Touch of Timber

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP
24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4191001 Balsa



4191004 Elm



4191005 Silver Birch



4191007 Maple



4191008 Sycamore



4191010 Olive



4191012 Blackwood

See page 84 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Equilibrium

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

1000m²


200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²




1190031 UNIFORMITY

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



1190018 MOBILITY




1190022 SYMMETRY



1190023 SERENITY



1190026 CONTENTMENT



1190028 HARMONY



1190094 CONTINUITY



1190095 CONSISTENCY

See page 82 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Ice Breaker

Carpet Tile | 50 x 50cm

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4282006 OBSIDIAN



4282008 SILTSTONE



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4282001 CONCRETE



4282002 GRANITE



4282003 JETMIST



4282004 CHALK



4282005 GRITSTONE



4282007 CLAYSTONE



4282009 QUARRY

See page 82 for product specifications

*For full range, visit [interface.com](#)



Composure

Carpet Tile | 50 x 50cm

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:

1000m²

QUICKSHIP

24 HOUR
DISPATCH

COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4169002 DIFFUSE



4169003 SOLITUDE



4169005 SERENE



4169007 TRANSCRIBE



4169008 ISOLATION



4169009 CONTENT



4169011 SOOTHE



4169012 RETREAT




4169014 CONTEMPLATE



4169015 HARMONIOUS



4169016 RESERVED



4169017 SECLUSION



4169018 REGARD



4169019 PATIENCE



4169020 SECURE



4169021 DELIBERATE



4169058 SAPPHIRE



4169059 MARINE



4169066 ABYSS



4169068 WAVE



4169069 WILLOW



4169071 OLIVE



Composure - Regard



See page 82 for product specifications

*For full range, visit [interface.com](#)



Composure

Carpet Tile | 50 x 50cm



AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 200m²

		
4169060 SAILING	4169061 PEWTER	4169063 AUBERGINE
		
4169064 BERRY	4169065 CRANBERRY	4169067 HARBOUR
		
4169070 FERN	4169072 AMBER	4169073 SUNBURST



Composure Edge

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH



Composure Edge - Wave/Isolation
Composure - Wave, Isolation




Composure Edge - Olive/Seclusion
Composure - Olive, Seclusion


COLOURWAYS AVAILABLE TO ORDER UP TO 200m²




4274002 WAVE/
ISOLATION



4274003 OLIVE/
SECLUSION



4274004 SUNBURST/
SECLUSION



4274005 ABYSS/
DIFFUSE



Contemplation

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP

24 HOUR
DISPATCH



Contemplation - Rustic Handcraft



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4263002 PASTORAL



4263004 RUSTIC

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4263001 HOMESPUN



4263003 ELEMENT




4263005 ARCADIAN




4263006 HANDICRAFT



4263008 ARTISAN



4263012 RURAL



Contemplation - Rustic

Architect: Barosa Trep - Trep Architects
Photographer: Zepherus - Mennus Zepherus

Straightforward II

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4268001 GRANITE

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4268002 STEEL



4268003 LEAD



4268004 IRON



4268006 COFFEE



Transformation

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



1628010 FERN



1628013 STEPPE



1628065 GABBRO



1628073 BARING

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



1628011 RIVER



1628019 WADI




1628020 AMAZON



1628029 PLANTATION



1628063 SHELL



1628066 PEWTER



1628067 NIGHTSHADE



1628070 PARCHMENT



1628072 SAXON



1628074 AZURE



Works Flow

Carpet Tile | 50 x 50cm



Works Flow - Pebble

See page 84 for product specifications

*For full range, visit [interface.com](https://www.interface.com)

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4276001 LINEN



4276004 PEBBLE



4276005 CHARCOAL

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4276002 MINK



4276006 BLACK



4276010 LIME



Works Fluid & Freestyle

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH



Works Fluid - Taupe



Works Fluid



Works Freestyle

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



WORKS FLUID - 4285006 TAUPE



WORKS FREESTYLE - 4284001 NICKEL



WORKS FREESTYLE - 4284003 IRON

See page 84 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Works Balance

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:	QUICKSHIP 24 HOUR DISPATCH
200m ²	



Works Balance - Pewter



Works Balance - Linen

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4283001 COAL



4283005 PEWTER



4283006 LINEN



Elevation III

Carpet Tile | 50 x 50cm

RETURN TO CONTENTS PAGE

AVAILABLE FROM STOCK UP TO:

1000m²

200m²


QUICKSHIP
24 HOUR
DISPATCH



Elevation II - Nero Maquina, Carata, Jura



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²




4199007 GRIGIO NILO



4199008 PORTORO

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4199001 COLLETINO




4199002 BROCATELLO



4199003 PALISSANDRA




4199004 CIOCCOLATO



4199006 CEPPO DI GRE



4199009 CARRARA



4199010 JURA



4199011 VALDEORRAS



4199012 NERO MAQUINA



4199020 ZIRCONA



Heuga 727

Carpet Tile | 50 x 50cm

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:


1000m²

QUICKSHIP

24 HOUR
DISPATCH




COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4122120 PLATIN
(SD)



4122121 ELEPHANT
(SD)



4122122 GRAPHITE
(SD)




4122123 COAL
(SD)




4122125 PEBBLES
(SD)



4122126 PANTHER
(SD)



4122127 ONYX
(SD)



4122128 SILVER
(SD)



4122129 COPRA
(SD)



4122130 COTTON
(SD)




4122131 NUTMEG
(SD)



4122132 OYSTER
(SD)



4122136 SUNFLOWER
(PD)



4122153 LAVENDER
(SD)



4122154 LOBELIA
(SD)



4122155 BLUE RIBAND
(SD)



4122166 OLIVE
(PD)



Heuga 727 - Nürneg



Heuga 727

Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP









24 HOUR
DISPATCH



Heuga 727 - Onyx, Graphite, Pebbles, Platin, Linen, Oyster, Copra, Paprika, Hot Pepper

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²

						
4122124 DUST (SD)	4122133 LINEN (SD)	4122134 CAMEL (SD)	4122135 MOCHA (PD)	4122138 HOT PEPPER (SD)	4122137 PAPRIKA (SD)	4122139 CHOCOLATE (SD)
						
4122145 FUCHSIA (PD)	4122149 MIDNIGHT (SD)	4122150 BILBERRY (SD)	4122151 BLACKCURRANT (PD)	4122152 MERCURY (SD)	4122157 OCEAN (PD)	4122158 COBALT (SD)

			
4122140 CAYENNE (PD)	4122141 OPERA (SD)	4122143 MAUVE (PD)	4122144 PASHMINA (PD)
			
4122160 AEGEAN SEA (PD)	4122163 EMERALD (PD)	4122165 PISTACHIO (PD)	4122167 JUNGLE (PD)



Yuton 104,105,106


Carpet Tile | 50 x 50cm

AVAILABLE FROM STOCK UP TO:


200m²

QUICKSHIP

24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



YUTON 104
4080017 PEWTER




YUTON 104
4080020 SILVER



YUTON 104
4080022 PEBBLE



YUTON 105
4159016 URBAN



YUTON 105
4159018 FOSSIL



YUTON 105
4159021 BISCUIT



YUTON 106
4290003 IRON



YUTON 106
4290005 TITANIUM



Unity

Carpet Tile | 50 x 50cm

RETURN TO CONTENTS PAGE

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



1136003 BOULDER

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



1136007 PUMICE



1136002 GRAPHITE



1136004 CARBON

See page 84 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Employ Loop

Carpet Tile | 50 x 50cm

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP
24 HOUR
DISPATCH




COLOURWAYS AVAILABLE TO ORDER UP TO 200m²

						
4197001 RAFFIA	4197004 CARAMEL	4197007 NUTMEG	4197010 RYE	4197012 ATLANTIC	4197013 CRYSTAL	4197014 TROPICAL
						
4197015 KIWI	4197016 NORDIC	4197017 PEACOCK	4197018 EDEN	4197019 BARING	4197020 OXFORD	4197021 CLEMENTINE
						
4197022 SAPPHIRE	4197023 LAVENDER	4197024 SALSA				

COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²

		
4197002 TRUFFLE	4197003 SHADOW	4197005 PRALINE
		
4197006 SHALE	4197008 FOUNTAIN	4197009 JET
		
4197011 CIRRUS		





Employ Lines

Carpet Tile | 50 x 50cm

[RETURN TO CONTENTS PAGE](#)

AVAILABLE FROM STOCK UP TO:


1000m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



Employ Lines - Quarry
Employ Loop - Fountain Jet



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4223003 QUARRY

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4223001 HARVEST




4223002 FORMATION



4223004 WATERFALL



4223005 SUNSET



4223006 MEADOW



4223008 CARIBBEAN

See page 82 for product specifications

*For full range, visit [interface.com](#)



Employ Dimensions

Carpet Tile | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

1000m²

200m²

QUICKSHIP

24 HOUR
DISPATCH




Employ Dimensions - Surface
Level Set Natural Woodgrains - Washed Wheat




Employ Dimensions - Scale

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



4271003 CONNECT



4271004 PARALLEL

COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



4271001 VOLUME



4271002 SURFACE



4271006 SCALE

See page 82 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Architects: @Agence D2A - Thierry Duten / @APAC Interiors - Arnold Leboeuf
Photography: @Frank Anderson

Level Set® Collection

Natural Woodgrains

LVT | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

1000m²

500m²

200m²

QUICKSHIP

24 HOUR
DISPATCH



Level Set Natural Woodgrains - Cedar



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



A00204 BEECH



A00207 WASHED WHEAT



A00210 TEAK




A00212 CEDAR

COLOURWAYS AVAILABLE TO ORDER UP TO 500m²



A00201 BLACK WALNUT



A00206 WINTER GREY

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



A00203 CHESTNUT



A00205 STORM



A00208 SAND DUNE



A00214 BAMBOO



Level Set Natural Woodgrains - Black Walnut



Level Set Natural Woodgrains - Chestnut

Photography: Colant Delphine



Level Set® Collection Textured Woodgrains

LVT | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

1000m²

500m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²



A00406 ANTIQUE LIGHT OAK



A00415 ANTIQUE OAK



A00419 ANTIQUE ASH OAK

COLOURWAYS AVAILABLE TO ORDER UP TO 500m²



A00403 DISTRESSED HICKORY



A00405 GREY DUNE



A00414 ANTIQUE MAPLE

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



A00407 WHITE WASH



A00416 ANTIQUE DARK OAK



A00417 SILVER DUNE



A00418 CHARCOAL DUNE



A00420 RUSTIC CASHEW



A00421 RUSTIC OAK



A00422 RUSTIC HICKORY



A00423 RUSTIC ASH



A00424 RUSTIC BIRCH



Level Set® Collection

Natural & Textured Stones

LVT | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

1000m²

500m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



COLOURWAYS AVAILABLE TO ORDER UP TO 1000m²

A00301 POLISHED CEMENT (TS)

A00302 COOL POLISHED CEMENT (TS)

A00303 WARM POLISHED CEMENT (TS)

A00308 LIGHT CONCRETE (TS)

A00309 MEDIUM CONCRETE (TS)

A00310 DARK CONCRETE (TS)

COLOURWAYS AVAILABLE TO ORDER UP TO 500m²

A00307 CHESTNUT HORSEHAIR (TS)

A00311 DISTRESSED CONCRETE (TS)

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²

A00101 JET MIST (NS)

A00103 COOL IMPALA MARBLE (NS)

A00304 EMPERADOR GRAY (TS)





Drawn Lines


LVT | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH




COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



A00902 TOPAZ



A00903 BRONZE




A00904 SMOKEY QUARTZ



A00905 AMBER



A00906 AQUAMARINE



A00907 ONYX



A00908 SILVER



A00909 DIAMOND



A00910 OPAL



A00911 AMETHYST

See page 86 for product specifications

*For full range, visit [interface.com](https://www.interface.com)

QUICKSHIP


24 HOUR
DISPATCH

AVAILABLE FROM STOCK UP TO:

200m²

Native Fabric

LVT | 50 x 50cm



COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



A00801 FLAX



A00802 SEAGRASS



A00803 TATAMI



A00804 STRAW



A00805 LINEN



A00806 TWINE



A00807 BLUEGRASS



A00808 MULBERRY

See page 86 for product specifications

*For full range, visit [interface.com](https://www.interface.com)



Studio Set - Mushroom, Titanium, Pepper, Ocean, Slate

Studio Set

LVT | 25 x 100cm

AVAILABLE FROM STOCK UP TO:

500m²

200m²

QUICKSHIP
24 HOUR
DISPATCH



Studio Set - Pepper, Lime, Marigold, Ocean



Studio Set - Mushroom, Titanium, Pepper

COLOURWAYS AVAILABLE TO ORDER UP TO 500m²



A00702 PEWTER

COLOURWAYS AVAILABLE TO ORDER UP TO 200m²



A00701 SILVERLIGHT



A00703 PEPPER



A00705 TITANIUM



A00706 MUSHROOM



A00707 LIME



A00708 IRIS



A00709 OCEAN



A00710 POPPY



A00711 MANDARIN



A00712 MARIGOLD



A00713 SLATE



Look Both Ways

LVT | 50 x 50cm

AVAILABLE FROM STOCK UP TO:

200m²

QUICKSHIP

24 HOUR
DISPATCH



Walk About



Walk the Aisle




Walk of Life



Walk on By




COLOURWAYS AVAILABLE TO ORDER UP TO 200m²




WALK ABOUT
A01401 WARM ASH




WALK ABOUT
A01402 PUMICE



WALK ABOUT
A01403 COOL ASH



WALK ABOUT
A01404 CARBON



WALK ON BY
A01501 POLYCHROME




WALK THE AISLE
A01301 WARM ASH



WALK THE AISLE
A01302 PUMICE



WALK THE AISLE
A01303 COOL ASH



WALK THE AISLE
A01304 CARBON



WALK ON BY
A01502 MONOCHROME



WALK OF LIFE
A01201 WARM ASH



WALK OF LIFE
A01202 PUMICE



WALK OF LIFE
A01203 COOL ASH



WALK OF LIFE
A01204 CARBON



WALK OF LIFE
A01205 CHARCOAL

noraplan® sentica

nora® rubber flooring | 1.22m x 15.0m

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP

24 HOUR
DISPATCH



Case Study - Juvienkeskus Päivämmeen monitoimila
noraplan® sentica - 6521



Photography - Jesse Taylor Photography

COLOURWAYS AVAILABLE TO ORDER UP TO 600m²



6505



6520



6521



6522



6524



6525

noraplan® signa


nora® rubber flooring | 1.22m x 15.0m

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP

24 HOUR
DISPATCH



Case Study - Chongming County Cultural And Technology Center, China

noraplan® signa - 7036




COLOURWAYS AVAILABLE TO ORDER UP TO 600m²



7032




7036



7037



7055



7065

noraplan® stone

nora® rubber flooring | 1.22m x 15.0m

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP


24 HOUR
DISPATCH




noraplan® stone - 1862




COLOURWAYS AVAILABLE TO ORDER UP TO 600m²




1146



1279



1862



2306

noraplan® uni

nora® rubber flooring | 1.22m x 12.0m

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP

24 HOUR
DISPATCH



noraplan® uni - 2454

Photography: Emma Wit



COLOURWAYS AVAILABLE TO ORDER UP TO 600m²



2451



2454



2457

See page 88 for product specifications

*For full range, visit [nora.com](https://www.nora.com)

norament® 926 grano


nora® rubber flooring | 1004mm x 1004mm

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP


24 HOUR
DISPATCH




Case Study - Shanghai Shenhai Oil Company, China
norament® grano - 5302, 5303




COLOURWAYS AVAILABLE TO ORDER UP TO 600m²




5302



5303



5304



5318

norament® 926 arago

nora® rubber flooring | 1004mm x 502mm

AVAILABLE FROM STOCK UP TO:

600m²

QUICKSHIP

24 HOUR
DISPATCH




norament® arago - 5172


Photography: Vincent Uetzwiler Studio




COLOURWAYS AVAILABLE TO ORDER UP TO 600m²



5172



5175



5178

Look below the surface

Interface®

High performance backings and glue-free installation



Graphlex®

A great foundation

A superb all-rounder, Graphlex® guarantees maximum flatness and stability. Compatible with our TacTiles system, Graphlex® forms a sturdy foundation for wall-to-wall installations that will never warp, wrinkle or dome – even under extreme changes in temperature, humidity, and under heavy use.

standard on most carpet tile ranges

ReCushion Bac®

For underfoot comfort

ReCushion Bac® is available on many of our modular carpet ranges and resists crushing and flattening even with intense traffic. With high recycled content in the foam, this is a great sustainable choice while providing both acoustic benefits and luxurious cushioning for underfoot comfort.

minimum order quantity: 300m²

SONE®

The acoustic choice

This integrated backing is compatible with a wide range of our carpet tile portfolio and is ideal for areas with more complex acoustic needs, such as open offices, libraries and corridors. With a sound absorption value of up to aw 0.40, and impact sound reduction of up to 33dB, SONE® decreases noise levels significantly.

minimum order quantity: 300m²

CQuest™ Bio

Made with carbon negative materials

Guided by materials science, we've added new thinking and innovative new materials to make backings with a much lower carbon footprint. CQuest™Bio is made with a bio-composite, containing bio-based and recycled fillers. These materials, when measured on a standalone basis are net carbon negative.

available to request on all carpet tile ranges within this brochure

Sound Choice™

LVT acoustic backing

Designed specifically as the integrated and standard backing of all our LVT collections, the Sound Choice™ acoustic backing reduces impact sound by 16dB to avoid disturbances between floors and rooms – making it ideal for multi-story office buildings, education, healthcare and hospitality environments.

standard on all LVT products

TacTiles®

Easy installation

























The combination of flexibility and great environmental credentials make TacTiles® a great solution. TacTiles® are used to create a floating floor – meaning no need for adhesives, mess, drying time and a reduction in damaging VOCs.

glue-free installation

For more information on our backings, visit www.interface.com/backings




































Technical Specifications

Carpet Tile

Product Name	Standard Backing	Product Definition	Pile Material	Pile Yarn Weight ± 5%	Pile Height +15% / - 10%	Total Thickness ± 0.5 mm	Total Recycled Content	Radiant Panel (EN ISO 9239-1) (EN 13501-1)	Castor Chair (EN 985)	Impact Sound Insulation (ΔL _i) Sound Absorption (EN ISO 10140-3)	Sound Absorption (α _w) (EN ISO 11654)	Indoor Air Quality	Packaging	Page Number	Installation Methods
Composure	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	570g/m²	2.6mm	6.0mm	58.1%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	20	 Non Directional
Composure Edge	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	665 g/m²	3.0 mm	6.1 mm	56.9%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	24	 Non Directional
Contemplation	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	580 g/m²	3.3 mm	6.3 mm	57.7%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	26	 Ashlar Brick Non Directional
Elevation III	Graphlex®	Microtuft Patterned Level Loop Pile	100% Solution Dyed Nylon contains recycled content	360 g/m²	n/a	4.4 mm	70.3%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	12dB	0.15		50 x 50 cm 5 m² Box	38	 Quarter Turn
Employ Dimensions	Graphlex®	Tufted Patterned Level Loop Pile	100% Solution Dyed Nylon	462 g/m²	2.5 mm	5.5 mm	48.3%	Euroclass Bfl-s1	Continuous Use	24dB	0.15		25 x 100 cm 5 m² Box	52	 Ashlar Herringbone
Employ Lines	Graphlex®	Tufted Patterned Level Loop Pile	100% Solution Dyed Nylon	462 g/m²	2.5 mm	5.6 mm	48.8%	Euroclass Bfl-s1	Continuous Use	24dB	0.15		50 x 50 cm 5 m² Box	50	 Monolithic Quarter Turn Non Directional
Employ Loop	Graphlex®	Tufted Level Loop Pile	100% Solution Dyed Nylon	518 g/m²	2.6 mm	5.6 mm	48.1%	Euroclass Bfl-s1	Continuous Use	24dB	0.15		50 x 50 cm 5 m² Box	48	 Monolithic Quarter Turn
Equilibrium	Graphlex®	Tufted Patterned Structured Tip Sheared Pile	100% Recycled Solution Dyed Nylon	814 g/m²	4.1 mm	7.3 mm	62.1%	Euroclass Bfl-s1	Continuous Use	26dB	0.20		50 x 50 cm 4 m² Box	16	 Monolithic Quarter Turn Ashlar
Heuga 727 (PD) <i>Piece-Dyed</i>	Graphlex®	Tufted Plain Level Loop Pile	100% Recycled Nylon	580 g/m²	2.6 mm	5.6 mm	63%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	23dB	0.15		50 x 50 cm 5 m² Box	40	 Monolithic Quarter Turn
Heuga 727 (SD) <i>Solution-Dyed</i>	Graphlex®	Tufted Plain Level Loop Pile	100% Recycled Solution Dyed Nylon	535 g/m²	2.5 mm	5.8 mm	64.5%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	23dB	0.15		50 x 50 cm 5 m² Box	40	 Monolithic Quarter Turn
Ice Breaker	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	616 g/m²	3.7 mm	6.6 mm	57.8%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 5 m² Box	18	 Non Directional
On Line	CQuest™Bio	Tufted Patterned Structured Loop Pile	100% Recycled Solution Dyed Nylon	718 g/m²	3.7 mm	6.9 mm	85.2%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	27dB	0.20		25 x 100 cm 5 m² Box	10	 Ashlar Herringbone

Technical Specifications

Carpet Tile

Product Name	Standard Backing	Product Definition	Pile Material	Pile Yarn Weight ± 5%	Pile Height +15% / - 10%	Total Thickness ± 0.5 mm	Total Recycled Content	Radiant Panel (EN ISO 9239-1) (EN 13501-1)	Castor Chair (EN 985)	Impact Sound Insulation (ΔL _i) Sound Absorption (EN ISO 10140-3)	Sound Absorption (EN ISO 11654)	Indoor Air Quality	Packaging	Page Number	Installation Methods
Off Line	CQuest™Bio	Tufted Patterned Structured Loop Pile	100% Recycled Solution Dyed Nylon	718g/m²	3.8 mm	6.9 mm	85.2%	Euroclass Cfl-s1 <i>Bfl-s1 on request</i>	Continuous Use	27dB	0.20		25 x 100 cm 5 m² Box	12	  AshlarHerringbone
Straightforward II	Graphlex®	Microtuft Patterned Level Loop Pile	100% Solution Dyed Nylon, derived from biomass	420 g/m²	n/a	4.8 mm	38.9%	Euroclass Cfl-s1	Continuous Use	14dB	0.15		50 x 50 cm 5 m² Box	28	 Non Directional
Touch of Timber	Graphlex®	Microtuft Patterned Level Loop Pile	100% Recycled Solution Dyed Nylon	499 g/m²	n/a	5.0 mm	71.5%	Euroclass Cfl-s1	Continuous Use	14dB	0.15		25 x 100 cm 5 m² Box	14	  AshlarHerringbone
Transformation	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	576 g/m²	3.3 mm	6.3 mm	51.1%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	30	 Non Directional
Unity	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon contains recycled content	590 g/m²	2.7 mm	5.9 mm	58.4%	Euroclass Cfl-s1	Continuous Use	26dB	0.20		50 x 50 cm 4 m² Box	46	  Quarter TurnAshlar
Works Balance	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	558 g/m²	3.6 mm	6.7 mm	46.5%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		25 x 100 cm 5 m² Box	36	  AshlarHerringbone
Works Flow	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	600 g/m²	3.3 mm	6.6 mm	42.8%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	32	   MonolithicBrickAshlar
Works Fluid	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	596 g/m²	3.7 mm	7.1 mm	43.4%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		25 x 100 cm 5 m² Box	34	  AshlarHerringbone
Works Freestyle	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	596 g/m²	3.9 mm	7.2 mm	44%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		25 x 100 cm 5 m² Box	34	  AshlarHerringbone
Yuton 104	Graphlex®	Tufted Patterned Structured Loop Pile	100% Nylon	541 g/m²	2.9 mm	6.0 mm	64.2%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	44	   Non DirectionalAshlarQuarter Turn
Yuton 105	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	551 g/m²	3.2 mm	5.9 mm	61.6%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	44	  MonolithicAshlar
Yuton 106	Graphlex®	Tufted Patterned Structured Loop Pile	100% Solution Dyed Nylon	561 g/m²	2.9 mm	6.4 mm	58%	Euroclass Bfl-s1	Continuous Use	25dB	0.20		50 x 50 cm 4 m² Box	44	 Non Directional

Technical Specifications

Luxury Vinyl Tile (LVT)

Product Name	Finish	Product Definition	Wear Layer Thickness (EN ISO 24340)	Total Weight (EN ISO 23997)	Total Thickness (EN ISO 24346)	Total Recycled Content	Radiant Panel (EN 13501-1)	Castor Chair (ISO 4918 / EN425)	Impact Sound Insulation (ΔL _w) Sound Absorption (EN ISO 10140-3)	Abrasion Resistance (EN 660-2)	Packaging	Page Number	Installation Methods
Drawn Lines	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	25 x 100 cm 2.5 m² Box	60	<div><div>Ashlar</div><div>Herringbone</div></div>
Level Set Stones	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	58	<div><div>Ashlar</div><div>Herringbone</div></div>
Level Set Woodgrains	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	25 x 100 cm 2.5 m² Box	54	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>
Native Fabric	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	62	<div><div>Ashlar</div><div>Herringbone</div></div>
Studio Set	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	25 x 100 cm 2.5 m² Box	64	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>
Look Both Ways Walk About	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	66	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>
Look Both Ways Walk of Life	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	66	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>
Look Both Ways Walk on By	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	66	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>
Look Both Ways Walk the Aisle	Ceramor™ - UV Stabilized Ceramic Bead Coating	High Performance Luxury Vinyl Tile Contains 39% Pre-Consumer Recycled Content	0.55 mm	6880 g/m²	4.5 mm	39%	Euroclass Bfl s1	Pass	16 dB	Group T	50 x 50 cm 2.5 m² Box	66	<div><div>Monolithic</div><div>Brick</div><div>Non Directional</div><div>Ashlar</div><div>Quarter Turn</div></div>

Technical Specifications

nora® rubber flooring

				Properties acc. to EN 1817/EN12199							Additional technical properties							Page Number	
		CE conformity	Reaction to fire	Thickness		Tear strength	Flexibility	Hardness	Abrasion resistance at 5 N load	Classification	Toxicity of fire gases	Anti-slip properties		Improvement in footfall sound absorption	Effect of chemicals	Electrical insulation properties	Electrical propensity when walked upon	Effect of a castor chair	
Test Method			EN13501-1	EN ISO 24346		ISO 34-1, method B, procedure A	EN ISO 24344, procedure A	ISO 48-4	ISO 4649, procedure A	EN ISO 10874	DIN 53436	DIN 51130	DIN 51097	ISO 10140-3	EN ISO 26987	EN 1081 R1	EN 1815	EN 425	
Requirements			Bonded on mineral subfloor	Mean value without foam backing +-0.15mm	Mean value ± 0.15 mm according to EN 1817	Mean value ≥ 20 kN/m	Mandrel diameter 20 mm, no fissuring	≥ 70 Shore A (EN 12199) ≥ 75 Shore A (EN 1817)	≤ 250 mm³	Commerical/ Industrial		According to BGR 181							
Average test results from running production	norament® 926 arago grano	Manufacturer: nora systems GmbH, D-69469 Weinheim	Bfl-s1	-	3.5mm	40 kN/m	Fulfilled	82 Shore A	115 mm³	34/43	Carbonisation gases are non-toxic	grano: R9 arago: R10	A, B	10dB	Resistant depending on concentration and time of exposure*	10⁹ Ohm	Antistatic, charging in case of rubber soles < 2 kV	Suitable if castor wheels, type W, according to EN12529 are used	arago - 78 grano - 76
	noraplan® uni 2,0 mm		Bfl-s1	2.0mm	-	-	Fulfilled	94 Shore A	130 mm³	34/42		R9	-	6dB		10⁹ Ohm			uni - 74
	noraplan® sentica 2,0 mm noraplan® signa 2,0 mm noraplan® stone 2,0 mm		Bfl-s1	2.0mm	-	-	Fulfilled	92 Shore A	150 mm³	34/42		stone: R10 others: R9	A,B	6dB		10⁹ Ohm			sentica - 68 signa - 70 stone - 72

EN 1817:

EN 12199:

Specification for homogeneous and heterogeneous smooth elastomer floor coverings

Specification for homogeneous and heterogeneous profiled elastomer floor coverings


Colour variations due to different production batches as well as technical alterations to improve product have to be accepted.

Our sustainability journey

In 1994, inspired by our customers, Interface set out to eliminate our negative impact on the environment. Today, we're proud to have delivered on our Mission Zero® commitment, in part by becoming the first global flooring manufacturer to sell all products as carbon neutral.

We've now raised the bar and set an even bolder goal: Climate Take Back™. We believe that together we can make a difference to reverse global warming.

For more information: interface.com/ourjourney



1973	1994	1995	1996	1998	2000	2002	2007	2012	2016	2017	2018	2019	2020	2040
Ray Anderson founded Interface.	Ray's "Spear-in-the-chest" moment after reading 'The Ecology of Commerce', by Paul Hawken - inspiring Mission Zero.	ReEntry® carpet tile take back scheme launched.	Interface begins to use post-industrial content within our backings.	Our first microtuff product, using less yarn for a lower carbon footprint.	Random product design and installation introduced reducing waste.	Introduction of Cool Carpet™ programme, giving our customers the option of delivering carbon neutral flooring.	First post-consumer recycled content nylon used in our products.	Net-Works® launched; an inclusive business model which incorporates discarded fishing nets into our supply chain. Launched Biosfera, the first carpet tile made with 100% recycled nylon.	Interface launch a new mission to reverse global warming: Climate Take Back™.	Concept carbon negative tile unveiled.	Carbon Neutral Floors™ is launched, all Interface products are now carbon neutral.	Mission Zero success and launch of Lessons Learned report.	Launched our CQuest™Bio Backing, which reduces the carbon footprint of the product by one third. Awarded UN Global Climate Action Award.	Target to become a carbon negative company.




QuickShip Terms & Conditions

- Interface reserves the right to add or remove products to/from the QuickShip list at any time.
- For orders direct from Interface, available only to existing customers that have an account with Interface and have not exceeded their credit limit and have no overdue payments.
- Available from stock means that orders placed before 2:00 pm (GMT) in writing shall be dispatched from Interface the next normal business day.
- Available from stock is however based on best efforts and Interface does not accept any liability arising therefrom.
- 3-5 days delivery from dispatch

Interface European Manufacturing BV reserves the right to change or modify specifications. Please see website for latest specifications. We have tried our very best to accurately represent product colours. However, due to the nature of printed materials or viewing digitally, colour of actual products may vary slightly. Please request a sample to see actual product colour.



Carbon Neutral Floors™
Learn more about our third-party
verified Carbon Neutral Floors.
www.interface.com/carbonneutral



For more information about our products
and services:

T: +44 (0) 800 313 4465

E: ukcustomerservices@interface.com



www.interface.com



Climate change is undeniable. And
reversible. Our mission is to prove it.
Join the **#ClimateTakeBack** and
help create a climate fit for life.